





Focussing on projects with strong development potential in Australia **AGM Presentation** 28th November 2017











Disclaimer



Competent Person's Statement and Disclaimer:

Information in this report that relates to the Exploration Results for the Kathleen Valley Project is extracted from the ASX announcement entitled "Liontown intersects strong lithium and tantalum mineralisation in maiden drill program at Kathleen Valley, WA" released on the 20th March 2017 which is available on www.ltresources.com.au.

The Information in this report that relates to the Exploration Results for the Buldania and Norcott Projects is extracted from the ASX announcements entitled "Liontown acquires highly prospective lithium projects in WA's Eastern Goldfields" and "Surface samples of up to 4.6% Li₂O confirm widespread lithium mineralisation at the Buldania Lithium Project, WA" released on the 23rd and 30th October 2017 respectively which are available on www.ltresources.com.au.

The Information in this report that relates to Exploration Results for the RJC Vanadium Project is extracted from the ASX announcements entitled "Quarterly activities report For the Quarter ended 30 June 2017" released on the 27th July 2017 which is available on www.ltresources.com.au.

The company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market Cannouncement.

The Information in this report that relates to Exploration Targets is based on and fairly represents information and supporting documentation prepared by Mr David Richards, who is a Competent Person and a member of the Australasian Institute of Geoscientists (AIG). Mr Richards is a full-time employee of the company. The potential tonnage and grade ranges are conceptual in nature and there has been insufficient exploration to estimate a Mineral Resource. It is uncertain if further exploration will result in the estimation of a Mineral Resource.

This report contains forward-looking statements which involve a number of risks and uncertainties. These forward looking statements are expressed in good faith and believed to have a reasonable basis. These statements reflect current expectations, intentions or strategies regarding the future and assumptions based on currently available information. Should one or more of the risks or uncertainties materialize, or should underlying assumptions prove incorrect, actual results may vary from the expectations, intentions and strategies described in this announcement. No obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.



Exciting portfolio of projects with exposure to the transforming thium market; expected to grow at 17% p.a.



100% of lithium rights for 2 highly prospective projects with short to mid term resource potential close to established infrastructure:

Kathleen Valley (WA)

- Up to 58m @ 1.2% Li₂O intersected in initial drilling
- ~1km strike potential with coincident high grade rock chip results (up to 3.9% Li₂O) yet to be drilled

Buldania (WA)

- Up to 4.6% Li₂O recorded from rock chip sampling of spodumene bearing pegmatites
- No previous drilling for lithium

Plus exposure to significant vanadium opportunity, an increasingly important member of the battery-related metal suite:

■ RJC Vanadium Project (QLD) – Wholly-owned, ~1,000km² area adjoining and partially incorporating the Lilyvale vanadium resource*


Multiple opportunities for near term definition of resources close to established infrastructure




The lithium market is expected to grow at ~17% p.a. and would need to increase 30x with 100% EV penetration







% increase in battery commodity demand from 100% EV penetration



4 Source: UBS Securities, e-volumes.com, Canaccord Genuity



Vanadium is a new comer to the battery-metals space in the emerging large scale energy storage industry




Use and price underpinned by steel industry (~92% of current usage)

Use in steel predicted to grow at 6% p.a.

Emerging Vanadium Redox Flow Battery (VFRB) market predicted to put pressure on supply

Commercial VRFBs already installed world wide

Marked increase in price in 2017




Source: S&P Global Market Intelligence



Simple strategy - acquire early stage battery metal projects in good locations and rapidly demonstrate exploration upside and resource potential






Mineral Resource. See Appendix for full explanation of assumptions used to estimate ranges.



LTRs lithium peers demonstrate the current favourable resource valuations even for modest size deposits





Liontown has significant upside on the basis of its exploration target of 10-20Mt @ 1 - 1.5% Li₂O[#]

Source: S&P Global Market Intelligence Prices as of close 14 Nov 2017 * Mt Cattlin NPV by Canaccord 5 Nov 2017 #The potential grade and tonnage of the exploration target referred to above is conceptual in nature and there has been insufficient exploration to estimate a Mineral Resource. It is uncertain if further exploration will result in the estimation of a Mineral Resource. See Appendix for full explanation of assumptions used to estimate ranges.



Invest to gain exposure to multiple near term resource definition opportunities in rapidly growing battery metal market

- Simple strategy **acquire**, **explore** and **develop** according to the 4 key parameters
 - Grade
 - 2. Tonnage
 - 3. Metallurgy
 - 4. Infrastructure
 - Lithium market expected to grow by ~17% p.a.
 - 2 exploration projects with spodumene mineralisation
- Vanadium project with extensive, shallow (<15m)
 mineralisation and established resources
- Well resourced to maintain exploration momentum
- Technically strong and experienced team











ASX: LTR




Large spodumene bearing pegmatite swarm with high grade Li₂O surface assays and promising initial drilling



Up to 3.9% Li₂O and 381ppm Ta₂O₅ assays from surface sampling

Intersections from initial drilling program include:

- 58m @ 1.2% Li₂O from 135m incl.
 - 13m @ 2.0% Li₂O from 167m
- 24m @ 1.3% Li₂O from 206m incl.
 - 2m @ 2.6% Li₂O from 217m
 - 13m @ 1.6% Li₂O from 0m incl.
 - 9m @ 1.9% Li₂O from 2m
- Possible extension of the Mt Mann trend 500m to SE undercover






Kathleen Valley – further drilling scheduled to commence Q1 2018



- Designed to test a combined strike length of ~1km
 - Drill targets coincident with high grade, outcropping lithium mineralisation
- Phase 1 scheduled to commenced January/February 2018 dependent on timely processing of PoW.

Phase 1	25 RC holes	2,800m
Phase 2	51 RC holes	5,800m
Phase 2	3 Core holes	400m
Total	79 holes	9,000m







Drilling has demonstrated a thick pegmatite with high grade Oclose to established infrastructure



Highlights

- Multiple pegmatites up to
- High grade, fresh from surface
- Open along strike and at depth
- ©lose to modern transport, energy and camp infrastructure
- Granted Mining Leases
- Main access issues resolved
















Buldania has large spodumene bearing pegmatites with high grade Li₂O in rock chip samples



- Pegmatite swarm defined over 1.5 x 0.7km area
- ✓ Individual pegmatites up to 500m long and 100m
 ✓ wide mapped at surface by previous explorers
- _
- Rock chip sampling results up to 4.6% Li₂O
- Similar geological setting to the Mt Marion and
- Bald Hill lithium deposits (78Mt and 13 Mt
- Prespectively)
- ⊕Good infrastructure access located on Eyre
- Highway 30km east of Kalgoorlie-Esperance
- _railway
- Liontown has 100% of the lithium and related metal rights*



^{*} Secured via an agreement with Westgold Resources which holds royalty rights




Initial rock chip sampling demonstrates widespread, spodumene related lithium mineralisation



- Numerous spodumene occurrences within a 1.5km x 0.7km
- Mineralisation fresh from surface
- Drilling scheduled for Q1 2018 (conditional on heritage and statutory clearances)






For persona



Strategic land holding, prospective stratigraphy and lack of previous lithium exploration provide significant upside



- No previous exploration for lithium
- Strategic land holding includes the 377km² Norcott Project* located 4km to the south and along strike of the Buldania Project
- Multiple pegmatites have been observed during limited reconnaissance across the Norcott Project in the same geological setting as Buldania
- Further work at Norcott conditional on processing and grant of underlying EL applications



Liontown






ASX: LTR



The RJC Vanadium Project is a strategic land position covering known resources and with excellent infrastructure access


- Low cost exposure to important energy–storage metal
- Project adjoins and partially includes previously defined vanadium resources
- Close to Townsville Mt Isa transport links
- Potential to quickly estimate JORC compliant resource based on historic data
- Mineralisation is shallow (<15m) and free digging
- 100% owned, 1,040km² area located in NW Queensland
- Metallurgical test work scheduled for Q1 2018





Conclusions





Outstanding lithium projects at Kathleen Valley and Buldania – outcropping, high grade mineralisation

Drilling scheduled early 2018


Advanced vanadium project close to established infrastructure

~\$5.5million in cash and investments will ensure exploration momentum is maintained























ASX: LTR



Corporate Overview



ASX	Code
(4 10)	0000

LTR

56%

Board of Directors

Shares on Issue ~990M TIM GOYDER – Chairman

Market Capitalisation \$25M (at ~2.5 cps) DAVID RICHARDS – Managing Director

CRAIG WILLIAMS - Non-Executive Director

+40 years experience, Chairman Orecorp Ltd, co-founder and former CEO

+40 years experience, MD – Chalice Gold, Chairman – Uranium Equities

+35 years experience, former Managing Director – Glengarry Resources

Equinox Minerals

ANTHONY CIPRIANO – Non-Executive Director

+30 years experience, former partner at Deloitte



Major Shareholder

Top 20 Shareholders



Tim Goyder – 22%









Exploration Target Parameters and Assumptions Kathleen Valley



Combined strike length of target pegmatites	1,000m	Based on geological mapping and photo imagery
Average true width	20 - 35m	Based on drilling and mapping
Depth extent	175 - 220m	As above
Specific gravity (SG)	2.7 t/m ³	Approximate SG of fresh spodumene-bearing pegmatite
Total tonnage	10 – 20Mt	Length x width x depth x SG
Average Grade	1 - 1.5% Li ₂ O	Based on initial drilling results

The grade and tonnage ranges referred to above are conceptual in nature and there has been insufficient exploration to estimate a Mineral Resource. It is uncertain if further exploration will result in the estimation of a Mineral Resource.











www.ltresources.com.au





Kat	Kathleen Valley RC Drilling Significant Li20 (>0.5%) and Ta2O5 (>50ppm) results																	
	Hole_ID	East	North	RL	Dip	Azimuth	Depth (m)				d Ta2O5 (>50pլ	_						
\Box 5	Hole_ID	Last	North	IVE	ыр	Azimutii	Depth (iii)	From(m)	To(m)	Interval(m)	Li2O (%)	Ta2O5 (ppm)						
								3	6	3	1	122						
(U)	KVRC0001	258306	6958744	500	-60	45	65	10	11	1	1.1	85						
								16	17	1	1.1	94						
								0	13	13	1.6	114						
											107ppm Ta2O5							
	KVRC0002	KVRC0002 258379 6958675 50	500	-60	225	109	26	29	3	1.3	101							
											35	36	1	1.6	127			
									83	96	13	1.6	111					
								incl. 6m @ 2% Li2O and 113ppm Ta2O5 from 88m										
46	KVRC0003	258395	6958690	500	500	500	500	-59 225	-59 22	-59	-59	225	155	91	105	14	1.7	163
(0,0)											30ppm Ta2O5 f							
		258348				45	89	36	38	2	1	99						
(0)	KVRC0004		6958645	500	-50			45	56	11	1.2	100						
of personal								incl. 3m @ 1.8% Li2O and 106ppm Ta2O5 from 45m										
	KVRC0005	258276	6958707	500	-53	40	89	32	34	2	1.3	112						
7						_		39	40	1	1.5	132						
	KVRC0006	258433	6958654	500	-49.5	227.5	80	37	43	6	1.1	153						
(\bigcirc)		RC0007 258452 6959						29	35	6	1.4	170						
Пп	KVRC0007		6959426	500	-47	45	132	incl. 3m @ 1.9% Li2O and 166ppm Ta2O5 from 30m										
			.55 .52 5555-20			_	<i></i>	39	40	1	1.1	198						
								124	125	1	2.4	302						
	KVRC0008	258512 6959469	258512	258512	258512	258512	258512	6959469	500	-50	55	130	81	82	1	1.2	310	
					\perp	33		95	96	1	1	124						
	KVRC0009	258590	6959528	500	-50	45	113	57	59	2	0.7	248						
			3333320	330	50	.5	113	70	71	1	0.6	266						





leen V	alley	RC E)rilli	ing	(cont	tinued)				S.	
Hole_ID	East	North	RL	Dip	Azimuth	Depth (m)				d Ta2O5 (>50p		
		1.00.0		p	7 1211101011	- Сран (н.,)	From(m)	To(m)	Interval(m)	Li2O (%)	Ta2O5 (pp	
							83	85	2	1.1	211	
KVRC0010	258593	6959527	500	-50	225	130	91	92	1	1.4	239	
							100	106	6	1.2	284	
KVRC0011	258208	6958788	500	-50	45	89	24	25	1	1	112	
KVRC0012	258154	6958729	500	-55	45	65						
KVRC0013	258205	6958930	500	-50	45	108			No significa			
KVRC0014	258157	6958881	500	-50	45	113	12	17	5	0	240	
							135	193	58	1.2	156	
							incl. 9	m @ 1.8%	Li2O and 220	ppm Ta2O5 fro	om 141m and	
							13m	า @ 2.0% L	.i2O and 138p	pm Ta2O5 froi	m 67m and	
KVRC0015	258443	6958652	500	-50	180	241	206	230	24	1.3	139	
							incl. 3m @ 1.6% Li2O and 105ppm Ta	ppm Ta2O5 fro	O5 from 208m and			
							2m	@ 2.6% Li	20 and 271pp	m Ta2O5 from	217m and	
							4m	@ 1.6% Li	20 and 145pp	m Ta2O5 from	226m and	
KVRC0016	258331	6958764	500	-50	45	40			No significa	nt assays		
KVRC0017	257899	6958809	500	-50	45	119	63	65	2	1.3	212	
KVRC0018	257951	6958853	500	-50	45	101	1	2	1	1.4	93	
KVRC0019	258252	6958969	500	-50	45	89	No significant assays					

^{*} True widths estimated as follows:

Holes drilled towards NE (040-055), true widths 70-80% of downhole width Holes drilled towards SW (040-055), true widths 30-50% of downhole width KVRC0015 true widths ~30% of downhole width





Bu	ldania	Rock Chip	Sampling						210
	SampleID	GDA94 East	GDA94 North	Li2O pct	Ta2O5 ppm	Cs_ppm	Nb_ppm	Rb_ppm	Sn_ppm
	202133	414031	6451617	0.15	456	162	145	2370	90
60	202134	414019	6451638	0.09	96	123	68	1330	34
	202135	414017	6451664	0.55	134	289	82	4960	34
	202136	414030	6451686	0.01	249	55	81	1790	33
	202143	414349	6450853	0.11	38	108	43	1760	66
a	202146	414098	6451544	3.53	52	45	59	845	126
	202147	414025	6451667	2.08	67	92	55	3400	94
	202148	414043	6451674	2.76	161	38	30	716	159
	202149	414146	6451576	2.16	43	73	55	2020	110
	202150	414179	6451511	1.62	42	44	42	1650	72
	202151	414181	6451474	2.55	90	14	77	51.6	154
	202153	414263	6451447	1.91	237	83	72	1585	98
	202154	414414	6451428	4.17	34	24	47	686	107
	202155	414479	6450937	2.56	42	24	41	544	69
	202156	414701	6450669	1.71	105	31	79	638	50
	202157	414456	6451180	0.02	84	19	80	104	22
ПП	202158	414449	6451217	0.01	56	1	50	10	79
	202159	414445	6451212	4.56	9	36	-10	72	14
	202160	414362	6451436	0.04	99	28	30	938	59
	202161	414309	6451487	2.69	55	70	80	1560	61
	202162	414309	6451472	0.07	127	42	80	884	52
	202163	414336	6451481	0.10	314	68	100	2340	1060