



DEPARTMENT OF THE ENVIRONMENT
WATER SUPPLY PROGRAM

Certifies That

Home Land Labs - Waldorf

3430 Rockefeller Court, Waldorf, MD 20602

Having duly met the requirements of the regulations governing Laboratory Certification and Standards of Performance in accordance with The Annotated Code of Maryland, is hereby approved as a

State Certified Water Quality Laboratory

*to perform the analyses indicated on the Annual Certified Parameter List,
which must accompany this certificate.*

MD Lab ID # 139

Date Issued May 11, 2022

Expiration Date June 30, 2023
(Not Transferable)

Gregory C Busch

Administrator, Water Supply Program

This certification is subject to unannounced laboratory inspections

CONSPICUOUSLY DISPLAY IN THE LABORATORY WITH THE ANNUAL CERTIFIED PARAMETER LIST.

MDE01885



Maryland

Department of the Environment

Larry Hogan, Governor
Boyd K. Rutherford, Lt. Governor

Ben Crumbles, Secretary
Horacio Tablada, Deputy Secretary

May 10, 2022

Denise Butera
Home Land Labs - Waldorf
3430 Rockefeller Court
Waldorf, MD 20602

RE: Current Maryland Water Quality Certificate
Home Land Labs - Waldorf (MD Lab ID # 139)

Dear Ms. Butera:

Enclosed please find the current Certificate for drinking water laboratory certification in the State of Maryland. Also enclosed, the Parameter List outlines each method the lab is certified to analyze for compliance purposes under the Safe Drinking Water Act (SDWA). The certificate and fees are renewable annually.

If you have any changes in methods, personnel, major equipment, ownership, name change, or location, during the year, you are required to advise this office within 30 days.

If you have any questions, please feel free to contact me at taj.goodlow@maryland.gov or 410-537-3712.

Sincerely,

A handwritten signature in blue ink that reads "Taj Goodlow".

Taj Goodlow
Laboratory Certification Program Manager
[Water Supply Program – WSA](#)

Enclosure:

- *MD Laboratory Certificate for Drinking Water*
- *MD Annual Certified Parameter List*



SDWA ANNUAL CERTIFIED PARAMETER LIST

Issued Date: May 11, 2022

Expiration Date: June 30, 2023

Home Land Labs - Waldorf
3430 Rockefeller Court
Waldorf, MD 20602

Denise Butera
MD Lab ID: 139
EPA Lab ID: MD00058

ANALYTE	METHOD	STATUS
Arsenic	SM 3113 B, 21 st ed.	Certified
Copper	SM 3111 B, 21 st ed.	Certified
E. coli	SM 9223 Colilert, 21 st ed.	Certified
E. coli	SM 9223 Colisure, 21 st ed.	Certified
E. coli (Enumeration)	SM 9223 Colilert, 21 st ed.	Certified
Heterotrophic Plate Count	SimPlate	Certified
Lead	SM 3113 B, 21 st ed.	Certified
Nitrate	EPA 353.2, Rev. 2.0	Certified
Nitrite	EPA 353.2, Rev. 2.0	Certified
(Nitrate + Nitrite) as N	EPA 353.2, Rev. 2.0	Certified
Total Coliforms	SM 9223 Colilert, 21 st ed.	Certified
Total Coliforms	SM 9223 Colisure, 21 st ed.	Certified