



DEPARTMENT OF THE ENVIRONMENT
WATER SUPPLY PROGRAM

Certifies That

Home Land Labs - Towson

1220 East Joppa Road, Building C Suite 505, Towson, MD 21286

Having duly met the requirements of the regulations governing Laboratory Certification and Standards of Performance in accordance with The Annotated Code of Maryland, is hereby approved as a

State Certified Water Quality Laboratory

*to perform the analyses indicated on the Annual Certified Parameter List,
which must accompany this certificate.*

MD Lab ID # 365

Date Issued May 2, 2022

Expiration Date June 30, 2023
(Not Transferable)

Gregory C Busch

Administrator, Water Supply Program

This certification is subject to unannounced laboratory inspections

CONSPICUOUSLY DISPLAY IN THE LABORATORY WITH THE ANNUAL CERTIFIED PARAMETER LIST.

MDE01882



Maryland

Department of the Environment

Larry Hogan, Governor
Boyd K. Rutherford, Lt. Governor

Ben Grumbles, Secretary
Horacio Tablada, Deputy Secretary

May 3, 2022

Kevin Barnaba
1220 East Joppa Road
Building C, Suite 505
Towson, MD 21286

RE: Current Maryland Water Quality Certificate
Home Land Labs-Towson (MD Lab ID # 365)

Dear Mr. Barnaba,

Enclosed please find the current Certificate for drinking water laboratory certification in the State of Maryland. Also enclosed, the Parameter List outlines each method the lab is certified to analyze for compliance purposes under the Safe Drinking Water Act (SDWA). The certificate and fees are renewable annually.

If you have any changes in methods, personnel, major equipment, ownership, name change, or location, during the year, you are required to advise this office within 30 days.

If you have any questions, please feel free to contact me at taj.goodlow@maryland.gov or 410-537-3712.

Sincerely,

A handwritten signature in blue ink that reads "Taj Goodlow".

Taj Goodlow
Laboratory Certification Program Manager
[Water Supply Program – WSA](#)

Enclosure:

- *MD Laboratory Certificate for Drinking Water*
- *MD Annual Certified Parameter List*



SDWA ANNUAL CERTIFIED PARAMETER LIST

Issued Date: May 2, 2022

Expiration Date: June 30, 2023

Home Land Labs - Towson
1220 East Joppa Road, Building C, Suite 505
Towson, MD 21286

Kevin Barnaba
MD Lab ID: 365
EPA Lab ID:

ANALYTE	METHOD	STATUS
E.coli	SM 9223 B Colilert, 21 st ed.	Interim
E.coli	SM 9223 B Colisure, 21 st ed.	Interim
Nitrate	EPA 353.2, Rev. 2.0	Interim
Nitrite	EPA 353.2, Rev. 2.0	Interim
Nitrate + Nitrite	EPA 353.2, Rev. 2.0	Interim
Total Coliforms	SM 9223 B Colilert, 21 st ed.	Interim
Total Coliforms	SM 9223 B Colisure, 21 st ed.	Interim