

# Safety Data Sheet Sokalan® CP 7

Revision date: 2015/04/07 Page: 1/9

Version: 2.0 (30042784/SDS\_GEN\_US/EN)

#### 1. Identification

#### Product identifier used on the label

## Sokalan® CP 7

### Recommended use of the chemical and restriction on use

Suitable for use in industrial sector: chemical industry

## Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

## **Emergency telephone number**

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

#### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## Classification of the product

No need for classification according to GHS criteria for this product.

#### Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

### Hazards not otherwise classified

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

## Sokalan® CP 7

Revision date: 2015/04/07 Page: 2/9
Version: 2.0 (30042784/SDS GEN US/EN)

No specific dangers known, if the regulations/notes for storage and handling are considered.

## According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## **Emergency overview**

CAUTION:

MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.

INGESTION MAY CAUSE GASTRIC DISTURBANCES.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of dusts/mists/vapours.

Wear NIOSH-certified chemical goggles.

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Wear chemical resistant protective gloves.

Eye wash fountains and safety showers must be easily accessible.

Ensure adequate ventilation.

## 3. Composition / Information on Ingredients

### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

This product does not contain any components classified as hazardous under the referenced regulation.

## According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Content (W/W)	Chemical name
7732-18-5	59.978 %	Water
52255-49-9	39.0 %	2-Propenoic acid, polymer with 2,5-furandione, sodium salt

#### 4. First-Aid Measures

## **Description of first aid measures**

#### General advice:

Remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air.

#### If on skin:

Wash thoroughly with soap and water.

### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

#### If swallowed:

Rinse mouth and then drink plenty of water.

### Most important symptoms and effects, both acute and delayed

Symptoms: No significant symptoms are expected due to the non-classification of the product.

## Indication of any immediate medical attention and special treatment needed

## Sokalan® CP 7

Revision date: 2015/04/07 Page: 3/9
Version: 2.0 (30042784/SDS GEN US/EN)

Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

## 5. Fire-Fighting Measures

## **Extinguishing media**

Suitable extinguishing media: water spray, dry powder, foam

## Special hazards arising from the substance or mixture Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### Further information:

Contaminated extinguishing water must be disposed of in accordance with official regulations.

#### 6. Accidental release measures

Further accidental release measures:

High risk of slipping due to leakage/spillage of product.

## Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures see, section 8.

#### **Environmental precautions**

Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

For small amounts: Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder).

Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product.

Spills should be contained, solidified, and placed in suitable containers for disposal.

## 7. Handling and Storage

#### Precautions for safe handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

No special precautions necessary.

## Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and in a cool place.

## Sokalan® CP 7

Revision date: 2015/04/07 Page: 4/9
Version: 2.0 (30042784/SDS GEN US/EN)

## 8. Exposure Controls/Personal Protection

## Advice on system design:

Provide local exhaust ventilation to control vapours/mists.

#### Personal protective equipment

#### Respiratory protection:

Respiratory protection in case of vapour/aerosol release.

#### Hand protection:

Chemical resistant protective gloves

### Eye protection:

Safety glasses with side-shields.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

## General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin and eyes. Remove contaminated clothing.

## 9. Physical and Chemical Properties

Form: aqueous solution Odour: product specific

Odour threshold: No data available.

Colour: yellowish

pH value: approx. 8 (250 g/l) (DIN 19268)

solidification -4 °C

temperature:

Flash point: > 100 °C (DIN 51758)

Flammability: not flammable

Lower explosion limit: For liquids not relevant for classification

and labelling.

Upper explosion limit: For liquids not relevant for classification

and labelling.

Autoignition: > 200 °C (DIN 51794) Vapour pressure: approx. 23 mbar (20 °C)

Information on: Water

Vapour pressure: 23 hPa (20 °C)

Density: approx. 1.3 (23 °C) (DIN 51757)

g/cm3

Relative density: No data available.

Vapour density: not determined Partitioning coefficient not applicable octanol/water (log Pow):

Thermal decomposition: > 150 °C

Viscosity, dynamic: approx. 1,500 (23 °C)

mPa.s

## Sokalan® CP 7

Revision date: 2015/04/07 Page: 5/9
Version: 2.0 (30042784/SDS GEN US/EN)

Particle size:

The substance / product is marketed or used in a non solid or granular form.

Solubility in water: soluble

Miscibility with water: miscible in all proportions

Evaporation rate: not determined

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

## 10. Stability and Reactivity

## Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

## **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

## Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

The product is chemically stable.

#### **Conditions to avoid**

See MSDS section 7 - Handling and storage.

## Incompatible materials

acids, Alkalines, caustics, halogens, reactive chemicals

## **Hazardous decomposition products**

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

> 150 °C

## 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

## **Acute Toxicity/Effects**

Acute toxicity

Assessment of acute toxicity: Ingestion may cause gastrointestinal disturbances.

Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

Inhalation

## Sokalan® CP 7

Revision date: 2015/04/07 Page: 6/9
Version: 2.0 (30042784/SDS\_GEN\_US/EN)

Type of value: LC50 Species: rat not determined

**Dermal** 

Type of value: LD50 Species: rat not determined

#### Assessment other acute effects

No data available.

#### Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

Skin

Species: rabbit Result: non-irritant

Method: OECD Guideline 404

Eye

Species: rabbit Result: non-irritant

Method: OECD Guideline 405

Sensitization

Assessment of sensitization: No data available.

#### **Aspiration Hazard**

No aspiration hazard expected.

## **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: No known chronic effects.

#### Genetic toxicity

Assessment of mutagenicity: No data available concerning mutagenic effects.

## Carcinogenicity

Assessment of carcinogenicity: No data available concerning carcinogenic effects.

#### Reproductive toxicity

Assessment of reproduction toxicity: No data available.

#### **Teratogenicity**

Assessment of teratogenicity: No data available.

## Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

## **Symptoms of Exposure**

No significant symptoms are expected due to the non-classification of the product.

## Sokalan® CP 7

Revision date: 2015/04/07 Page: 7/9
Version: 2.0 (30042784/SDS GEN US/EN)

## 12. Ecological Information

## **Toxicity**

Toxicity to fish

LC50 (96 h) > 100 mg/l, Leuciscus idus

Aquatic invertebrates

LC50 (48 h), daphnia

not determined

Aquatic plants

EC50 (72 h), algae

not determined

Chronic toxicity to fish

No data available.

Chronic toxicity to aquatic invertebrates

No data available.

## Microorganisms/Effect on activated sludge

## Toxicity to microorganisms

DEV-L2 activated sludge, domestic, adapted/EC10: > 1,000 mg/l

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

### Persistence and degradability

### Assessment biodegradation and elimination (H2O)

Readily biodegradable (according to OECD criteria). The product can be virtually eliminated from water by abiotic processes e.g. adsorption onto activated sludge.

#### **Elimination information**

> 70 % DOC reduction (OECD 302B; ISO 9888; 88/302/EEC,part C) Easily eliminated from water.

### Mobility in soil

## Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is possible.

#### **Additional information**

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

## Other ecotoxicological advice:

Do not release untreated into natural waters. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

## Sokalan® CP 7

Revision date: 2015/04/07 Page: 8/9
Version: 2.0 (30042784/SDS\_GEN\_US/EN)

## 13. Disposal considerations

#### Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

#### Container disposal:

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

## 14. Transport Information

### Land transport

USDOT

Not classified as a dangerous good under transport regulations

#### Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

## Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

## 15. Regulatory Information

## **Federal Regulations**

## Registration status:

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Not hazardous;

**NFPA Hazard codes:** 

Health: 1 Fire: 1 Reactivity: 0 Special:

**HMIS III rating** 

Health: 1 Flammability: 1 Physical hazard: 0

## 16. Other Information

### SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2015/04/07

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our

Sokalan® CP 7

Revision date : 2015/04/07 Page: 9/9
Version: 2.0 (30042784/SDS\_GEN\_US/EN)

commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Sokalan® CP 7 is a registered trademark of BASF Corporation or BASF SE IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**