

Revision Date: 08/14/2020

RTV210A-224B

SAFETY DATA SHEET

1. Identification

Product identifier: RTV210A-224B

Other means of identification

Synonyms: FILLED POLYDIMETHYLSILOXANE - Component A

Recommended use and restriction on use

Recommended use: Automotive application.

Restrictions on use: Not known.

Manufacturer/Importer/Distr :

ibutor Information

Momentive Performance Materials LLC

260 Hudson River Road Waterford NY 12188

Contact person : commercial.services@momentive.com

Telephone : General information

+1-800-295-2392

Emergency telephone

number

Supplier : CHEMTREC

1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Health Hazards

Toxic to reproduction Category 2

Unknown toxicity - Health

Acute toxicity, oral	0 %
Acute toxicity, dermal	0 %
Acute toxicity, inhalation, vapor	0 %
Acute toxicity, inhalation, dust or mist	0 %

Label Elements

Hazard Symbol:

SDS_US 1/14



Revision Date: 08/14/2020

RTV210A-224B



Signal Word: Warning

Hazard Statement: H361; Suspected of damaging fertility or the unborn child.

Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Use personal protective

equipment as required.

Response: IF exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
(1) Calcium Carbonate	471-34-1	20 - <50%	# This substance has workplace exposure limit(s).
Octamethylcyclotetrasiloxane	556-67-2	0.1 - <1%	# This substance has workplace exposure limit(s).

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

4. First-aid measures

SDS_US 2/14



Revision Date: 08/14/2020

RTV210A-224B

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical

advice. Never give liquid to an unconscious person.

Inhalation: Move to fresh air. Get medical attention if symptoms persist.

Skin Contact: Wash area with soap and water. Get medical attention if symptoms occur.

Eye contact: In the event of contact with the eyes, rinse thoroughly with clean water. Get

medical attention if any discomfort continues.

Most important symptoms/effects, acute and delayed

Symptoms: None known.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Treatment is symptomatic and supportive.

5. Fire-fighting measures

General Fire Hazards: Self-contained breathing apparatus and full protective clothing must be

worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from

the chemical:

In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed

due to oxidative degradation.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Keep away from sources of ignition - No smoking. All equipment used when

handling the product must be grounded.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure selfcontained breathing apparatus with full face mask and full protective

clothing.

SDS_US 3/14



Revision Date: 08/14/2020

RTV210A-224B

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Caution: Contaminated surfaces may be slippery. Keep unprotected persons away. Avoid contact with skin and eyes. Use personal protective equipment. Keep out of reach of children.

Methods and material for containment and cleaning up:

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

Notification Procedures:

Remove sources of ignition. Pay attention to the risk of combustion by fire or other sources of ignition.

Environmental Precautions:

Do not allow runoff to sewer, waterway or ground.

7. Handling and storage

Precautions for safe handling: Sensitivity to static discharge is not expected. Do not get in eyes, on skin,

on clothing. Do not taste or swallow. See Section 8 of the SDS for Personal

Protective Equipment.

Conditions for safe storage,

including any incompatibilities:

Keep in a cool, ventilated location far from heat source and flame Keep container closed. Use original container or packaging of similar material of

construction

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values Source		
(1) Calcium Carbonate - Total	REL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)	
(1) Calcium Carbonate - Respirable.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)	
(1) Calcium Carbonate - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)	
(1) Calcium Carbonate - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)	
(1) Calcium Carbonate - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)	
(1) Calcium Carbonate - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)	
(1) Calcium Carbonate - Total dust.	TWA	15 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (06 2008)	
(1) Calcium Carbonate - Respirable fraction.	TWA	5 mg/m3 US. Tennessee. OELs. Occupational Ex Limits, Table Z1A, as amended (06 200		
Octamethylcyclotetrasiloxane	TWA	5 ppm		
Octamethylcyclotetrasiloxane - Vapor.	ST ESL	1,000 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (11 2016)	
	ANESL	100 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as	

SDS_US 4/14



Revision Date: 08/14/2020

RTV210A-224B

			amended (11 2016)
Octamethylcyclotetrasiloxane	TWA	10 ppm	US. OARS. WEELs Workplace Environmental
			Exposure Level Guide, as amended (2014)

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

Appropriate Engineering

Controls

Provide eyewash station and safety shower. Local exhaust is recommended. Observe good industrial hygiene practices.

Individual protection measures, such as personal protective equipment

General information: No data available.

Eye/face protection: Safety glasses with side shields

Skin Protection

Hand Protection: Use chemical-resistant, impervious gloves.

Other: Wear suitable protective clothing and eye/face protection.

Respiratory Protection: If inhalation exposure is expected, NIOSH/MSHA approved respiratory

protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in

accordance with OSHA regulations (see 29CFR 1910.134).

Hygiene measures: Avoid contact with eyes, skin, and clothing. Wash hands after handling.

When using do not eat, drink or smoke.

9. Physical and chemical properties

Appearance

Physical state: solid
Form: Paste
Color: White
Odor: Odorless

Odor threshold:

pH:

No data available.

Flash Point: ca. 142 °C

Evaporation rate:No data available.
Flammability (solid, gas):
No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

No data available.

No data available.

SDS_US 5/14



Revision Date: 08/14/2020

RTV210A-224B

Explosive limit - lower:No data available. **Heat of combustion:**No data available.

Vapor pressure: No data available.

Vapor density:No data available.Density:ca. 1,400 g/cm3

Relative density: ca. 1.4

Solubility(ies)

Solubility in water: Insoluble
Solubility (other): Hexanes

Partition coefficient (n-octanol/water) Log

Pow:

No data available.

Auto-ignition temperature:No data available.Decomposition temperature:No data available.SADT:No data available.Viscosity, dynamic:No data available.Viscosity, kinematic:No data available.

VOC: 0.01 g/l ;

10. Stability and reactivity

Reactivity: No dangerous reaction if used as recommended.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

Conditions to avoid: None known.

Incompatible Materials: Strong Acids, Strong Bases

Hazardous Decomposition

Products:

In case of fire, gives off (emits): Carbon dioxide Silicon dioxide.

Measurements at temperatures above 150°C in presence of air (oxygen)

have shown that small amounts of formaldehyde are formed due to

oxidative degradation.

11. Toxicological information

Information on likely routes of exposure

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

SDS_US 6/14



Revision Date: 08/14/2020

RTV210A-224B

Eye contact: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Octamethylcyclotetrasilox LD 50 (Rat): > 4,800 mg/kg

ane

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Octamethylcyclotetrasilox LD 50 (Rat): > 2,375 mg/kg

ane

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Octamethylcyclotetrasilox LC50

ane

LC50 (Rat): 36 mg/l

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasil OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit): Slightly

oxane irritating.

Serious Eye Damage/Eye Irritation

Product: No data available.

SDS_US 7/14



Revision Date: 08/14/2020

RTV210A-224B

Specified substance(s):

Octamethylcyclotetrasil

OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Non irritating

oxane

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasil Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig):

oxane Not sensitizing

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox

ane

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)

In vivo

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox

ane

Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology:

Micronucleus Test)) Inhalation (Rat, male and female): negative

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

SDS_US 8/14



Revision Date: 08/14/2020

RTV210A-224B

Other effects:

Octamethylcyclotetrasiloxane (D4) Ingestion: Rodents given large doses via oral gavage of Octamethylcyclotetrasiloxane (1600mg/kg/day,14 days), developed increased liver weights relative to unexposed control animals due to hepatocellular hyperplasia (increased number of liver cells which appear normal) as well as hypertrophy (increased cell size). Inhalation: In inhalation studies, laboratory rodents exposed to Octamethylcyclotetrasiloxane (300 ppm five days/week, 90 days) developed increased liver weights in female animals relative to unexposed control animals. When the exposure was stopped, liver weights returned to normal. Microscopic examination of the liver cells did not show any evidence of pathology. This response in rats, which does not affect the animal's health, is well-documented and widely recognized. It is related to an increase of liver enzymes that metabolize and eliminate a material from the body. The increased liver weight reverses even while the D4 exposure continues. The finding is not adverse, but is considered a natural adaptive change in rats, and does not represent a hazard to humans. Inhalation studies utilizing laboratory rabbits and guinea pigs showed no effects on liver weights. Inhalation exposures typical of industrial usage (5-10 ppm) showed no toxic effects in rodents. Range finding reproductive studies were conducted (whole body inhalation, 70 days prior to mating, through mating, gestation and lactation), with D4. Rats were exposed to 70 and 700 ppm. In the 700 ppm group, there was a statistically significant reduction in mean litter size and in implantation sites. No D4 related clinical signs were observed in the pups and no exposure related pathological findings were found. A two-year, combined chronic/carcinogenicity study, during which rats were exposed to D4 by inhalation, data showed a statistically significant increase in a benign uterine tumor in female rats exposed at the highest level--a level much higher than the low levels that consumers or workers may encounter. An expert panel of independent scientists who have reviewed the results of this research concur that the finding seen in the two-year study occurred through a biological pathway that is specific to the rat and is not relevant to humans. Therefore, this observed effect does not indicate a potential health hazard to humans. In developmental toxicity studies, rats and rabbits were exposed to D4 at concentrations up to 700 ppm and 500 ppm, respectively. No teratogenic effects (birth defects) were observed in either study.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: EC50 (Daphnia magna, 48 h): > 0.015 mg/l

Chronic hazards to the aquatic environment:

SDS_US 9/14



Revision Date: 08/14/2020

RTV210A-224B

Fish

Product: LC50 (Oncorhynchus mykiss, 14 d): 0.01 mg/l

Aquatic Invertebrates

Product: EC50 (Daphnia magna, 21 d): > 0.015 mg/l

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: 3.7 % (29 d, OECD Test Guideline 310)

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: Pimephales promelas, Bioconcentration Factor (BCF): 12.40 May

accumulate in soil and water systems.

Partition Coefficient n-octanol / water (log Kow) Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

(1) Calcium Carbonate No data available. Octamethylcyclotetrasiloxa No data available.

ne

Other adverse effects: No data available.

13. Disposal considerations

General information: The generation of waste should be avoided or minimized wherever

possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

Disposal instructions: Disposal should be made in accordance with federal, state and local

regulations.

Contaminated Packaging: Dispose of as unused product.

14. Transport information

DOT

Not regulated.

SDS_US 10/14



Revision Date: 08/14/2020

RTV210A-224B

IMDG

Not regulated.

IATA

Not regulated.

Special precautions for user: This product is not regarded as dangerous goods according to the

national and international regulations on the transport of

dangerous goods.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

Chemical Identity
Siloxanes and Silicones,
di-Me hydroxy terminated

OSHA hazard(s)
No OSHA Hazards

(1) Calcium Carbonate Causes mild skin irritation.; Corrosive to eyes; Respiratory hazard.

No OSHA Hazards

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Reproductive toxicity

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SDS_US 11/14



Revision Date: 08/14/2020

RTV210A-224B

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u> <u>Threshold Planning Quantity</u>

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Siloxanes and Silicones, di-Me hydroxy terminated

(1) Calcium Carbonate

Fatty acids, mixed coco and tallow, sodium salts

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

(1) Calcium Carbonate

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

SDS_US 12/14



Revision Date: 08/14/2020

RTV210A-224B

Inventory Status:

Australia AICS:	y (positive listing)	Remarks: None.
Canada DSL Inventory List:	Q (quantity restricted)	Remarks: At least one component
		is not listed in DSL but all such
		components are listed in NDSL.
EU EINECS List:	y (positive listing)	Remarks: None.
Japan (ENCS) List:	y (positive listing)	Remarks: None.
China Inv. Existing Chemical	y (positive listing)	Remarks: None.
Substances:		
Korea Existing Chemicals Inv. (KECI):	y (positive listing)	Remarks: None.
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
Philippines PICCS:	n (Negative listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: None.
New Zealand Inventory of Chemicals:	n (Negative listing)	Remarks: None.
Taiwan Chemical Substance	y (positive listing)	Remarks: None.
Inventory:		
REACH:	If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.

16.Other information, including date of preparation or last revision

HMIS Hazard ID

Health	*	0
Flammability		0
Physical Hazards	0	
PERSONAL PROTECTION	NC	

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 08/14/2020

Revision Date: No data available.

SDS_US 13/14



Revision Date: 08/14/2020

RTV210A-224B

Version #: 2.0

Further Information: No data available.

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best ofour knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.

SDS_US 14/14