

RTV530-LV

# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** RTV530-LV

**Other means of identification**

**Synonyms:** Silicone Sealant

**Recommended use and restriction on use**

**Recommended use:** Silicone Elastomer Trial sample

**Restrictions on use:** Not known.

**Manufacturer/Importer/Distributor Information** : Momentive Performance Materials LLC  
260 Hudson River Road  
Waterford NY 12188

**Contact person** : commercial.services@momentive.com

**Telephone** : General information  
+1-800-295-2392

**Emergency telephone number**

**Supplier** : CHEMTREC  
1-800-424-9300

## 2. Hazard(s) identification

**Hazard Classification**

**Health Hazards**

Serious Eye Damage/Eye Irritation Category 1

Skin sensitizer Category 1

**Unknown toxicity - Health**

Acute toxicity, oral	0.26 %
Acute toxicity, dermal	0.26 %
Acute toxicity, inhalation, vapor	0.26 %
Acute toxicity, inhalation, dust or mist	0.26 %

**Label Elements**

**Hazard Symbol:**

RTV530-LV



**Signal Word:** Danger

**Hazard Statement:** H318; Causes serious eye damage.  
H317; May cause an allergic skin reaction.

**Precautionary Statements**

**Prevention:** Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Other hazards which do not result in GHS classification:** None.

**Substance(s) formed under the conditions of use:** Reacts with water liberating small amounts of methanol.

**3. Composition/information on ingredients**

**RTV530-LV**

**Mixtures**

Chemical Identity	CAS number	Content in percent (%)*	Notes
Aminoethyl aminopropyl trimethoxy silane	1760-24-3	5 - <10%	# This substance has workplace exposure limit(s).
Tris(3(trimethoxysilyl)propyl)isocyanurate	26115-70-8	1 - <5%	# This substance has workplace exposure limit(s).
(1) TITANIUM DIOXIDE	13463-67-7	1 - <5%	# This substance has workplace exposure limit(s).
Dimethyltin neodecanoate	68928-76-7	0.1 - <1%	# This substance has workplace exposure limit(s).
Methanol	67-56-1	0.1 - <1%	# This substance has workplace exposure limit(s).

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

**4. First-aid measures**

<b>General information:</b>	No action shall be taken involving any personal risk or without suitable training.
<b>Ingestion:</b>	If swallowed, rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Consult a physician for specific advice.
<b>Inhalation:</b>	Move into fresh air and keep at rest. Get medical attention if symptoms occur.
<b>Skin Contact:</b>	Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact:</b>	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Most important symptoms/effects, acute and delayed**

**Symptoms:** No data available.

**Hazards:** No data available.

**RTV530-LV**

**Indication of immediate medical attention and special treatment needed**

**Treatment:** Treatment is symptomatic and supportive.

**5. Fire-fighting measures**

**General Fire Hazards:** Use standard firefighting procedures and consider the hazards of other involved materials.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** All standard extinguishing agents are suitable.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** In case of fire, carbon monoxide and carbon dioxide may be formed. Exposure to fire can generate toxic fumes. Acute overexposure to the products of combustion may result in irritation of the respiratory tract.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** To prevent and minimize fire or explosion risk from static accumulation and discharge, effectively bond and/or ground product transfer system. Cool fire-endangered containers with water.

**Special protective equipment for fire-fighters:** Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** Keep container closed. Avoid inhalation of vapors and spray mists. Avoid contact with skin and eyes. Use only in well-ventilated areas. Keep out of reach of children. See Section 8 of the SDS for Personal Protective Equipment.

**Methods and material for containment and cleaning up:** Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

**Notification Procedures:** In case of spills, beware of slippery floors and surfaces. See Section 8 of the SDS for Personal Protective Equipment.

**Environmental Precautions:** Do not allow runoff to sewer, waterway or ground.

**RTV530-LV**

## 7. Handling and storage

**Precautions for safe handling:** Sensitivity to static discharge is not expected. Do not get in eyes, on skin, on clothing. Do not taste or swallow. See Section 8 of the SDS for Personal Protective Equipment. Use only in well-ventilated areas. Wash hands after handling.

**Conditions for safe storage, including any incompatibilities:** Keep container tightly closed in a cool, well-ventilated place. Use original container or packaging of similar material of construction

## 8. Exposure controls/personal protection

### Control Parameters

#### Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
(1) TITANIUM DIOXIDE	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
(1) TITANIUM DIOXIDE - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	10 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
(1) TITANIUM DIOXIDE - Particulate.	ST ESL	50 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	5 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
(1) TITANIUM DIOXIDE - Total dust.	TWA PEL	10 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
(1) TITANIUM DIOXIDE - Respirable fraction.	TWA PEL	5 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
(1) TITANIUM DIOXIDE - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
(1) TITANIUM DIOXIDE - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
(1) TITANIUM DIOXIDE - Total dust.	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
Dimethyltin neodecanoate - as Sn	STEL	0.2 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
	TWA	0.1 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
	REL	0.1 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	0.1 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	0.1 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
Dimethyltin neodecanoate -	AN ESL	0.1 µg/m3	US. Texas. Effects Screening Levels (Texas

**RTV530-LV**

Particulate.			Commission on Environmental Quality) (11 2016)
	ST ESL	1 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Dimethyltin neodecanoate - as Sn	TWA PEL	0.1 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
	STEL	0.2 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
Methanol	TWA	200 ppm	US. ACGIH Threshold Limit Values (03 2015)
	STEL	250 ppm	US. ACGIH Threshold Limit Values (03 2015)
	STEL	250 ppm 325 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	REL	200 ppm 260 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	200 ppm 260 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	200 ppm 260 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	250 ppm 325 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	200 ppm 260 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	STEL	250 ppm 325 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	AN ESL	2,100 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	1,600 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	3,900 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	3,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	TWA PEL	200 ppm 260 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
	Ceiling	1,000 ppm	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
	STEL	250 ppm 325 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

**Biological Limit Values**

Chemical Identity	Exposure Limit Values	Source
Methanol (methanol: Sampling time: End of shift.)	15 mg/l (Urine)	ACGIH BEI (03 2015)

**Appropriate Engineering Controls**

Eye wash facilities and emergency shower must be available when handling this product. Use only in well-ventilated areas.

**RTV530-LV**

**Individual protection measures, such as personal protective equipment**

<b>General information:</b>	No data available.
<b>Eye/face protection:</b>	Safety glasses with side shields Wear face shield if there is risk of splashes.
<b>Skin Protection</b>	
<b>Hand Protection:</b>	Rubber gloves are recommended.
<b>Other:</b>	Wear suitable protective clothing.
<b>Respiratory Protection:</b>	If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).
<b>Hygiene measures:</b>	Observe good industrial hygiene practices. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. When using do not eat, drink or smoke.

**9. Physical and chemical properties**

**Appearance**

<b>Physical state:</b>	liquid
<b>Form:</b>	liquid
<b>Color:</b>	White
<b>Odor:</b>	amine like
<b>Odor threshold:</b>	No data available.
<b>pH:</b>	No data available.
<b>Melting point/freezing point:</b>	No data available.
<b>Initial boiling point and boiling range:</b>	No data available.
<b>Flash Point:</b>	106 °C
<b>Evaporation rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Upper/lower limit on flammability or explosive limits</b>	
<b>Flammability limit - upper (%):</b>	No data available.
<b>Flammability limit - lower (%):</b>	No data available.
<b>Explosive limit - upper (%):</b>	No data available.
<b>Explosive limit - lower (%):</b>	No data available.
<b>Heat of combustion:</b>	No data available.
<b>Vapor pressure:</b>	No data available.

## RTV530-LV

Vapor density:	No data available.
Density:	No data available.
Relative density:	1.18
Solubility(ies)	
Solubility in water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water) Log Pow:	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
SADT:	No data available.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	No data available.
VOC:	No data available.

## 10. Stability and reactivity

Reactivity:	Reacts with water.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerisation does not occur.
Conditions to avoid:	No data available.
Incompatible Materials:	acids peroxides
Hazardous Decomposition Products:	Carbon oxides Oxides of silicon. Tin fumes. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

## 11. Toxicological information

### Information on likely routes of exposure

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

### Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.



RTV530-LV

**Eye contact:** No data available.

**Information on toxicological effects**

**Acute toxicity (list all possible routes of exposure)**

**Oral**

**Product:** ATEmix: 8,293.8 mg/kg

**Specified substance(s):**

Aminoethyl aminopropyl trimethoxy silane LD 50 (Rat): 2,995 mg/kg

Tris(3(trimethoxysilyl)propyl)isocyanurate LD 50 (Rat, female): 1,460 mg/kg

(1) TITANIUM DIOXIDE LD 50 (Rat): > 10,000 mg/kg

Dimethyltin neodecanoate LD 50 (Rat): 190 mg/kg

**Dermal**

**Product:** ATEmix: 67,582.79 mg/kg

**Specified substance(s):**

Aminoethyl aminopropyl trimethoxy silane LD 50 (Rabbit): > 2,000 mg/kg

Tris(3(trimethoxysilyl)propyl)isocyanurate LD 50 (Rat, No data available.): 16,000 mg/kg

(1) TITANIUM DIOXIDE LD 50 (Rabbit): > 10,000 mg/kg

Dimethyltin neodecanoate LD 50 (Rat): > 2,000 mg/kg

**Inhalation**

**Product:** ATEmix: 675.83 mg/l

**Specified substance(s):**

(1) TITANIUM DIOXIDE LC50 (Rat): > 6.8 mg/l

**Repeated dose toxicity**

**Product:** No data available.

**Specified substance(s):**

Aminoethyl aminopropyl NOAEL (Rat, Oral, 28 d): >= 500 mg/kg

---

RTV530-LV

trimethoxy silane

**Skin Corrosion/Irritation**

**Product:** No data available.

**Specified substance(s):**

Aminoethyl  
aminopropyl trimethoxy  
silane  
OECD Test Guideline 404 (Rabbit): No skin irritation

**Specified substance(s):**

Dimethyltin  
neodecanoate  
OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit): Irritating to skin.

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Specified substance(s):**

Aminoethyl  
aminopropyl trimethoxy  
silane  
OECD Test Guideline 405 (Rabbit): Strongly irritating.

**Specified substance(s):**

(1) TITANIUM DIOXIDE  
No eye irritation

**Specified substance(s):**

Dimethyltin  
neodecanoate  
OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): No data available.

**Respiratory or Skin Sensitization**

**Product:** No data available.

**Specified substance(s):**

(1) TITANIUM DIOXIDE  
negative

**Specified substance(s):**

Methanol  
(Guinea Pig)negative

**Carcinogenicity**

**Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

**RTV530-LV**

**Germ Cell Mutagenicity**

**In vitro**

**Product:** No data available.

**Specified substance(s):**

Dimethyltin  
neodecanoate Ames-Test (OECD 473): negative

**In vivo**

**Product:** No data available.

**Reproductive toxicity**

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Aspiration Hazard**

**Product:** No data available.

**Other effects:** No data available.

**12. Ecological information**

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

Aminoethyl aminopropyl  
trimethoxy silane LC50 (Lepomis macrochirus): > 100 mg/l

(1) TITANIUM DIOXIDE LC0 (Leuciscus idus, 48 h): > 1,000 mg/l

Methanol LC50 (Pimephales promelas, 96 h): 28,100 mg/l

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

Aminoethyl aminopropyl  
trimethoxy silane EC50 (Daphnia magna, 48 h): 87.4 mg/l

RTV530-LV

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Aquatic Invertebrates**

**Product:** No data available.

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Specified substance(s):**

Aminoethyl aminopropyl trimethoxy silane EC50 (Algae (*Pseudokirchneriella subcapitata*), 96 h): 8.8 mg/l  
NOEC (Algae (*Pseudokirchneriella subcapitata*)): 3.1 mg/l

**Persistence and Degradability**

**Biodegradation**

**Product:** No data available.

**Specified substance(s):**

(1) TITANIUM DIOXIDE 0 %

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Mobility in soil:** No data available.

**Known or predicted distribution to environmental compartments**

Aminoethyl aminopropyl trimethoxy silane No data available.

Tris(3(trimethoxysilyl)propyl)isocyanurate No data available.

(1) TITANIUM DIOXIDE No data available.

Dimethyltin neodecanoate No data available.

Methanol No data available.

**Other adverse effects:** No data available.

RTV530-LV

**13. Disposal considerations**

<b>General information:</b>	The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground. See Section 8 for information on appropriate personal protective equipment.
<b>Disposal instructions:</b>	Disposal should be made in accordance with federal, state and local regulations.
<b>Contaminated Packaging:</b>	Dispose of as unused product.

**14. Transport information**

**DOT**

Not regulated.

**IMDG**

Not regulated.

**IATA**

Not regulated.

<b>Special precautions for user:</b>	This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.
--------------------------------------	--

**15. Regulatory information**

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

None present or none present in regulated quantities.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Serious eye damage or eye irritation  
Respiratory or Skin Sensitization

**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

RTV530-LV

**SARA 304 Emergency Release Notification**

None present or none present in regulated quantities.

**SARA 311/312 Hazardous Chemical**

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Aminoethyl aminopropyl trimethoxy silane	10000 lbs
Tris(3(trimethoxysilyl)propyl)isocyanurate	10000 lbs
(1) TITANIUM DIOXIDE	10000 lbs
Dimethyltin neodecanoate	10000 lbs
Methanol	10000 lbs

**SARA 313 (TRI Reporting)**

None present or none present in regulated quantities.

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

None present or none present in regulated quantities.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

None present or none present in regulated quantities.

**US State Regulations**

**US. California Proposition 65**



**WARNING**

Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**US. New Jersey Worker and Community Right-to-Know Act**

Chemical Identity

Siloxanes and Silicones, di-Me, di-Ph, vinyl group-terminated  
Silica  
TETRA-N-PROPYL-SILICATE  
Aminoethyl aminopropyl trimethoxy silane  
Tris(3(trimethoxysilyl)propyl)isocyanurate  
(1) TITANIUM DIOXIDE

**US. Massachusetts RTK - Substance List**

Chemical Identity

1,2-Ethylenediamine

**US. Pennsylvania RTK - Hazardous Substances**

Chemical Identity

(1) TITANIUM DIOXIDE

**US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

**RTV530-LV**

**Inventory Status:**

Australia AICS:	On or in compliance with the inventory	Remarks: None.
Canada DSL Inventory List:	Not in compliance with the inventory.	Remarks: None.
EINECS, ELINCS or NLP:	On or in compliance with the inventory	Remarks: None.
Japan (ENCS) List:	Not in compliance with the inventory.	Remarks: None.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.	Remarks: None.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
Philippines PICCS:	Not in compliance with the inventory.	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.	Remarks: None.
Taiwan Chemical Substance Inventory:	Not in compliance with the inventory.	Remarks: None.

**16.Other information, including date of preparation or last revision**

**HMIS Hazard ID**

<b>Health</b>	<input type="text" value="3"/>
<b>Flammability</b>	<input type="text" value="1"/>
<b>Physical Hazards</b>	<input type="text" value="1"/>
<b>PERSONAL PROTECTION</b>	<input type="text"/>

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

**Issue Date:** 10/24/2018  
**Revision Date:** No data available.  
**Version #:** 3.0  
**Further Information:** No data available.

---

**RTV530-LV**

**Disclaimer:**

**Notice to reader**

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

**Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.