

KOHLER® Power Equipment

PORTABLE GENERATOR



KOHLER® Relentless Power.
Legendary Performance.



Kohler applies their industry leading technology to their latest range of Portable Generators. These portable units give you the power you need where you need it the most, whether you're roofing a building, framing a house or working in the middle of nowhere. Ranging from 3.5 to 7.5kW, they are suitable for a wide range of industrial, commercial, residential and construction applications.

The **KOHLER** Advantage. For over 90 years, hospitals, airports and military bases around the world have depended on **KOHLER** generators.

Standard Features

- Easy refills: Accu-Fill feature provides safe, easy refilling – and less spilling – with angled fuel inlet
- Extra Engine Protection: Oil Sentry automatically shuts engine down in low-oil conditions
- RCM-Compliant
- Easy Reminders: Maintenance Minder displays hours of run time and lights up to remind you of oil / spark plug / filter changes.
- AS/NZS 3112 Compliant Outlets
- Safe Guard Your Investment: Automatic voltage regulator keeps voltage consistent to avoid surges or other damage.
- Fuel Saver: Auto-idle feature automatically set the engine to idle to save fuel (electric start models only).



PRO3.5

3.5 kW Professional Generator

Max power (Watts)	3500
Continuous power (Watts)	2800
Starting method	Recoil
Engine displacement (cc)	208
Fuel type	ULP
Fuel tank capacity (Litres)	13
Approx. runtime at 50% (hours)	9
Dry weight (kg)	57



PRO5.0

5.0 kW Professional Generator

Max power (Watts)	5000
Continuous power (Watts)	4000
Starting method	Recoil
Engine displacement (cc)	277
Fuel type	ULP
Fuel tank capacity (Litres)	30
Approx. runtime at 50% (hours)	18
Dry weight (kg)	82



PRO5.0E

5.0 kW Professional e-start Generator

Max power (Watts)	5000
Continuous power (Watts)	4000
Starting method	Recoil & Electric
Engine displacement (cc)	277
Fuel type	ULP
Fuel tank capacity (Litres)	30
Approx. runtime at 50% (hours)	18
Dry weight (kg)	91



PRO7.5

7.5 kW Professional Generator

Max power (Watts)	7500
Continuous power (Watts)	6000
Starting method	Recoil
Engine displacement (cc)	429
Fuel type	ULP
Fuel tank capacity (Litres)	30
Approx. runtime at 50% (hours)	12
Dry weight (kg)	90



PRO7.5E

7.5 kW Professional e-start Generator

Max power (Watts)	7500
Continuous power (Watts)	6000
Starting method	Recoil & Electric
Engine displacement (cc)	429
Fuel type	ULP
Fuel tank capacity (Litres)	30
Approx. runtime at 50% (hours)	12
Dry weight (kg)	99

Accessories

Accessory	Part Number	
Universal wheel kit	2575546S	
Universal leg kit	2575547S	
Universal wheel barrow handle kit	2575545S	
Universal chord management kit	2575549S	
Kit including wheel / leg / barrow / cord	3375510S	
Universal rubber isolator kit	2575551S	
Universal lifting kit	2575548S	
Hand truck handle kit PRO3.0	2575555S	
Universal handle kit (except 4.0)	2575550S	



PHONE: 07 3640 9400