



Platform II 43", 49", 55", 65"

Specifications Sheet



The Platform II is the flagship line of ruggedized multitouch tables from Ideum available with 43", 49", 55", and 65" displays. It includes a 4K Ultra HD LG commercial display rated 24/7 and industry-leading touch technology from TES (formerly 3M™) with support for 80 simultaneous touch points. The Platform II can support tangible interaction.

The Platform II comes complete with a full-featured and powerful integrated 12th Gen Intel® Core™ processor, the latest NVIDIA™ discrete graphics card, and single push-button power. The Platform II touch table comes standard with Windows 11 Pro and can run any supported PC applications. The Platform II can also be purchased with an AOPEN Commercial Chromebox 2 rated for 24/7 use.



The thin profile computer case inside the Platform's pedestal base allows for a full-sized graphics card and the enclosure makes the unit incredibly quiet. The all-aluminum construction and additional fans provide additional active cooling in a modular design. *(The photo below shows the internal components.)*



Ideum displays use a patented manufacturing method. The Platform II is built in the USA and ships as a complete turnkey system with lockable, push-button operation. It doesn't require a technician or any special installation setup—just plug it in and turn it on. All of Ideum's hardware is backed by a three-year warranty.

PLATFORM II ■ Specifications Sheet


43"

WEIGHT
140 LBS / 64 KG*

SHIP WEIGHT
270 LBS / 122 KG*

W/ TRAVEL CASE
370 LBS / 168 KG*

**Weights may vary slightly.*



Interactive Display

- TES (formerly 3M™) projected capacitive touch sensor
- 4K UHD (3840x2160) LCD display
- LG commercial display rated 24/7
- ±5 ms touch response time
- 80 touch points with palm rejection
- Two 10W integrated speakers
- 43" diagonal, strengthened, anti-stiction, 4mm glass surface
- Native contrast ratio 1000:1
- 350 nit (cd/m2) luminance

Integrated System


- | | | |
|--|---|---|
| <ul style="list-style-type: none"> ▪ Single push-button power ▪ Custom lockable enclosure ▪ Windows 11 Pro ▪ Universal 110-240V power system | <p>STANDARD</p> <ul style="list-style-type: none"> ▪ Intel 12th Gen Core i5-12600 processor ▪ Quadro RTX A2000 6GB NVIDIA graphics card ▪ 250GB NVMe M.2 SSD ▪ 16GB 2666MHz DDR4 RAM | <p>PERFORMANCE</p> <ul style="list-style-type: none"> ▪ Intel 12th Gen Core i7-12700K processor ▪ Quadro RTX A4000 16GB NVIDIA graphics card ▪ Dual 250GB NVMe M.2 SSD ▪ 32GB 2666MHz DDR4 RAM |
|--|---|---|

Connectivity

- | | | |
|---|---|---|
| <ul style="list-style-type: none"> ▪ TPM/TPP compatible for secure environments ▪ WiFi 802.11 a/b/g/n/ac, Ethernet, Bluetooth 5.0 ▪ Wireless keyboard with integrated trackpad | <ul style="list-style-type: none"> ▪ Direct access via USB ports ▪ Audio output via 1/8" audio jack ▪ HDMI Output (PC) | <ul style="list-style-type: none"> ▪ RFID (option) ▪ Communication hardware can be removed upon request for secure environments |
|---|---|---|

PLATFORM II ■ Specifications Sheet

<div>49"</div>	WEIGHT 150 LBS / 68 KG*	SHIP WEIGHT 310 LBS / 141 KG*	W/ TRAVEL CASE 375 LBS / 170 KG*
	<i>*Weights may vary slightly.</i>		



Interactive Display

- | | | |
|--|---|---|
| <ul style="list-style-type: none"> ▪ TES (formerly 3M™) projected capacitive touch sensor ▪ 4K UHD (3840x2160) LCD display ▪ LG commercial display rated 24/7 | <ul style="list-style-type: none"> ▪ ±5 ms touch response time ▪ 80 touch points with palm rejection ▪ Two 10W integrated speakers | <ul style="list-style-type: none"> ▪ 49" diagonal, strengthened, anti-stiction, 4mm glass surface ▪ Native contrast ratio 1100:1 ▪ 500 nit (cd/m2) luminance |
|--|---|---|

Integrated System


<ul style="list-style-type: none"> ▪ Single push-button power ▪ Custom lockable enclosure ▪ Windows 11 Pro ▪ Universal 110-240V power system 	STANDARD <ul style="list-style-type: none"> ▪ Intel 12th Gen Core i5- 12600 processor ▪ Quadro RTX A2000 6GB NVIDIA graphics card ▪ 250GB NVMe M.2 SSD ▪ 16GB 2666MHz DDR4 RAM 	PERFORMANCE <ul style="list-style-type: none"> ▪ Intel 12th Gen Core i7- 12700K processor ▪ Quadro RTX A4000 16GB NVIDIA graphics card ▪ Dual 250GB NVMe M.2 SSD ▪ 32GB 2666MHz DDR4 RAM
--	---	---

Connectivity

- | | | |
|---|---|---|
| <ul style="list-style-type: none"> ▪ TPM/TPP compatible for secure environments ▪ WiFi 802.11 a/b/g/n/ac, Ethernet, Bluetooth 5.0 ▪ Wireless keyboard with integrated trackpad | <ul style="list-style-type: none"> ▪ Direct access via USB ports ▪ Audio output via 1/8" audio jack ▪ HDMI Output (PC) | <ul style="list-style-type: none"> ▪ RFID (option) ▪ Communication hardware can be removed upon request for secure environments |
|---|---|---|

PLATFORM II ■ Specifications Sheet

55"	WEIGHT 165 LBS / 75 KG*	SHIP WEIGHT 335 LBS / 152 KG*	W/ TRAVEL CASE 395 LBS / 179 KG*
	<i>*Weights may vary slightly.</i>		



Interactive Display

- TES (formerly 3M™) projected capacitive touch sensor
- 4K UHD (3840x2160) LCD display
- LG commercial display rated 24/7
- ±5 ms touch response time
- 80 touch points with palm rejection
- Two 10W integrated speakers
- 55" diagonal, strengthened, anti-stiction, 4mm glass surface
- Native contrast ratio 1100:1
- 500 nit (cd/m2) luminance

Integrated System

	STANDARD	PERFORMANCE
▪ Single push-button power	▪ Intel 12th Gen Core i5-12600 processor	▪ Intel 12th Gen Core i7-12700K processor
▪ Custom lockable enclosure	▪ Quadro RTX A2000 6GB NVIDIA graphics card	▪ Quadro RTX A4000 16GB NVIDIA graphics card
▪ Windows 11 Pro	▪ 250GB NVMe M.2 SSD	▪ Dual 250GB NVMe M.2 SSD
▪ Universal 110-240V power system	▪ 16GB 2666MHz DDR4 RAM	▪ 32GB 2666MHz DDR4 RAM

Connectivity

- TPM/TPP compatible for secure environments
- WiFi 802.11 a/b/g/n/ac, Ethernet, Bluetooth 5.0
- Wireless keyboard with integrated trackpad
- Direct access via USB ports
- Audio output via 1/8" audio jack
- HDMI Output (PC)
- RFID (option)
- Communication hardware can be removed upon request for secure environments

PLATFORM II ■ Specifications Sheet


65"

WEIGHT
200 LBS / 91 KG*

SHIP WEIGHT
375 LBS / 170 KG*

W/ TRAVEL CASE
480 LBS / 218 KG*

**Weights may vary slightly.*



Interactive Display

- TES (formerly 3M™) projected capacitive touch sensor
- 4K UHD (3840x2160) LCD display
- LG commercial display rated 24/7
- ±5 ms touch response time
- 80 touch points with palm rejection
- Two 10W integrated speakers
- 65" diagonal, strengthened, anti-stiction, 4mm glass surface
- Native contrast ratio 1100:1
- 500 nit (cd/m2) luminance

Integrated System

- | | | |
|--|---|---|
| <ul style="list-style-type: none"> ▪ Single push-button power ▪ Custom lockable enclosure ▪ Windows 11 Pro ▪ Universal 110-240V power system | <p>STANDARD</p> <ul style="list-style-type: none"> ▪ Intel 12th Gen Core i5-12600 processor ▪ Quadro RTX A2000 6GB NVIDIA graphics card ▪ 250GB NVMe M.2 SSD ▪ 16GB 2666MHz DDR4 RAM | <p>PERFORMANCE</p> <ul style="list-style-type: none"> ▪ Intel 12th Gen Core i7-12700K processor ▪ Quadro RTX A4000 16GB NVIDIA graphics card ▪ Dual 250GB NVMe M.2 SSD ▪ 32GB 2666MHz DDR4 RAM |
|--|---|---|

Connectivity

- | | | |
|---|---|---|
| <ul style="list-style-type: none"> ▪ TPM/TPP compatible for secure environments ▪ WiFi 802.11 a/b/g/n/ac, Ethernet, Bluetooth 5.0 ▪ Wireless keyboard with integrated trackpad | <ul style="list-style-type: none"> ▪ Direct access via USB ports ▪ Audio output via 1/8" audio jack ▪ HDMI Output (PC) | <ul style="list-style-type: none"> ▪ RFID (option) ▪ Communication hardware can be removed upon request for secure environments |
|---|---|---|

Customizations

Built-In Casters



Low profile built-in casters make it easy to move the Platform II.

Colors and Finishes



Available in hundreds of RAL color and finish options. (1-2 weeks additional lead time.)

ATA Flight Case



Reusable travel case with locking casters and locking latch clasps.

Chromebox System



Replaces the PC with an AOPEN Chromebox Commercial 2 rated 24/7.

What's Inside

Our touch tables and touch walls include the best performing, most reliable components available.

4K UHD (3840x2160)
commercial LCD display

PCAP touch sensor with
80 touch points

NVIDIA™ graphics card

12th Gen Intel® Core™
Processor

Aircraft-grade aluminum
made in the USA



Software



The Platform II touch table comes with Windows 11 Pro and supports PC applications. Applications that are optimized for touch work best.

Ideum offers custom software development. We have experience developing interactive applications mostly for public spaces. Our expertise in a broad range of programming environments allows our work to span the realms of informal and formal education, interactive technology, art, and entertainment.

Also available:



Tangible
Authoring

Ideum multitouch tables support the Tangible Engine 2.8 object recognition SDK.

Tangible Engine 2 is an authoring environment supporting the use of fiducial object recognition on Ideum multitouch tables. This software allows for the unique recognition of objects with 3D printed conductive patterns. Tangible Engine 2 includes test objects, a Visualizer / Configurator Tool, an SDK, and documentation.

Pricing and more information can be found at: tangibleengine.com



RFID Utility

Ideum multitouch products include an optional RFID utility for enhanced functionality.

Our new and improved RFID software allows you to automate system tasks, launch and switch applications, and more with a single movement. This useful utility is free for Ideum touch table owners.

Learn more at: ideum.com/news/rfid-reader-app

About Ideum

Ideum is a creative company based in Corrales, New Mexico, USA. We offer exhibit design, AV, and software development services to museums, nonprofits, and socially responsible companies. Please contact us at (505) 792-1110 ext.1 or toll-free in the US and Canada at (855) 898-6824, use our online [inquiry form](#), or email us at sales@ideum.com. We sell our multitouch tables and displays directly both in the United States and internationally.

WARRANTY & SUPPORT

Our products are custom-built with only the highest quality components available and are designed to last. We back all of our hardware with a three-year warranty. The same people who design and build our systems provide our timely support.

Ticketing: support.ideum.com

Email: support@ideum.com

Phone: (505) 792-1110 ext. 2

Support Hours: 8:00 AM – 5:00 PM MST,
Monday through Friday.

The Colossus, Pano, Pro, Platform, Drafting, Pico, Duet, and Inline touch tables and the Portrait and Presenter touch walls from Ideum are designed, manufactured, and made in the USA of U.S. and imported parts.



Compliant with height and reach requirements for the Americans with Disabilities Act standards for accessibility. Learn more about Ideum's commitment to accessibility at www.ideum.com/ada

IMPORTANT NOTICE TO PURCHASER: Specifications are subject to change without notice. Ideum hardware and software are warrantied from the ship date to the period stated in the warranty. Please note that under Ideum's warranty, Ideum has no obligation for any hardware product that is modified or damaged through misuse, accident, neglect, or subsequent integration, service, or tampering, by anyone other than Ideum or an Ideum-approved entity or individual. Ideum makes no additional warranties, express or implied, including but not limited to any fitness for a particular purpose. The User is responsible for determining whether Ideum hardware products or software are fit for the User's particular purpose. If the hardware product or software are proven not to have met Ideum's warranty, then Ideum's sole obligation and User's and Purchaser's exclusive remedy, will be, at Ideum's option, to repair or replace the product or refund its purchase price. Ideum shall not be liable in any action against it in any way related to the hardware products or software for any loss or damages, whether non-specified, direct, indirect, special, incidental or consequential (including downtime, loss of profits or goodwill) regardless of the legal theory asserted. Please see our full warranty for complete details.