

DSI Implant Cement

Material safety data sheet (MSDS)
Version 1.0 / EN

20 June 2017

Hazard pictograms



Signal word: Carefully

CONTENT

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

SECTION 2: DATA ON THE ORGANIZATION-MANUFACTURER OR THE SUPPLIER

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

SECTION 4: HAZARDS IDENTIFICATION

SECTION 5: FIRST AID MEASURES

SECTION 6: FIRE FIGHTING MEASURES

SECTION 7: ACCIDENTAL RELEASE MEASURES

SECTION 8: HANDLING AND STORAGE

SECTION 9: EXPOSURE CONTROLS / PERSONAL PROTECTION

SECTION 10: PHYSICAL AND CHEMICAL PROPERTIES

SECTION 11: STABILITY AND REACTIVITY

SECTION 12: TOXICOLOGICAL INFORMATION

SECTION 13: ECOLOGICAL INFORMATION

SECTION 14: DISPOSAL CONSIDERATIONS

SECTION 15: TRANSPORT INFORMATION

SECTION 16: REGULATORY INFORMATION

SECTION 17: OTHER INFORMATION

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name	DSI Implant Cement.
Physical State	Dental Cementing Material.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Eugenol-Free Semi-Permanent Cement for Implant Retained Crowns.
-----------------	--

SECTION 2: DATA ON THE ORGANIZATION-MANUFACTURER OR THE SUPPLIER

2.1. Details of the supplier of the safety data sheet:

Company Name	DSI Ltd.
Company Address	59 haAvoda str., Ashdod 7706300 Israel
Contact Name	Shlomi Krasner
Phone / Fax	+972.893.172.35
E-mail	info@dsisrael.com

2.2. Emergency telephone number:

Phone / Fax	+972.893.172.35
-------------	-----------------

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1. Ingredients:

UDMA	30-40 % by Wt	CAS. No. 72869-86-4
Bis-GMA	5-10 % by Wt	CAS. No. 1565-94-2
Ba-glass	40-50 % by Wt	CAS. No. 65997-17-3
Pigment (red+yellow+black)	1-10 % by Wt	CAS. No. 1309-37-1

SECTION 4: HAZARDS IDENTIFICATION

4.1. Hazard designation:

Ingredients determined not be hazardous by the FDA.

SECTION 5: FIRST AID MEASURES

5.1. First aid measures:

Eyes: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and tested by medical personnel.

Skin: Wash with soap and water. Get medical attention if irritation develops or persists.

Ingestion: Give large volumes of water. Do not induce vomiting. Consult a physician if ingested in large amounts.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.

Summary of Chronic Hazards: None Known.

Carcinogenicity: Not carcinogenic in long term animal studies.

Teratogenicity: None Known.

Mutagenicity: None Known.

Reproductive Toxicity: None Known.

SECTION 6: FIRE FIGHTING MEASURES

6.1. Fire fighting measures:

Stability:	Stable.
Conditions to avoid:	Light and Heat.
Hazardous Polymerization:	No possibility of occurrence.
Fire Extinguishing Media:	Water, foam, and dry powder.

SECTION 7: ACCIDENTAL RELEASE MEASURES

7.1. Accidental release measure:

Environmental Precautions:	No special measures necessary.
Methods for cleansing:	Sweep up and wash the contaminated place with a proper absorbent.

SECTION 8: HANDLING AND STORAGE

8.1. Handling and Storage Precautions:

- Store under the condition of keeping tightly capped.
- Store in a cool, dry place.
- Avoid the exposure of flames, heat, and light.

SECTION 9: EXPOSURE CONTROLS / PERSONAL PROTECTION

9.1. Exposure controls / Personal protection:

Advice:	Harmless to human body.
Personal Protection:	Safety glasses and rubber gloves.
Hygiene Measure:	Handle in accordance with safety practice.
Do not eat.	

SECTION 10: PHYSICAL AND CHEMICAL PROPERTIES

10.1. Physical and chemical properties:

Physical State:	Paste.
Color:	Yellowish.
Sensibility of light:	Very sensitive (polymerization).

SECTION 11: STABILITY AND REACTIVITY

11.1. Stability and chemical activity:

Stability:	Stable under normal use conditions.
Polymerization:	Will not occur without light.
Conditions to avoid:	Light and heat.

SECTION 12: TOXICOLOGICAL INFORMATION

12.1. Toxicological information:

Agar overlay test:	0 ~ 1 (none ~ mild).
Systemic toxicity test:	No biological harm (tested with mice).
Oral mucous irritant test:	Redness, edema have not been detected (tested with hamsters).
Endotoxin test:	Suitable for Endotoxin limit.

SECTION 13: ECOLOGICAL INFORMATION

13.1. No data available.

SECTION 14: DISPOSAL CONSIDERATIONS

14.1. Contaminated products:

Must be disposed of in accordance with company regulations.



SECTION 15: TRANSPORT INFORMATION

15.1. Information of transportation:

UN No.:	Not applicable.
Proper shipping name:	Not applicable.
Hazard Class:	Not applicable.
Packing group:	Not applicable.
Marine pollution:	Not applicable.

15.2. Special precautions for user related to transport or transportation measures:

- Local transport follows in accordance with dangerous goods safety management law.
- Package and transport follow in accordance with department of transportation (NOT) and other regulatory agency requirements.
- Air transport (IATA): Not subject to IATA regulations.

SECTION 16: REGULATORY INFORMATION

16.1. Follow local or national regulations.

SECTION 17: OTHER INFORMATION

17.1. Other information:

The information in this Material Safety Data Sheet is believed as to be correct as of the date issued. It is stated only as guidance for safe handling, use, processing, storage, transport, and disposal. Thus, it is not to be considered a warranty or representation for which DSI Dental Solutions takes any kind of legal responsibilities. DSI Dental Solutions takes no legal responsibility for any damages stemming from the mishandling of this product.