

EZTOW / T

The EZTOW detachable "rear" recovery system, is designed for customers with a tight towing budget but still demand high quality. Raising the bar on value, the EZTOW features a self-contained, self-standing design that makes it a winning investment for fleets and towers looking for a fast and easy way to make or save money.



EZTOW **T**

**THE WORLD LEADER IN HEAVY DUTY
DETACHABLE TOWING.**



* SHOWN WITH OPTIONAL WINCH & PINTLE HITCH

The EZTOW detachable "rear" recovery system, is designed for customers with a tight towing budget but still demand high quality.

Raising the bar on value, the EZTOW features a self-contained, self-standing design that makes it a winning investment for fleets and towers looking for a fast and easy way to make or save money. This lift is designed for the customer who just wants to move a vehicle from point "A" to point "B" at the lowest possible cost. The Zacklift engineering team took feedback from fleet owners and towers to develop a detachable unit that eliminated the cost of unnecessary and unwanted bells and whistles but kept the Zacklift 40 year commitment to quality. You can rest assured there were no shortcuts taken during the design, fabrication, and assembly.


The EZTOW's standard features include the EZLOAD stand, a 12V solar battery tender, LED work light and a wireless LED tow light. All these features are standard with each EZTOW. Optional upgrades include a 10K Warn winch and or a pintle and ball hitch attachment that can be added for increased functionality.



EZTOW / T



PART NUMBER / EZTOW-T



**NO FORKLIFT
REQUIRED.**

EZLOAD STAND INCLUDED

EZTOW-T STANDARD EQUIPMENT

- EZLOAD Storage Stand
- 12V Bucher Hydraulic Pump
- Two 6' Lengths of 1/2" Grade 70 Tie Down Chains
- Rigging Cross Angle
- 36" LED Wireless Light Bar
- 3X3" LED Work Light
- 17 Watt Solar Battery Tender
- 25' Wired Remote Control

EZTOW-T OPTIONS

- 2 Button Wireless Remote
- 20k Pintle and 2 5/16" Ball Hitch w/ Bracket
- Warn 10k Winch and Bracket
- Winch Bracket Only

* Battery Not Included

CAPACITY SPECIFICATIONS

LIFT CAPACITY / 20,000 LBS

TOW CAPACITY / 40,000 LBS

REACH LENGTH / 44 IN

LIFT TRAVEL / 48 IN

HEAD TILT / 50 DEG

UNIT WEIGHT / 2,300 LBS

