

BASEGRILL 3/8" STAINLESS STEEL GRID WITH FRAME AND SURFACE LOCKDOWNS

DESCRIPTION: BASEGRILL 3/8" STAINLESS STEEL GRID WITH FRAME AND SURFACE LOCKDOWNS




13220 Willow Lane Circle
Burnsville, MN 55337
www.ronick.com 1-877-242-8821


*INSERT TYPE:
*INSERT COLOR:

* OPTIONS AVAILABLE AT RONICK@RONICK.COM


SECTION Y-Y



SECTION X-X



PLAN VIEW



NOTES:

* SCALE: NTS

- * VERIFY TRAFFIC DIRECTION - TRAFFIC TO RUN PERPENDICULAR TO RAILS
- * IF MULTIPLE SECTIONS, VERIFY SECTIONING DOES NOT OCCUR IN TRAFFIC PATH
- * MAX SINGLE MAT SIZE NOT TO EXCEED 8'-0" (2.44M) IN WIDTH (DIM "X") OR 36 SQ. FT.
- * MAT DIMENSIONS ALLOW FOR CLEARANCE BETWEEN MAT SECTION(S) AND FRAME(S) IN WIDTH (DIM "X")
- * ANCHORS BY INSTALLER CHOICE INSTALLED INTO FRAME(S) EVERY 24" ON CENTER. 6" FROM FRAME CORNERS
- * BASEGRILL SUPPORTS 500 LBS ROLLING LOAD - FOR ADDITIONAL CAPACITY CONTACT RONICK@RONICK.COM
- * 3/8" & 5/8" BASEGRILL MUST BE INSTALLED DIRECTLY ON CONCRETE- WILL NOT SPAN RECOMMENDED USE OF ALL LOCKDOWNS PROVIDED
- * SURFACE WIRES AND SUPPORT BARS OF ADJACENT PANELS MAY NOT BE ALIGNED DUE TO ELECTRONIC RESISTANCE WELDING PROCESS
- * ADDITIONAL PRODUCT INFORMATION MAY BE FOUND AT WWW.RONICK.COM

basegrill38.dwg

QTY	LOCATION	DIM "X" (WIDTH)	DIM "Y" (LENGTH)	FINISH	NOTES	PROJECT:	
						CONTRACTOR:	
						DRAWN BY:	
						DATE:	SHEET: