

HARMONY & TRANQUIL

ACOUSTIC

Harmony and Tranquil are acoustic fabrics designed to reduce the reverberation or echo in a room. The fabric construction and yarn used, allow for excellent sound absorption.

While not soundproof, acoustic fabrics will improve the quality of sound within a room by decreasing the reverberation of echoes.

Key Benefits

- ✓ Noise reduction coefficient of 0.66 (with 0 being no sound absorption and 1 being total sound absorption)
- ✓ Made from 100% ultra-durable triple-weave polyester in a linen look
- ✓ Fire retardant to AWTA AS1530.2 1993 and AWTA AS1530.3 1993

Top Specifications


Width	Harmony: 1600mm Tranquil: 3200mm
Weight	280 gr/m ² ± 10%
Roll Size	Harmony: 40m Tranquil: 27m
Noise Reduction	Noise Reduction Coefficient of 0.66 under ISO 10534 Part 2
Fire Classification	AWTA AS1530.2 1993 AWTA AS1530.3 1993




Colour Range



Carbon



Charcoal



Slate



Ash



Shell



Natural



Linen



Nutmeg



Stone



Woodlands

Contents:


Colour Range	2
Fabric Specifications	3

HARMONY & TRANQUIL ACOUSTIC

Colour Range




Carbon




Charcoal




Slate




Ash



Shell




Natural



Linen



Nutmeg



Stone



Woodlands

HARMONY & TRANQUIL ACOUSTIC

Fabric Specifications

Fabric Type	Plain
Usage	Curtains / Drapery
Composition	100% Polyester
Width	Harmony: 1600mm Tranquil: 3200mm
Weight	280 gr/m2 ± 10%
Roll Size	Harmony: 40m Tranquil: 27m
Noise Reduction	Noise Reduction Coefficient of 0.66 under ISO 10534 Part 2 A value of 0 is equal to no sound absorption (i.e. concrete), whereas a value of 1 means complete sound absorption. The higher the coefficient, the higher the amount of sound is absorbed, leaving less sound to transmit into the environment.
Fire Classifications	AWTA AS1530.2 1993, AWTA AS1530.3 1993
Lightfastness	AWTA test AS 2001.4.21–2006: 6 Fabric with a 5+ result offers excellent resistance to the fading effect of light.
Care Instructions	Warm hand wash. Warm iron on fabric side only. Do not tumble dry. Do not bleach. Do not dry clean. Regular care will minimise need for additional cleaning. Gently vacuum with appropriate attachment. Always exercise caution when spot cleaning. Test clean on non-exposed surface. Remove hooks rings and trims before cleaning. Do not soak, rub, or wring. Drip dry in shade. Possible shrinkage 3%.