



Tasmanian Oak - Eucalyptus Obliqua
DATA SHEET





Tasmanian Oak

Eucalyptus Obliqua

Tasmanian Oak is a premium Australian Hardwood timber encompassing three species that grow in Tasmania. Warm, dense and incredibly resistant. It is the preferred hardwood for a wide range of applications. It is easy to work with and takes on stains well. It has a heartwood that is pale to light brown, with an occasional pinkish tinge. Sapwood is pale yellow and usually distinguishable from the heartwood. The grain is sometimes interlocked. Gum veins are common. Also known as Mountain Ash, Alpine Ash and Australian Oak.

ORIGIN	TASMANIA
SPECIES	HARDWOOD
AVAILABILITY	WIDELY
SUSTAINABILITY	PEFC CERTIFICATION AVAILABLE (ON REQUEST)
TIMBER GRADE	SELECT/STANDARD MIX
LENGTH	2.7MTR SET LENGTH (SUBJECT TO AVAILABILITY)
DENSITY	780
HARDNESS (JANKA)(KN)	5.7
TANGENTIAL SHRINKAGE	HIGH (6%)
RADIAL SHRINKAGE	MEDIUM (3.5%)
DURABILITY	INTERNAL APPLICATIONS ONLY
FIRE COMPLIANCE	GROUP 3



** Indicative only. Image does not depict timber species.*

MBS
Architectural

Every material. One source.

Reach out to our team for support, samples and advice.

03 9580 7800

hello@mbsarchitectural.com.au

VIC | 7 Haymer Court, Braeside 3195

QLD | 13 Pease Court, Bethania 4205

@MBSarchitectural