


BRECO*flex* CO., L.L.C.

High Precision Drive Components

The World Leader In Polyurethane Timing Belts

PULLER BELTS FOR THE SAUSAGE INDUSTRY



BRECOflex CO., L.L.C.

Puller Belts for the Sausage Industry

Discover the Difference

Continuing on our heritage of industry-leading quality, an entire new segment of the food processing industry will be excited to hear about our newest line of belting: Sausage Puller Belts. Our belting aims to offer both the highest level of performance in terms of grip and the longest life to reduce costly changeovers. The various advantages offered by the BRECOflex CO., L.L.C. Sausage belts will allow the machine user to simultaneously reduce down time and increase productivity. Contact us today to find out how our belts can help you.



Common Sizes/Designs

The belt sizes listed in the chart below are common to the sausage belt industry. However, other sizes and options are available upon request. Contact BRECOflex applications engineering department for more details.

Part Number	Available Cover Option
32 T9/513 BFX	With a 4.5 mm thick SM6 nub back cover Nubs 1.5 mm high White PAZ
32 T9/837 BFX	With a 4.5 mm thick SM6 nub back cover Nubs 1.5 mm high White PAZ
22 T9/279 BFX	—
47 T9 DL/1350 BFX E0.6	—
32 T5/840 BFX	With a 4.5 mm thick SM6 nub back cover Nubs 1.5 mm high White PAZ
32 T5/510 BFX	With a 4.5 mm thick SM6 nub back cover Nubs 1.5 mm high White PAZ

BRECOflex CO., L.L.C.

Puller Belts for the Sausage Industry

Available Options

- Stainless steel cords
- Steel Cords
- HI-Flex Steel Cords
- FDA Approved Polyurethane
- Hydrolysis Resistant FDA approved Polyurethane (for wash down applications)

Advantages

- High Friction/Grip
- Long Life
- Flexible Materials/Coatings
- Friction Reducing PAZ Tooth Laminate
- High Speeds





ISO 9001 CERTIFIED COMPANY

BRECOflex CO., L.L.C.

High Precision Drive Components

Contact Us

222 Industrial Way West • Eatontown, NJ 07724

Tel: 732-460-9500 • Fax: 732-542-6725

www.brecoflex.com • e-mail: info@brecoflex.com

Regional Sales Offices:

Atlanta	(770) 317-8745	Dallas	(214) 476-5650	Miami	(770) 317-8745	Richmond	(804) 387-5760
Bay Area	(661) 713 0121	Denver	(303) 470-7226	Milwaukee	(908) 461-6995	Seattle	(503) 781-3631
Baltimore	(804) 387-5760	Detroit	(908) 433-0036	Minneapolis	(908) 461-6973	Salt Lake City	(303) 470-7226
Boston	(603) 496-5833	Ft. Wayne	(908) 461-1168	Nashville	(732) 757-6647	San Antonio	(214) 476-5650
Buffalo	(412) 600-5632	Grand Rapids	(908) 461-1168	New York	(732) 829-7773	Toledo	(908) 433-0036
Charlotte	(908) 461-3937	Houston	(214) 476-5650	Philadelphia	(732) 829-7773	Toronto	(416) 476-7107
Chicago	(908) 461-6995	Indianapolis	(908) 461-2344	Phoenix	(480) 961-3846	Mexico City	+52 1 55 45335835
Cincinnati	(908) 461-2344	Las Vegas	(480) 961-3846	Portland	(503) 781-3631	Monterrey	+52 1 55 40840778
Cleveland	(412) 600-5632	Los Angeles	(661) 713-0121	Pittsburgh	(412) 600-5632	Guadalajara	+52 1 55 40949053

Copyright 2018 BRECOflex CO., L.L.C. • BRECO®, BRECOFLEX® & ATN® are registered trademarks of BRECO Antriebstechnik GmbH • ARC-POWER® is a registered trademark of BRECOflex CO., L.L.C. • Kevlar® is a registered trademark of DuPont Patents Pending • ESBAND® is a registered trademark of Max Schlatterer GmbH & Co. KG Patents Pending. Specifications are subject to change without prior notice.

All recommendations for the use of the products described herein and all other data or information set forth in this publication, whether concerning such products or otherwise, are furnished without any guarantee, warranty representations or inducement of any kind whether expressed or implied, including but not limited to warranties of merchantability and fitness for a particular purpose. BRECOflex CO., L.L.C. expressly disclaims liability under any theory, including without limitation, contract negligence, misrepresentation or breach of any obligation relating to the recommendation, data or information set forth herein. Readers and customers are encouraged to conduct their own test before using any product. Read its label and all related instructions. BRECOflex CO., L.L.C. reserves the right to make changes in the technical and dimensional specifications of its products without prior notice. Responsibility for expenses incurred as a result of product changes or discontinuance of a product lies solely with the purchaser.