

HPE MSA 2050 SAN STORAGE

MSA Storage



WHAT'S NEW

 New TAA-compliant HPE MSA 2050 Dual Controller Storage Array models including support for SAN SFF and SAN LFF.

OVERVIEW

Looking for affordable, high-performance shared storage? The HPE MSA 2050 SAN Storage is a flash ready hybrid storage system designed for affordable application acceleration ideal for small and remote office deployments. Don't let the low cost fool you, it gives you the combination of simplicity, flexibility to grow now, and advanced features you may not expect in an entry-priced array. Start small and scale as needed with any combination of solid state drives (SSDs), high-performance enterprise, or lower-cost midline SAS-based hard disk drives (HDDs). HPE MSA 2050 SAN Storage has been the industry-leading entry storage Fibre Channel (FC) platform for the past eight years, with nearly 500,000 systems

Data sheet Page 2

sold worldwide [1]. Delivers 2x higher performance [2] than the previous generation at the same price, delivering in excess of 200,000 IOPS. It's seriously simple and affordable flash-ready storage to help you get the most performance for the lowest cost.

FEATURES

Accelerates Applications Affordably

The HPE MSA 2050 SAN Storage performs at 200,000 IOPS delivering affordable application acceleration for small to medium-sized businesses both local and remote.

Flexible base model delivers 2X more performance than the previous generation HPE MSA 2040 SAN Storage for the same price.

Advanced Data Services with no Experience Required

The HPE MSA 2050 SAN Storage is easy to install, easy to use, easy to maintain, no previous storage expertise required.

Automated tiering dynamically responds to workload changes, so you don't have to

Keep your Business Running with Expanded Data Protection Features

The HPE MSA 2050 SAN Storage delivers updated virtualized snapshot technology making data protection and instant recovery a snap.

Remote replication with Fibre Channel (FC) and iSCSI supports an affordable disaster recovery solution.

Encrypted SSDs and HDDs for a data secure hybrid flash array.

Grow Flexibly Now and Into the Future

The HPE MSA 2050 SAN Storage supports data-in-place upgrades protecting drive investments and reduces data migrations.

Start small and scale as needed with any combination of SSDs, enterprise or midline SAS HDDs.

Data sheet Page 3


Technical specifications HPE MSA 2050 SAN Storage

8-ports per system are supported depending on array model 2x HPE MSA 2050 SAN controllers or 2x HPE MSA 2050 SAS controllers supported, depending on model Storage expansion options Up to 7x HPE MSA 2050 LFF Disk Enclosures and/or HPE MSA 2050 SFF Disk Enclosures, or 7x HPE MSA 2050 SAN DC-Power Carrier Grade SFF Disk Enclosures depending on array model Clustering support Windows, Linux, HP-UX SAN backup support Yes Storage mirroring support Yes Compatible operating systems Microsoft Windows Server 2019, Microsoft Windows Server 2016, Microsoft Windows Server 2012, HP UX, Red Har Linux, SUSE SLES Linux, VMware ESXI, OVMS, Detailed information available at: http://www.hpe.com/storage/spock Form factor 2U Product Dimensions (metric) 8.9 x 49.5 x 44.7 cm Weight		
supported including expansion, depending on model and configuration 16 Gb/8 Gb Fibre Channel 8-ports per system or 1 GbE/10GbE iSCSI 8-ports per system or 12 Gb SAS 8-ports per system are supported depending on array model 2x HPE MSA 2050 SAN controllers or 2x HPE MSA 2050 SAS controllers supported, depending on model Storage expansion options Up 10 7x HPE MSA 2050 LFF Disk Enclosures and/or HPE MSA 2050 SFF Disk Enclosures, or 7x HPE MSA 2050 SAN DC-Power Carrier Grade SFF Disk Enclosures depending on array model Clustering support Windows, Linux, HP-UX SAN backup support Yes Storage mirroring support Yes Compatible operating systems Microsoft Windows Server 2019, Microsoft Windows Server 2016, Microsoft Windows Server 2012, HP UX, Red Hart Linux, SuSE SLES Linux, VMware ESXI, OVMS, Detailed information available at: http://www.hpe.com/storage/spock Form factor 2U Product Dimensions (metric) 8.9 x 4.9.5 x 44.7 cm Weight Three-year limited warranty, parts exchange Next Business day delivery. For more warranty information	Capacity	614 TB SFF or 1344 TB LFF, maximum raw capacity including expansion, depending on model
8-ports per system are supported depending on array model 2x HPE MSA 2050 SAN controllers or 2x HPE MSA 2050 SAS controllers supported, depending on model Storage expansion options Up to 7x HPE MSA 2050 SAN controllers or 2x HPE MSA 2050 SAS controllers supported, depending on model Clustering support Windows, Linux, HP-UX SAN backup support Yes Storage mirroring support Yes Systems Insight Manager support Yes Compatible operating systems Microsoft Windows Server 2019, Microsoft Windows Server 2016, Microsoft Windows Server 2012, HP Linux, SuSE SLES Linux, VM-ware ESXi, OVMS. Detailed information available at: http://www.hpe.com/storage/spock Form factor 2U Product Dimensions (metric) 8.9 x 49.5 x 44.7 cm Weight Three-year limited warranty, parts exchange Next Business day delivery. For more warranty information	Drive description	
Storage expansion options Up to 7x HPE MSA 2050 LFF Disk Enclosures and/or HPE MSA 2050 SFF Disk Enclosures, or 7x HPE MSA 2050 SAN DC-Power Carrier Grade SFF Disk Enclosures depending on array model Clustering support Windows, Linux, HP-UX SAN backup support Yes Storage mirroring support Yes Compatible operating systems Microsoft Windows Server 2019, Microsoft Windows Server 2016, Microsoft Windows Server 2012, HP UX, Red Hat Linux, SuSE SLES Linux, VMware ESXi, OVMS, Detailed information available at: http://www.hpe.com/storage/spock Form factor 2U Product Dimensions (metric) 89 x 49.5 x 44.7 cm Weight Three-year limited warranty, parts exchange Next Business day delivery. For more warranty information	Host interface	16 Gb/8 Gb Fibre Channel 8-ports per system or 1 GbE/10GbE iSCSI 8-ports per system or 12 Gb SAS 8-ports per system are supported depending on array model
Clustering support Windows, Linux, HP-UX SAN backup support Yes Storage mirroring support Yes Systems Insight Manager support Yes Compatible operating systems Microsoft Windows Server 2019, Microsoft Windows Server 2016, Microsoft Windows Server 2012, HP UX, Red Har Linux, SuSE SLES Linux, VMware ESXi, OVMS. Detailed information available at: http://www.hpe.com/storage/spock Form factor 2U Product Dimensions (metric) 8.9 x 49.5 x 44.7 cm Weight Three-year limited warranty, parts exchange Next Business day delivery. For more warranty information	Storage controller	11 1 9
Storage mirroring support Yes Systems Insight Manager support Yes Compatible operating systems Microsoft Windows Server 2019, Microsoft Windows Server 2016, Microsoft Windows Server 2012, HP UX, Red Hat Linux, SuSE SLES Linux, VMware ESXi, OVMS. Detailed information available at: http://www.hpe.com/storage/spock Form factor 2U Product Dimensions (metric) 8.9 x 49.5 x 44.7 cm Weight 18.4 kg Warranty Three-year limited warranty, parts exchange Next Business day delivery. For more warranty information	Storage expansion options	
Storage mirroring support Yes Compatible operating systems Microsoft Windows Server 2019, Microsoft Windows Server 2016, Microsoft Windows Server 2012, HP UX. Red Hat Linux, VMware ESXi, OVMS. Detailed information available at: http://www.hpe.com/storage/spock Form factor 2U Product Dimensions (metric) 8.9 x 49.5 x 44.7 cm Weight 18.4 kg Warranty Three-year limited warranty, parts exchange Next Business day delivery. For more warranty information	Clustering support	Windows, Linux, HP-UX
Systems Insight Manager support Yes Compatible operating systems Microsoft Windows Server 2019, Microsoft Windows Server 2016, Microsoft Windows Server 2012, HP UX, Red Hat Linux, SuSE SLES Linux, VMware ESXi, OVMS. Detailed information available at: http://www.hpe.com/storage/spock Form factor 2U Product Dimensions (metric) 8.9 x 49.5 x 44.7 cm Weight 18.4 kg Warranty Three-year limited warranty, parts exchange Next Business day delivery. For more warranty information	SAN backup support	Yes
Compatible operating systems Microsoft Windows Server 2019, Microsoft Windows Server 2016, Microsoft Windows Server 2012, HP UX, Red Hat Linux, SuSE SLES Linux, VMware ESXi, OVMS. Detailed information available at: http://www.hpe.com/storage/spock Form factor 2U Product Dimensions (metric) 8.9 x 49.5 x 44.7 cm Weight 18.4 kg Warranty Three-year limited warranty, parts exchange Next Business day delivery. For more warranty information	Storage mirroring support	Yes
UX, Red Hat Linux, SuSE SLES Linux, VMware ESXi, OVMS. Detailed information available at: http://www.hpe.com/storage/spock Form factor 2U Product Dimensions (metric) 8.9 x 49.5 x 44.7 cm Weight 18.4 kg Warranty Three-year limited warranty, parts exchange Next Business day delivery. For more warranty information	Systems Insight Manager support	Yes
Product Dimensions (metric) 8.9 x 49.5 x 44.7 cm Weight 18.4 kg Warranty Three-year limited warranty, parts exchange Next Business day delivery. For more warranty information	Compatible operating systems	
Weight 18.4 kg Warranty Three-year limited warranty, parts exchange Next Business day delivery. For more warranty information	Form factor	2U
Warranty Three-year limited warranty, parts exchange Next Business day delivery. For more warranty information	Product Dimensions (metric)	8.9 x 49.5 x 44.7 cm
	Weight	18.4 kg
	Warranty	Three-year limited warranty, parts exchange Next Business day delivery. For more warranty information refer to https://www.hpe.com/storage/warranty.


For additional technical information, available models and options, please reference the QuickSpecs

Make the right purchase decision. Contact our presales specialists.

Find a partner









HPE POINTNEXT SERVICES

HPE Pointnext Services brings together technology and expertise to help you drive your business forward and prepare for whatever is next.

Operational Services from HPE Pointnext Services

<u>HPE Pointnext Tech Care</u> provides fast access to product-specific experts, an Al-driven digital experience, and general technical guidance to help enable constant innovation. We have reimagined IT support from the ground up to deliver faster answers and greater value. By continuously searching for better ways to do things—as opposed to just fixing things that break—HPE Pointnext Tech Care helps you focus on achieving your business goals.

<u>HPE Pointnext Complete Care</u> is a modular, edge-to-cloud IT environment service that provides a holistic approach to optimizing your entire IT environment, and achieving agreed upon IT outcomes and business goals through a personalized and customercentric experience. All delivered by an assigned team of HPE Pointnext Services experts.

HPE Integration and Performance Services help you customize your experience at any stage of your product lifecycle with a menu of services based on individual needs, workloads, and technologies.

- Advise, design, and transform
- Deploy
- Integrate and migrate
- Operate and improve
- Financial Services
- Greenlake Management Services
- Retire and sanitize
- IT Training and personal development

Other related services

<u>HPE Education Services</u> delivers a comprehensive range of services to support your people as they expand their skills required for a digital transformation. Consult your HPE Sales Representative or Authorized Channel Partner of choice for any additional questions and support options.

Defective Media Retention is optional and allows you to retain Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

HPE GREENLAKE

<u>HPE Greenlake</u> is HPE's market-leading IT as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model. HPE GreenLake delivers public cloud services and infrastructure for workloads on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please explore them here.

[1] Source: IDC WW Quarterly Enterprise Storage Systems Tracker, 4Q16, based on vendor revenues.

[2] Performance based on comparison of HPE MSA 2040 SAN Storage to the HPE MSA 2050 SAN Storage systems using 16 Gb Fibre Channel 'Virtual' storage, Mixed Use SSDs, RAID 1, 8K Random Reads and Writes. IOPS: MSA 2050 Random Reads 220,600 MSA 2040 Random Reads 96,000 Improvement: 2.3x MSA 2050 Random Writes 102,800 MSA 2040 Random Writes 40,500 Improvement: 2.5x

© Copyright 2022 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Image may differ from the actual product PSN1009949622INEN, September, 2022.