



SPECIFICATIONS	RS-10
Length Overall	10 feet
Beam	4 feet
Depth	20 inch
Type	Double Wing – Single Hull Shallow water, Flat bottom
Transom Height	22 inch
Fender	D-Type rubber fender
Seating Capacity	06 persons
Engine Recommended	25 Hp, 5 Hp
Hard Seats	Detachable Bench Seats
Hooks and Cleats	Provided
Oars	Provided
Rescue Rope	Provided



FIBRE CRAFT INDUSTRIES

CANAL BANK, HANIF PARK, HARBANS PURA, LAHORE - 54850 PAKISTAN
 PH: (92-42) 36544840 , 36544813, 36545346, 36545347 FAX: (92-42) 36544795
 E-Mail: info@fcicomposites.com Website: www.fcicomposites.com



Specifications	DY11
Length overall	11 feet 7 inch
Beam	4 feet 8 inch
Depth	21.3 inch
Transom height	****
Approx weight	180 kg
Seating capacity	3 person
Standard Equipments	Provided
Fuel tank vol	20 Ltrs Eng
Driver seats	"
Engine recommended	15 to 25 HP
Cushion seats	Provided
Navigation lights	"
Stern light	"
Cleats	"
U-boat hooks	"
Mech. Steering systems T-Flex	"



Optional Fittings

Life Jacket / PFD
 Life Buoy
 Bimini Top
 Fuel Tank
 Engine EFI Honda / Mercury / Any of Customer's Choice
 12 V Battery and Main Cut out switch

FIBRE CRAFT INDUSTRIES

CANAL BANK, HANIF PARK, HARBANS PURA, LAHORE - 54850 PAKISTAN
 PH: (92-42) 36544840 , 36544813, 36545346, 36545347 FAX: (92-42) 36544795
 E-Mail: info@fcicomposites.com Website: www.fcicomposites.com



Rescue Boat

Specifications	RBS 14
Length overall	14 feet/ 4267 mm
Beam	5 feet 2 inch / 1652mm
Depth	24 inch
Transom height	21 inch
Seating Arrangement	Center / Along the periphery
Carry Capacity	750 to 850 kg
Type	Double Hull
Standard Equipments	Provided
seats	
cleats	
Engine recommended	25-40 HP
	Provided
	"
	"
D-type fender drain plug	D - type fenders
	"
U-boat hooks	"
	"

Optional Fittings

Fuel Tank
 Life Jacket / PFD
 Life Buoy
 Bimini Top
 12v Battery and Main Cut Out switch
 Engine EFI Honda / Mercury Any Customer's choice

FIBRE CRAFT INDUSTRIES

Canal Bank, Hanif Park, Harbanspura, Lahore-Pakistan.

Tel: (92-42) 36544813, 36544840, 0305-4440337 Fax: (92-42) 36544795

Web Site: www.fcicomposites.com E-mail : info@fcicomposites.com



Catamaran Boat

Specifications	CAT-15
Length Overall	15 feet (Approx.)
Beam	5 feet (Approx.)
Depth	1 feet 11 inch (Approx.)
Type	Double Hull Unsinkable
Fender	D- Type Rubber Fender
Seating Capacity	6-7 persons
Engine Recommended	25/30 Hp
Hard Seats	Provided
Stern Hooks	1

Optional Fittings

Life Jacket/PFD

Lifebuoy

Bimini Top

Fuel Tank

Engine EFI Honda/ Mercury/Parsun/Any of Customer's choice

12 volt Battery and main cut out switch

Towing Trolley

FIBRE CRAFT INDUSTRIES

CANAL BANK HANIF PARK HARBANSPURA LAHORE - 54850 PAKISTAN

PH: (92-42) 36544840, 36544813 , 36545346 , 36545347 FAX: (92-42) 36544795

E-Mail: info@fcicomposites.com, Website: www.fcicomposites.com



Rescue Boat

Specifications	RB 19
Length overall	19 Feet / 5792 mm
Beam	5 Feet 5 inch / 1652 mm
Depth	24 inch / 610 mm
Type	Double Hull
Transom height	22 inch / 559 mm
Fender	D - type rubber fender
Seating capacity	18 Person
Engine recommended	25 to 40 HP
Hard seats	Provided
Stern hooks	02 Nos.
Eye bolt	01 Nos.



Optional Fittings

Life Jacket / PFD
 Life Buoy
 Bimini Top
 Fuel Tank
 Engine EFI Honda / Mercury / Any of Customer's Choice
 12 V Battery and Main Cut out switch
 Towing Trolley

FIBRE CRAFT INDUSTRIES

CANAL BANK, HANIF PARK, HARBANS PURA, LAHORE - 54850 PAKISTAN
 PH: (92-42) 36544840 , 36544813, 36545346, 36545347 FAX: (92-42) 36544795
 E-Mail: info@fcicomposites.com Website: www.fcicomposites.com



Speed Boat

Specifications	DY19
Hull type	V
Length overall	19feet 2inch / 5842mm
Beam	7feet 5inch / 2261mm
Depth	3feet 8inch / 1117mm
Transom height	26inch / 664mm
Approx weight	700 kg
Seating capacity	6 to 8 person
Standard Equipments	Provided
Fuel tank vol	60Ltrs.
Driver seats	Double
Water capacity	N.A
Engine recommended	115 to150 HP
Est. speed/hp	
Sailing area	Coast
Railing	Provided
Cushion seats	"
Navigation lights	"
Stern light	"
Cleats	"
Fender	"
U-bolt hooks	"
Re-boarding ladder telescopic	"
Wind screen tampered glass	"
Mech. steering system T-Flex	"



Optional Fittings

- GPS
- Anchor
- Life Jacket / PFD
- Skiing Rack
- Skiing Bar
- Search Light
- Life Buoy
- Bimini Top
- Engine EFI Honda/Mercury /Any of Customer's Choice
- 12v Battery and Main Cut out switch

FIBRE CRAFT INDUSTRIES

Canal Bank, Hanif Park, Harbanspura, Lahore-Pakistan.

Tel: (92-42) 36544813, 36544840, 0305-4440337 Fax: (92-42) 36544795

Web Site: www.fcicomposites.com E-mail : info@fcicomposites.com



Multipurpose Boat

Specifications	TN19
Hull type	Channel
Length overall	19feet / 5792mm
Beam	5feet 8inch / 1728mm
Depth	2feet 11inch / 900mm
Transom height	20inch / 508mm
Approx weight	500 Kg
Seating capacity	9 person
Standard Equipments	Provided
Fuel tank vol	20Ltrs Engine tank
Driver seats	Double
Water capacity	N.A
Engine recommended	50HP
Sailing area	Shaded
Railing	Provided
Cushion seats	"
Navigation lights	"
Stern light	"
Cleats	"
D-type fender	"
Mech. steering system T-Flex	"
Console	"
U-boat hooks	"



Optional Fittings

Fuel Tank 50 Ltrs
 Life Jacket
 Life Buoy
 Search Light
 Anchor
 Bilge Pump
 Canopy Soft top/Hard top
 12v Battery and Main Cut Out switch
 Engine EFI Honda / Mercury Any Customer's choice

FIBRE CRAFT INDUSTRIES

Canal Bank, Hanif Park, Harbanspura, Lahore-Pakistan.

Tel: (92-42) 36544813, 36544840, 0305-4440337 Fax: (92-42) 36544795

Web Site: www.fcicomposites.com E-mail : info@fcicomposites.com



Sports / Fishing Boat

Specifications	SP21
Hull type	V
Length overall	21feet 2inch / 6452mm
Beam	7feet 5inch / 2235mm
Depth	4feet / 2inch / 1270mm
Transom height	25~26inch / 635~664mm
Approx weight	1000 kg
Seating capacity	6 Person
Engine recommended	OBM 90 to150 HP
Est. speed. hp	
Sailing area	Shaded
Standard Fittings	Provided
Fuel tank	60 Ltrs.
Railing	"
Anti-skid deck	"
Anchor chain/rope tank	"
Live fish tank	"
Stern tank	"
Storage space	"
Cleats	"
Navigation lights	"
Mech. steering system T-Flex	"
Cushion seats	"
Console	"
Fender	"
Toilet space	"
U-bolt hooks	"
Wind screen	"



Optional Fittings

- GPS + Fish finder
- Windless
- Anchor
- Horn
- Toilet
- Boat Trailer
- Life Jacket
- Life Buoy
- Search Light
- Bilge Pump
- Engine EFI Honda/Mercury /Any of Customer's Choice
- 12v Battery and Main Cut out switch

FIBRE CRAFT INDUSTRIES

Canal Bank, Hanif Park, Harbanspura, Lahore-Pakistan.

Tel: (92-42) 36544813, 36544840, 0305-4440337 Fax: (92-42) 36544795

Web Site: www.fcicomposites.com E-mail : info@fcicomposites.com



MAGNA-1

Specifications	Magna-1
Length overall	23 feet (approx)
Beam	7.9' (approx)
Deck Depth	4' (approx)
Hull Type	V
Transom Height	20"
Engine Recommended	90HP to 300HP, (Twin Preferred)
Fuel tank	200 Ltrs (Under Deck)
Seating capacity	8-10 Persons + Standing 10-12
Lights	Flash ,Navigation & Stern Lights
Fenders	D -Type, Rubber Fender
Deck	Anti Skid
Cleats	4 nos.
Bollards	One
Seats	Cushioned/thawed
Anchor	One
Storage space p & st	Available
Storage space aft	Available
Steering System	Single point, remote control (USA)

Optional Fittings

- GPS
- Anchor
- Ice Box
- Life Jacket
- Life Buoy
- Horn
- Flash Light; remote Control (360 °)
- Driver Seat
- Air Conditioner
- Diesel Generator
- 12V battery and main cutout switch
- Engine: OBM

FIBRE CRAFT INDUSTRIES

CANAL BANK, HANIF PARK, HARBANSPURA, LAHORE, PAKISTAN

Ph: 0092 - 042 - 36544840, 36544813, 36545346 Fax: 0092 - 042 - 36544795

E-Mail: info@fcicomposites.com Website: www.fcicomposites.com



Rescue Boat

Specifications	RB 23
Length overall	23 Feet / 7010 mm
Beam	5 Feet 5 inch / 1652 mm
Depth	24 inch / 610 mm
Type	Double Hull
Transom height	22 inch / 559 mm
Fender	D - type rubber fender
Seating capacity	18 Person
Engine recommended	90-125 HP
Hard seats	Provided
Stern hooks	02 Nos.
Eye bolt	01 Nos.



Optional Fittings

Life Jacket / PFD

Life Buoy

Bimini Top

Fuel Tank

Engine EFI Honda / Mercury / Any of Customer's Choice

12 V Battery and Main Cut out switch

Towing Trolley

FIBRE CRAFT INDUSTRIES

CANAL BANK, HANIF PARK, HARBANS PURA, LAHORE - 54850 PAKISTAN
 PH: (92-42) 36544840 , 36544813, 36545346, 36545347 FAX: (92-42) 36544795
 E-Mail: info@fcicomposites.com Website: www.fcicomposites.com



Multipurpose Boat

Specifications	RBS 24
Length overall	24 feet/ 7315 mm
Beam	5feet 5inch / 1652mm
Depth	24 inch
Transom height
Approx weight(Approx)
Seating Capacity	22 persons
Standard Equipments	Provided
Fuel tank vol	20Ltrs Engine tank
Driver seats	
Engine recommended	25-40 HP
Sailing area	Shaded
Cushion seats	Provided
Navigation lights	
Stern light	"
Cleats	"
D-type fender	"
Mech. steering system T-Flex	"
Console	"
U-boat hooks	"



Optional Fittings

Fuel Tank
 Life Jacket / PFD
 Life Buoy
 Bimini Top
 12v Battery and Main Cut Out switch
 Engine EFI Honda / Mercury Any Customer's choice

FIBRE CRAFT INDUSTRIES

Canal Bank, Hanif Park, Harbanspura, Lahore-Pakistan.

Tel: (92-42) 36544813, 36544840, 0305-4440337 Fax: (92-42) 36544795

Web Site: www.fcicomposites.com E-mail : info@fcicomposites.com



General Purpose Boat

Specifications	RQ29
Hull type	V
Length overall	28feet 10inch / 8800mm
Beam	7feet 9inch / 2362mm
Depth	4feet / 1220mm
Transom height	20inch / 510mm
Approx weight	1000Kg
Engine applicable	OBM 90 to150 HP
Seating capacity	12 Person
Standard Equipments	Provided
Fuel tank	200Ltrs
Railing fore & aft	
Anti-skid deck	"
Stern light	"
Storage space p & st	"
Storage space aft	"
Cleats	"
Navigation lights	at bow
Cushion seats	"
Mech. steering system T-Flex	"
D-type fender	"
Anchor chain/rope locker	"
U-bolt hooks	"
Console	"



Optional Fittings

GPS
 Anchor
 Ice Box
 Life Jacket
 Life Buoy
 Horn
 Driver Seat
 Canopy soft/hard top
 Re-boarding ladder Telescopic
 12v Battery and Main Cut out switch
 Engine EFI Honda/Mercury /Any of Customer's Choice

FIBRE CRAFT INDUSTRIES

Canal Bank, Hanif Park, Harbanspura, Lahore-Pakistan.

Tel: (92-42) 36544813, 36544840, 0305-4440337 Fax: (92-42) 36544795

Web Site: www.fcicomposites.com E-mail : info@fcicomposites.com



Reservoir Survey Boat

Specifications	Rs31
Hull type	Displacement
Length overall	30 feet 9.6 inch / 9388mm
Beam	9 feet 11.3 inch / 3031 mm
Depth	4 feet 9.1 inch / 1451 mm
Keel Length	24 feet / 7315 mm
Engine applicable	IBM 110HP / 3200 RPM
Seating capacity	20 Person
Standard Equipments	Provided
Fuel tank	400 Ltrs
Railing fore & aft	
Anti-skid deck	"
Stern light	"
Storage space p & st	"
Storage space aft	"
Bollards	"
Navigation lights	at bow
Cushion seats	"
H. Steering systems T-Flex	"
D-type fender	"
Anchor chain / rope locker	"
Marine Console	"



Optional Fittings

GPS
 Anchor
 Ice Box
 Life Jacket
 Life Buoy
 Horn
 Driver Seat
 Air Conditioner
 Diesel Generator
 12V Battery and Main Cut out switch
 Engine: IBM (Recommended) / Yanmar / Perkins
 or any of Customer's Choice
 OBM : optional

FIBRE CRAFT INDUSTRIES

CANAL BANK, HANIF PARK, HARBANS PURA, LAHORE - 54850 PAKISTAN
 PH: (92-42) 36544840 , 36544813, 36545346, 36545347 FAX: (92-42) 36544795
 E-Mail: info@fcicomposites.com Website: www.fcicomposites.com



RIB-11

Model	RIB-11
Over Length(cm)	35 feet (approx)
Hull Length	32 feet
Over Beam(cm)	10 feet
Hull Width	8 feet
Tube Diameter(cm)	17 in – 22 in
Persons capacity	26
Engine Recommended	250 HP x 2
Deck	Anti-skid
Seats	Cushioned
Storage space	Available

Optional Fittings

- GPS
- Anchor
- Ice Box
- Life Jacket
- Life Buoy
- Horn
- Flash Light; remote Control (360 °)
- Diesel Generator
- 12V battery and main cutout switch
- Engine: OBM

FIBRE CRAFT INDUSTRIES

CANAL BANK, HANIF PARK, HARBANSPURA, LAHORE, PAKISTAN

Ph: 0092 - 042 - 36544840, 36544813, 36545346 Fax: 0092 - 042 - 36544795

E-Mail: info@fcicomposites.com Website: www.fcicomposites.com



LUXURY BOAT



FCI has developed 42 ft luxury yacht.





LUXURY BOAT



FCI has developed 42 ft luxury yacht.

