


In men with hypogonadism, testosterone treatment is associated with:

TRTed®



Scan & Explore

Improved mood¹



Increased levels of haemoglobin in patients with anemia^{2,3}

Improved bone health in men with low bone density⁴⁻⁶

Decreased waist circumference and body fat in overweight patients⁷

Improved sex drive and erectile function^{8,9}

Improved quality of life^{10,11}

1. Walther A, et al. JAMA Psychiatry 2019;76(1):31-49. 2. Roy N, et al. JAMA Intern Med 2017;177(4):480-490. 3. Zhang LT, et al. J Urology 2016;195(4):1057-1064. 4. Isidori AM, et al. Clin Endocrinol 2005;63(3):280-93. 5. Watts BW, et al. J Clin Endo & Metab 2012;97(6):1802-1822. 6. Wang C, et al. J Clin Endo & Meab 2004;89(5):2085-2098. 7. Wang C, et al. J Clin Endo 2004;89(5):2085-2098. 8. Mulhall JP, et al. Urol 2004;63(2):348-353. 9. Wang C, et al. Clin Endocrinol Metab 2000;85(8):2839-2853. 10. Rosen RC, et al. J Seks Med 2017;14(9):1104-1115. 11. Elliot J, et al. BMJ Open 2016;16 :e015284.