



EQUIPMENT NEEDED




1. 120mm x 10mm Masonry Drill Bit | 2. Pencil | 3. Adjustable Wrench |
4. Large Spade | 5. Small Spade | 6. Step Ladder | 7. 100-120kg Cement |
8. Large Bucket | 9. Hammer Drill


SCULPTURE PARTS




1. Base | 2. 2x Leaf sets | 3. 4x DynaBolt - M10 x 100mm




Dig a hole with a large spade 400mm deep and 600mm in diameter. We recommend digging the hole in a slight bell shape.




Prepare cement, following the bag's instructions. Use a large bucket and small spade to mix.




Fill hole with concrete. You may choose to add some rocks at the bottom to save on concrete.




Once concrete is set, place the sculpture base on top of the concrete pad. With a pencil, mark where the four holes in the metal cross meet the concrete.




Remove the base. Drill four 10mm diameter holes, 100mm.




Remove debris by way of a vacuum or hand pump, compressed air, ect.



Place base back on concrete pad, lining up with the drilled holes. Insert the bolt and tighten with an adjustable spanner.



Continue tightening, allowing the sleeve to twist and pull down the base firmly into the concrete pad.



Once the base is firmly set into the ground, it is time to place the metal sculpture on top. You will need a step ladder for this part, so you can reach the top. Firstly, you will need to remove the two 8mm bolts and two washers from either end of the 'T' at the top of the shaft on the base. Then place the first set of leaves over the one side of the 'T', insuring the circlips are facing inwards. Place the washer back on and twist on the bolt with an adjustable wrench or 13mm spanner until tight. Repeat on the other side with the second set of leaves.