

# **SHADE STRUCTURES**







SUNRISE SERIES







PICO SERIES



CRESCENT SERIES



### **LASTING IMPACT**

Our shade structures offer a highly functional solution for parks, business parks, and pavilion projects. These canopies have been engineered to serve as a centerpiece, adding both style and substance to any outdoor space. With a sleek design and robust construction, our canopies are an ideal choice for both functional and aesthetic requirements. Their durable construction ensures their worth as a long-term investment in any environment.




# **HORIZON SHADE SYSTEM**


















**DELIVERY & INSTALLATION** 

· Canopies are shipped either in one piece to be set on pre-engineered footings, or as an erector set complete with installation instructions

## MAINTENANCE

- All components are designed to be replaceable
- Touch-up paint is provided for any minor damage done during or after construction

- · Canopies come pre-engineered with site-specific engineering calculations
- Design criteria meets all ADA, ASTM, and manufacturing standards
- · Light fixtures and placement are designed to meet all relevant foot candle requirements





SIZE (WxL)	ROOF TYPE		ENERGY SOURCE	LIGHTING	CODE
6'-0" 6'-0" 11'-0" 30'-0"	Glass = G		Solar	Downlights	
7'-0" 8'-0" 12'-0" 36'-0"	Metal Deck = MD	CHISTOM MANUFAC TURING	Grid	Monorail Lights	
8'-0" 12'-0" Custom	Polycarbonate = P	lnisigns.com   310.978.2000		Post Mounted Lighting	Ι Δ
9'-0" 20'-0"	Art Panels = AP	sales@lnisigns.com			_ ^
10'-0" 24'-0"	Tile Roofing = T				
		15542 Broadway Center St., Gardena, CA, 90248			



# **SKYLINE SHADE SYSTEM**





#### **FEATURES AND SPECIFICATIONS**

**DELIVERY & INSTALLATION** 

• Canopies are shipped either in one piece to be set on pre-engineered footings, or as an erector set complete with installation instructions

## MAINTENANCE

- All components are designed to be replaceable
- · Touch-up paint is provided for any minor damage done during or after construction

## COMPLIANCE

- Canopies come pre-engineered with site-specific engineering calculations
- Design criteria meets all ADA, ASTM,
- and manufacturing standardsLight fixtures and placement are designed to meet all relevant foot candle requirements
















SIDE VIEW

SIZE (WxL)	ROOF TYPE		ENERGY SOURCE	LIGHTING	CODE
6-0" 6-0" 11-0" 30-0" 7-0" 8-0" 12-0" 36-0" 8-0" 12-0" Custom 9-0" 20-0" 10-0" 24-0"	Glass = G Metal Deck = MD Polycarbonate = P Art Panels = AP	Division to Administration of the Initial State of	Solar Grid	Linear Lighting Downlights Post Mounted Lighting	В



# **MAST SHADE SYSTEM**





#### **FEATURES AND SPECIFICATIONS**

**DELIVERY & INSTALLATION** 


 Canopies are shipped either in one piece to be set on pre-engineered footings, or as an erector set complete with installation instructions

## MAINTENANCE

- All components are designed to be replaceable
- Touch-up paint is provided for any minor damage done during or after construction

## COMPLIANCE

- Canopies come pre-engineered with site-specific engineering calculations
- Design criteria meets all ADA, ASTM, and manufacturing standards
- Light fixtures and placement are designed to meet all relevant foot candle requirements

















## FRONT VIEW

SIDE VIEW

SIZE (WxL)	ROOF TYPE	ID"	ENERGY SOURCE	LIGHTING	CODE
6-0" 6-0" 11-0" 30-0" 7-0" 8-0" 12-0" 38-0" 8-0" 12-0" Custom 9-0" 20-0" 10'-0" 24-0"	Glass = G Metail Deck = MD Polycarbonate = P Art Panels = AP Standing Seam Roof = SSR	lnisigns.com   310.978.2000 sales@hlisigns.com 	Solar Grid	Linear Lighting Downlights	С



# **SUNRISE SHADE SYSTEM**





#### **FEATURES AND SPECIFICATIONS**

**DELIVERY & INSTALLATION** 

 Canopies are shipped either in one piece to be set on pre-engineered footings, or as an erector set complete with installation instructions

#### MAINTENANCE

- All components are designed to be replaceable
- Touch-up paint is provided for any minor damage done during or after construction

- Canopies come pre-engineered with site-specific engineering calculations
- Design criteria meets all ADA, ASTM, and manufacturing standards
- Light fixtures and placement are designed to meet all relevant foot candle requirements

















FRONT VIEW

SIDE VIEW	W
-----------	---

SIZE (WxL)	ROOF TYPE		ENERGY SOURCE	LIGHTING	CODE
6'-0' 6'-0' 11'-0' 30'-0' 7-0' 8'-0' 12'-0' 36'-0' 8'-0' 12'-0' Custom 9'-0' 20'-0' 10'-0' 24'-0'	Glass = G Metail Deck = MD Polycarbonato = P Art Panels = AP Tubular Roofing = TR	Inisigns.com   310.978.2000 sales@Inisigns.com :15542 Broadway Center St., Gardena, CA, 90248	Solar Grid	Downlights Post Mounted Lighting	D



# **SUNSET SHADE SYSTEM**





ILLUMINATION / DOWNLIGH









**DELIVERY & INSTALLATION** 


 Canopies are shipped either in one piece to be set on pre-engineered footings, or as an erector set complete with installation instructions

#### MAINTENANCE

- All components are designed to be replaceable
- Touch-up paint is provided for any minor damage done during or after construction

- Canopies come pre-engineered with site-specific engineering calculations
- Design criteria meets all ADA, ASTM, and manufacturing standards
- Light fixtures and placement are designed to meet all relevant foot candle requirements








FRONT VIEW

SIDE VIEW

SIZE (WxL)	ROOF TYPE		ENERGY SOURCE	LIGHTING	CODE
6'-0" 6'-0" 11'-0" 30'-0"	Glass = G		Solar	Linear Lighting	
7'-0" 8'-0" 12'-0" 36'-0"	Metal Deck = MD	CUSTOM MANUFACTURING	Grid	Downlights	_
8'-0" 12'-0" Custom	Polycarbonate = P	lnisigns.com   310.978.2000		Post Mounted Lighting	<b>⊢</b>
9'-0" 20'-0"	Art Panels = AP	sales@lnisigns.com			_
10'-0" 24'-0"	Tubular Roofing = TR				
		15542 Broadway Center St., Gardena, CA, 90248			



# PICO SHADE SYSTEM





#### **FEATURES AND SPECIFICATIONS**

## **DELIVERY & INSTALLATION**

 Canopies are shipped either in one piece to be set on pre-engineered footings, or as an erector set complete with installation instructions

#### MAINTENANCE


- All components are designed to be replaceable
- Touch-up paint is provided for any minor damage done during or after construction


- Canopies come pre-engineered with site-specific engineering calculations
- Design criteria meets all ADA, ASTM, and manufacturing standards
- Light fixtures and placement are designed to meet all relevant foot candle requirements

















SIZE (WxL)	ROOF TYPE		ENERGY SOURCE	LIGHTING	CODE
6-0' 6-0' II-0' 30-0' 7-0' 8-0' 12-0' 36-0' 8-0' 12-0' Custom 9-0' 20-0' 10-0' 24-0'	Glass = G Metal Deck = MD Polycarbonate = P Art Panels = AP Tubular Roofing = TR	lnisigns.com   310.978.2000 sales@lnisigns.comv :::5542 Broadway Center St., Gardena. CA. 90248	Solar Grid	Linear Lighting Downlights Post Mounted Lighting	G



# **CRESENT SHADE SYSTEM**















**DELIVERY & INSTALLATION** 


 Canopies are shipped either in one piece to be set on pre-engineered footings, or as an erector set complete with installation instructions

#### MAINTENANCE

- · All components are designed to be replaceable
- Touch-up paint is provided for any minor damage done during or after construction

- Canopies come pre-engineered with sitespecific engineering calculations
   Design criteria meets all ADA, ASTM,
- Design criteria meets all ADA, ASTM, and manufacturing standards
- Light fixtures and placement are designed to meet all relevant foot candle requirements





SIZE (WXL)	ROOF TYPE		ENERGY SOURCE	LIGHTING	CODE
16'-0' 30'-0' 16'-0' 30'-0' 16'-0' 30'-0' Custom	Metal Deck = MD Art Panels = AP	Inisigns.com   310.978.2000 sales@Inisigns.com 15542 Broadway Center St., Gardena, CA, 90248	Solar Grid	Linear Lighting Downlights Post Mounted Lighting	Н