

Technical Data Sheet

HRC1950 Limewashed Spruce VidaGroove Reclaimed

[View Product Online](#)



Product Details

Product Code	HRC1950
Product Range	VidaGroove Reclaimed
Construction	Solid Genuine Reclaimed
Specie	Spruce/Pine
Grade	Rustic
Pattern	1-Strip Plank
Process	Reclaimed
Finish	Limewashed, Textured
Profile	Tongue & Groove Long Edges
Edge Profile	Reclaimed Edge
Thickness	15mm
Width	Random (100-180mm)
Length	Random (1000-3000mm)
Pack Size	Random

Installation Methods

Fully Bonded	Yes (recommended)
Nailed	No

Grading Criteria

Known as either natural or rustic grade this allows a virtually limitless size and number of knots. Heartwood will be used, there will be colour variation, sapwood and filler; you should expect checks (cracks across the growth ring) and possibly some end shake (cracks between the rings). The colour of the filler is carefully selected to compliment the wood rather than to match it exactly and it may vary from batch to batch.

NB: The product grading criteria is an approximation. Please ask for details.

Technical Criteria

Origin	Europe
Responsible certification	Please ask a member of staff
Janka Hardness Rating	665lbf 2.920N
Formaldehyde emission	EN717-1 E1
PCP Content	CEN/TR 14823 ≤ 5ppm
Reaction to fire classification	C/VM2 Table A1 - Group 3 (≥9mm thick solid wood, ≥400kg/m3) <i>To achieve Group 1-s fire rating apply Zone 92 intumescent coating or similar</i>

Sustainability & Provenance

To back our commitment to sustainable sourcing we have the following independent certification systems to verify they come from sustainably managed forests and sustainable methods are used by our European mills.

Our FSC® and CoC certification gives specifiers, clients and end users assurance of the legality and legitimacy of our FSC timber supply and compliance with government procurement regulations. It demonstrates that we meet the strict tracking requirements for FSC timber products, and that our products come from well-managed forests. The global FSC® certificate database contains information on both Forest Management and Chain of Custody certificates. Our certificate code is SGSHK-COC-510010.

Warranty

All VidaSpace products must be installed by a competent qualified joiner and/or installer who has the necessary skills and experience and can take individual site circumstances into account. VidaSpace warranty will apply only to projects which have been installed, handled and maintained to industry best practice and New Zealand Building Code requirements. It is the responsibility of the specifier to determine the product is suitable and compliant for the application. To view a copy of the full warranty, please contact our team.

Technical Support

Further information and technical support is available by contacting VidaSpace on 0800 119 388.

Special Note: 'In Australia and Europe the same general hierarchy of risk for surface flame spread for finishes is used. While differences exist in the small-scale or intermediate- scale fire test methods adopted in the different jurisdictions, the resulting classifications are considered to be sufficiently similar to the Group Number requirements of NZBC Clause 3.4(a) such that the results can be used directly for the purpose of compliance with Clause C3.4 of the New Zealand Building Code.

Ref: www.building.govt.nz/building-code-compliance/c-protection-from-fire/c-clauses-c1-c6/surface-finishes/

© This technical data sheet was written by VidaSpace Limited, 20 Roe St, Levin, 5571, New Zealand and updated in January 2023. Please ensure that you are using the latest publication by contacting VidaSpace or downloading the latest Technical Data Sheet from the product page on www.vidaspace.co.nz. At the time of writing and publication of the sheet, all information is specified correctly. The company reserves the right to change the specifications of this product at any time without prior notice to third parties. The photographs used in this sheet are intended only as illustrations. No rights can be derived from them.

1-Jan-2023/NZ