





REFINED SHADE





4

5

6


7

8

1

2

3



RIO



P. 8-13



P. 24-27




ΣΕΛ. 28-31

CLASSIC QUEEN

THE COMPANY
P. 3-5

FABRICS
& COLOURS
P. 6-7



P. 14-19



P. 32-35

SOLE

DIVIDERS



QUEEN XL

GRAND



P. 20-23

UMBRELLA
FABRICS

P. 48-49



INDEX

FALL OT/CT
P. 36-39

PERGOLA FALL
P. 40-43

BISTRO
P. 44-47

THE SHADFAST SPECIALISTS





PROFESSIONAL SOLUTIONS SINCE 1980

SUNBLOCK® is a Greek company, involved in the manufacture and trading of shading systems and dividers, both in the domestic and European market, since 1980.

Our vision is to offer our clients shading systems and partitions for professional and home applications that stand out with their unique design and innovative style, always focused on the high quality and strength of the materials.

Keeping always up to date with market needs and trends, SUNBLOCK® designs and manufactures its products with proprietary, patented moldings, and proposes innovative solutions for advanced and easy-to-use shading system applications for all weather conditions.

With over 40 years of experience, SUNBLOCK® develops and manufactures its products exclusively in Greece. Our partnership with top manufacturers from all over the world, enables us to provide our customers with a comprehensive range of solutions – umbrellas, awnings, pergolas, aluminum partitions, and awning fabrics – that cover the needs of a large number of specialized and other constructions. This is why SUNBLOCK® is the ideal partner for architects, interior designers and decorators.

Our SHADE SPECIALISTS will handle and guarantee the excellent and secure construction of a shading system or partition that will match the architectural design of your space and the needs of your professional or home application.

MICHALIS ROUSSOS
General Manager

FABRICS & COLOURS



ΤΕΧΝΙΚΑ ΥΦΑΣΜΑΤΑ

	COMPANY	SERIES	COLOURS	COMPOSITION	WEIGHT	WATER & STAIN RESISTANT	EXTRAS
FABRIC GROUP A	Dickson	Cleon	5	100% pol.	340gr/m ²	850mm	Double Acrylic coating
	Das	Smart	1-ecru	100% pol.	390gr/m ²	1000mm	Double Acrylic coating
FABRIC GROUP B	Dickson	EVO	8	100% pol.	400gr/m ²	850mm	Double Acrylic coating
	Dickson	Orchestra	193	100% Solution dyed Acrylic	300gr/m ²	350mm	Special coating
	Docril	Acrylic	73	100% Solution dyed Acrylic	295gr/m ²	350mm	Teflon Finish
	Das	Daily	17	100% pol.	450gr/m ²	1000mm	Double Acrylic coating
FABRIC GROUP C	Docril	Marine Collection N	16	100% Solution dyed Acrylic	330gr/m ²	1050mm	Water proof coating
	Das	Block Out	5	100% pol.	400gr/m ²	1000mm	Double Acrylic coating
	TenCate	Solid	12	100% pol.	510gr/m ²	1200mm	Double Acrylic coating
FABRIC GROUP D	Dickson	Orchestra MAX	30	100% Solution dyed Acrylic	320gr/m ²	1000mm	Water proof coating and UV-resistant
	Dickson	Sunworker	20	50/50 high tenacity polyester/PVC	300gr/m ²	-	Double-sided PVC coating - Lowick system (100% solution-dyed yarn)

COLLABORATIONS



FRAME COLOURS

		
Light Grey	Window Grey	Anthracite Grey
GRAIN	GRAIN	GRAIN
RAL 7035	RAL 7040	RAL 7016
		
Black Grey	Jet Black	Jet Black
GRAIN	MAT	GRAIN
RAL 7021	RAL 9005	RAL 9005
		
White	Oyster White	Gris Sable
GLOSSY	GRAIN	GRAIN
RAL 9016	RAL 1013	
		
Corten	Custom RAL	
GRAIN		

QUEEN



Extra heavy-duty, telescopic umbrella for every outdoor application.

**Unique design,
excellent functionality.**

SUNBLOCK® QUEEN is an extra heavy-duty, telescopic umbrella of superior quality, with unique design and innovative operation.

With the semi-automatic mechanism (latch) that has been specially designed by SUNBLOCK®, it only takes a small push of the handle, and your umbrella is open and ready to use.

QUEEN has specially designed SUNBLOCK® profiles, and it also offers cable management features that enable you to attach lighting and heating devices with no wires obstructing the operation of the umbrella. SUNBLOCK® has, thus, created a safe and comprehensive coverage solution for professional outdoor applications, such as in restaurants and cafes, that combines excellent functionality and style.

QUEEN's compact size and superior quality, with unique SUNBLOCK® moldings with aluminum profiles, plastic fasteners and lighting profiles, combined with its resistance to weather conditions, time and winds of up to force 7 in the Beaufort scale, make it ideal for professional applications.

This umbrella is an ideal choice for large outdoor areas, as it can cover up to 5 or 7 meters per side (with 8 or 10 ribs, respectively), minimizing the number of required poles.

It is fully customizable, based on your preferred size and frame color, and you can also select from a variety of technical, shading fabrics by international manufacturers, and a full set of accessories, so that your umbrella matches the style and needs of the intended application.


TECHNICAL SPECIFICATIONS

Central Pole:	Ø 98 x 4,5 reinforced
Telescopic (inside) central pole:	Ø 58 x 4,5 reinforced
Ribs:	40 x 20 x 2 reinforced
Special aluminum profile for reinforcing the ribs:	55 x 25 x 3
1st row of braces:	40 x 20 x 2 reinforced
2nd row of braces:	40 x 20 x 2 reinforced



Protection from UV and heat. Custom size and colour. Big selection of fabrics. Heavy duty construction.

Telescopic	●
Special aluminum profile for reinforcing the ribs	●
Air Vent	●
Dimmable Led lighting (optional)	●
Heating System (optional)	●
Connect to another umbrella with rain gutters	●
Braces	2 rows of braces ● 1 row of braces ○
Handling	Rope with pulleys ○ Handle ● Crank Mechanism ○ Motor ○



LIGHTING - HEATING



Veito Blade S Infrared Heater
2.5KW, IP55, 900x130x90mm

Veito Blade Mini S Infrared Heater
1.5KW, IP55, 700x130x90mm

LED LIGHTING

Special aluminum profile, designed for integrated, hidden LED lighting.

LIGHTING FEATURES

Warm light LED strip 3000K, IP65, 24V, 1000L/m

Dimmable with remote control

Built-in wiring box

Invisible and undisturbed operation inside the construction

Light fixture in 4, 8, 10 ribs

Minimal design

RADIATORS

A unique mechanism, with special aluminum profile, that pivots the radiator when closing the umbrella, for unobstructed operation.

RADIATOR FEATURES

Built-in wiring box


All the cables pass inside the construction without disturbing its operation

Dimmable with remote control

DIMENSIONS



cm	300	350	400	450	500	550	600	650	700
300	8R 8S	8L	8L	8L	8L	10L	10L		
350	8L	8R 8S	8L	8L	8L	10L	10L		
400	8L	8L	8R 8S	8L	8L	10L	10L	10L	10L
450	8L	8L	8L	8R 8S	8L	10L	10L	10L	10L
500	8L	8L	8L	8L	8R 8S	10L	10L	10L	10L
550	10L	10L	10L	10L	10L	8R			
600	10L	10L	10L	10L	10L		8R		
650			10L	10L	10L			8R	
700			10L	10L	10L				8R



Indicative Height Options

Size (cm)	H1	H2	H3	H4	H5
300x300	385	330	270	240	170
350x350	385	340	270	240	135
400x400	425	340	270	240	140
450x450	460	350	270	240	141
500x500	480	360	270	240	130
300x400	415	340	270	240	145
350x450	445	350	270	240	155
400x500	470	360	270	240	148
450x550	480	370	270	240	120
500x600	520	380	270	240	130

Dimensions are subject to change without prior notice.

ACCESSORIES




BF100
Metal Base
240x240x400mm



BF100M
Metal Base
with Hinge
240x240x400mm



GK100M
Ground Socket
240x240x500mm



GS100M
Ground Socket
240x240x500mm



PL100
Plate for GK100M



C100
Cement Base
1000x1000x550mm
225Kg



CW100
Wheels for C100



Umbrella Cover
with zip and Aluminum Profiles



Rain Gutter
with Velcro or Aluminum Profiles

QUEEN CUSTOM

12



TECHNICAL SPECIFICATIONS

Non-standard areas, obstacles such as tree trunks, corners and triangular areas, are no longer restrictions when it comes to covering your space with umbrellas, since SUNBLOCK's QUEEN CUSTOM offers unprecedented design flexibility for any special sizes, plus all the benefits of the QUEEN model.

Our specialized personnel will design and manufacture a fully customized solution, based on your unique requirements and needs, that will cover and utilize in full all the available space, with safety, functionality and style.





XL QUEEN Q



Giant, extra heavy-duty, telescopic umbrella.
Maximum coverage, durability and functionality.

SUNBLOCK® QUEEN XL is an extra heavy-duty, telescopic, giant umbrella of superior quality, that offers maximum coverage, durability and functionality.

The SUNBLOCK® rope mechanism with pulleys is specially designed to offer easy operation. Just a small push is enough.

QUEEN XL has specially designed SUNBLOCK® profiles, and it also offers cable management features that enable you to attach lighting and heating devices with no wires obstructing the operation of the umbrella. SUNBLOCK® has, thus, created a safe and comprehensive coverage solution for professional outdoor applications, such as in restaurants and cafes, that combines excellent functionality and style.

With a sturdy design, unique SUNBLOCK® moldings with aluminum profiles, plastic fasteners and special lighting profiles, QUEEN XL can withstand winds of up to force 7 in the Beaufort scale, and cover areas of up to 7 meters per side with 12 ribs. This umbrella can cover very large outdoor areas with no extra poles, and it can also be combined with other products and accessories, such as glass partitions and fabric gutters, so as to offer complete coverage and protection with safety, functionality and superior style.

It is fully customizable, based on your preferred size and frame color, and you can also select from a variety of technical, shading fabrics by international manufacturers, and a full set of accessories, so that your umbrella matches the style and needs of the intended application.


TECHNICAL SPECIFICATIONS

Central Pole:	Ø 130 x 5,5 reinforced
Telescopic (inside) central pole:	Ø 58 x 3,0 reinforced
Ribs:	40 x 20 x 2 reinforced
Special aluminum profile for reinforcing the ribs:	55 x 25 x 3
1st row of braces:	40 x 20 x 2 reinforced
2nd row of braces:	40 x 20 x 2 reinforced



Protection from UV and heat. Custom size and colour. Big selection of fabrics. Heavy duty construction.

Telescopic	●
Special aluminum profile for reinforcing the ribs	●
Air Vent	●
Dimmable Led lighting (optional)	●
Heating System (optional)	●
Connect to another umbrella with rain gutters	●
Braces	2 rows of braces ● 1 row of braces ○
Handling	Rope with pulleys ● Handle ○ Crank Mechanism ○ Motor ○



LIGHTING - HEATING

**Veito Blade S Infrared Heater**

2.5KW, IP55, 900x130x90mm

Veito Blade Mini S Infrared Heater

1.5KW, IP55, 700x130x90mm

LED LIGHTING

Special aluminum profile, designed for integrated, hidden LED lighting.

LIGHTING FEATURES

Warm light LED strip 3000K, IP65, 24V, 1000L/m

Dimmable with remote control

Built-in wiring box

Invisible and undisturbed operation inside the construction

Light fixture in 4, 8, 10 rays

Minimal design

RADIATORS

A unique mechanism, with special aluminum profile, that pivots the radiator when closing the umbrella, for unobstructed operation.

RADIATOR FEATURES

Built-in wiring box


All the cables pass inside the construction without disturbing its operation

Dimmable with remote control

DIMENSIONS



cm	500	550	600	650	700	800
500	12R	12S	12L	12L	12L	
550	12L	12R	12L	12L	12L	
600	12L	12L	12R	12L	12L	
650	12L	12L	12L	12R		
700	12L	12L	12L		12R	
800						12R



Indicative Height Options

Size (cm)	H1	H2	H3	H4	H5
500X500	480	360	270	270	170
550X550	520	370	270	270	130
600X600	530	400	280	280	95
500X600	490	400	280	280	95
500X700	525	410	280	280	90
600X700	550	410	280	280	70
Ø600	480	380	260	260	170

Dimensions are subject to change without prior notice.

ACCESSORIES



BF130M
Metal Base
with Hinge
370x300x450mm



GK130
Ground Socket
370x300x500mm



GS130
Ground Socket
370x300x500mm



PL130
Plate for GK130
370x300x5mm




Umbrella Cover
with zip and Aluminum Profiles



Rain Gutter
with Velcro or Aluminum Profiles





GRAND



A state-of-the-art telescopic umbrella.

Functionality, maximum safety and durability.

SUNBLOCK® GRAND is a state-of-the-art telescopic umbrella. Its extra heavy-duty design offers ultimate protection against weather conditions, providing full coverage for up to 25 square meters, and withstanding winds of force 7 in the Beaufort scale.

Designed for areas up to 5 meters long per side, with 8 ribs, unique SUNBLOCK® moldings with aluminum profiles and plastic fasteners, this telescopic umbrella offers maximum safety, functionality and durability.

The SUNBLOCK® rope mechanism with rollers is specially designed to offer easy operation. Just a small push is enough.

It is available in a wide range of sizes and frame colors, and a variety of shading technical fabrics by international manufacturers, and comes with a full set of accessories, so that it can be effectively customized based on the style and needs of each application.

An ideal option for café and/or restaurant outdoor areas, gardens, etc. or any other facility that requires efficient coverage of large areas.

TECHNICAL SPECIFICATIONS

Central Pole:	Ø 96 x 4,5 octagonal reinforced
Telescopic (inside) central pole:	Ø 48 x 3,0 reinforced
Ribs:	40 x 20 x 2 reinforced
Special aluminum profile for reinforcing the ribs:	55 x 25 x 3
1st row of braces:	40 x 20 x 2 reinforced
2nd row of braces:	40 x 20 x 2 reinforced







Protection from UV and heat. Custom size and colour.
Big selection of fabrics. Heavy duty construction.

Telescopic	●
Special aluminum profile for reinforcing the ribs	●
Air Vent	●
Dimmable Led lighting (optional)	○
Heating System (optional)	○
Connect to another umbrella with rain gutters	●
Braces	2 rows of braces ●
	1 row of braces ○
Handling	Rope with pulleys ●
	Handle ○
	Crank Mechanism ○
	Motor ○





DIMENSIONS

							
cm	300	350	400	450	500	550	600
300	8R 8S	8L	8L	8L			
350	8L	8R 8S	8L	8L			
400	8L	8L	8R 8S	8L	8L		
450	8L	8L	8L	8R 8S	8L	8L	
500			8L	8L	8R 8S	8L	
550			8L	8L	8L	8R	
600							8R



22

Size (cm)	H1	H2	H3	H4	H5
 300x300	380	330	270	240	170
350x350	380	340	270	240	134
400x400	410	340	270	240	130
450x450	435	350	270	240	115
500x500	450	360	270	240	95
 300x400	360	340	270	240	110
350x450	420	350	270	240	120
400x500	470	360	270	240	148
450x550	470	370	270	240	110

Dimensions are subject to change without prior notice.

ACCESSORIES



BF100
Metal Base
240x240x400mm



BF100M
Metal Base
with Hinge
240x240x400mm



GK100M
Ground Socket
240x240x500mm



GS100M
Ground Socket
240x240x500mm



PL100
Plate for GK100M



C100
Cement Base
1000x1000x550mm
225Kg



CW100
Wheels for C100



Umbrella Cover
with zip and Aluminum Profiles



Rain Gutter
with Velcro or Aluminum Profiles



RIO



The ultimate, extra heavy-duty, hanging umbrella.
Complete freedom with stunning design.

SUNBLOCK® RIO is an extra heavy-duty hanging umbrella of superior construction quality, that stands out with its unique design.

It is operated with a crank handle, and SUNBLOCK's specially designed profiles provide cable management features for attaching lighting and heating devices, with no wires obstructing the operation of the umbrella.

RIO has been designed for areas up to 4 meters per side, with 8 ribs, and its pillar can be installed in any side. It also withstands winds of up to force 4 in the Beaufort scale. Its compact design and superior quality, with unique SUNBLOCK® moldings with aluminum profiles, plastic fasteners and lighting profiles, make it an ideal and safe solution for professional or private outdoor spaces, also providing you with complete freedom in regards to the arrangement of your furniture under the center of the umbrella.

It is fully customizable, based on your preferred size and frame color, and you can also select from a variety of technical, shading fabrics by international manufacturers, and a full set of accessories, so that your umbrella matches the style and needs of the intended application.


TECHNICAL SPECIFICATIONS

Central Pole:	130 x 95 x 4 reinforced
Ribs:	30 x 15 reinforced
Special aluminum profile for reinforcing the ribs:	40 x 20 x 3



Protection from UV and heat. Custom size and colour.
Big selection of fabrics. Heavy duty construction.


Hanged	●
Special aluminum profile for reinforcing the ribs	●
Air Vent	●
Dimmable Led lighting (optional)	●
Heating System (optional)	●
Connect to another umbrella with rain gutters	●
Braces	2 rows of braces ○ 1 row of braces ●
Handling	Rope with pulleys ○ Handle ○ Crank Mechanism ● Motor ○



DIMENSIONS



cm	250	300	350	400
250	8S	8L	8L	8L
300	8L	8R 8S	8L	8L
350	8L	8L	8R 8S	8L
400	8L	8L	8L	8R 8S



Indicative Height Options

Size (cm)	H1	H2	H3	H4	H5
300x300	330	310	250	220	90
350x350	350	320	250	220	70
400x400	350	330	250	220	50
200x300	330	310	250	220	30
300x400	350	330	250	220	50

Dimensions are subject to change without prior notice.

ACCESSORIES



BR80
Metal Base
240x240x400mm



GS100
Ground Socket
for Metal Base
240x240x500mm



BRC80
Cement Base with
triangle plates
1000x1000x550mm
225Kg



PL80
Plate for BRC80



CW100
Wheels for BRC80



Umbrella Cover
with zip and Aluminum Profiles



Rain Gutter
with Velcro or Aluminum Profiles



CLASSIC



**Simplicity, combined
with durability.**
Versatile, easy-to-use,
small and light.

SUNBLOCK® CLASSIC is a classic, heavy-duty, reinforced umbrella. The success of its design lies in simplicity, combined with durability.

The SUNBLOCK® rope mechanism with pulleys is specially designed to offer easy operation. Just a small push is enough.

Designed for areas up to 4 meters long per side, with 8 ribs, unique SUNBLOCK® moldings with aluminum profiles, plastic fasteners and special lighting profiles, this umbrella offers maximum durability and unique style. Its sturdy design can withstand winds of force 7 in the Beaufort scale.

It is fully customizable, based on your preferred size and frame color, and you can also select from a variety of technical, shading fabrics by international manufacturers, and a full set of accessories, so that your umbrella matches the style and needs of the intended application.

An ideal option for advertising applications by the sea or in restaurants and cafés. It is also an excellent choice for private gardens and patios. A versatile and easy-to-use, small and light umbrella, that you can easily move and store.


TECHNICAL SPECIFICATIONS

Central Pole:	Ø48 or Ø58 x 3,0 reinforced
Ribs:	30 x 15 x 1,7 reinforced
Special aluminum profile for reinforcing the ribs:	45 x 20 x 3



Protection from UV and heat. Custom size and colour. Big selection of fabrics. Heavy duty construction.

Telescopic	<input type="radio"/>
Special aluminum profile for reinforcing the ribs	<input checked="" type="radio"/>
Air Vent	<input checked="" type="radio"/>
Dimmable Led lighting (optional)	<input checked="" type="radio"/>
Heating System (optional)	<input type="radio"/>
Connect to another umbrella with rain gutters	<input checked="" type="radio"/>
Braces	2 rows of braces <input type="radio"/>
	1 row of braces <input checked="" type="radio"/>
Handling	Rope with pulleys <input checked="" type="radio"/>
	Handle <input type="radio"/>
	Crank Mechanism <input type="radio"/>
	Motor <input type="radio"/>




Flounce with Custom Printed Logo

Plain or Reinforced Central Pole

DIMENSIONS



cm	200	250	300	350	400
200	8R 8S	8L	8L	8L	
250	8L	8R 8S	8L	8L	
300	8L	8L	8R 8S	8L	8L
350	8L	8L	8L	8R 8S	8L
400			8L	8L	8R 8S



Indicative Height Options

Size (cm)	H1	H2	H3	H4
200x200	260	220	195	100
250x250	270	220	195	90
300x300	280	220	195	70
350x350	300	220	195	70
400x400	320	220	195	40
200x300	260	220	195	75
250x350	290	220	195	70
300x400	320	220	195	65
350x400	320	220	195	50

Dimensions are subject to change without prior notice.

ACCESSORIES



BF60

Metal Base
190x190x400mm



BF60S

Metal Base
190x190x400mm



BC60

Cement Base
600x600x520mm
55Kg




BC70

Cement Base
700x700x520mm
70Kg



BMC70

Cement Base
700x700x530mm
110Kg



CW100

Wheels for BMC70



Umbrella Cover

with zip and Aluminum Profiles



Rain Gutter

with Velcro or Aluminum Profiles



SOLE



The new beach umbrella.

Light, durable and
easy to operate.

An easy-to-use, beach umbrella. SUNBLOCK® has designed a modern umbrella for the beach that is light and, at the same time, resistant to weather conditions and easy to operate. Thanks to SUNBLOCK's special design, it only takes a small push of the handle and your umbrella is open and ready to use.

Designed for areas up to 2.5 meters per side, SOLE has 4 or 6 ribs, unique SUNBLOCK® moldings with aluminum profiles, and plastic fasteners.

It is fully customizable, based on your preferred size and frame color, and you can also select from a variety of technical, shading fabrics by international manufacturers, and a full set of accessories, so that your umbrella matches the style and needs of the intended application.

SUNBLOCK® SOLE is a practical, compact and light umbrella of superior ergonomic design, and therefore an excellent choice for advertising applications by the sea or in restaurants and cafés, while it is also ideal for private gardens and patios.

TECHNICAL SPECIFICATIONS

Central Pole: Ø 42 x 3,0 reinforced

Ribs: 30 x 15 x 1,7 reinforced






Protection from UV and heat. Custom size and colour. Big selection of fabrics. Heavy duty construction.



Telescopic	○
Special aluminum profile for reinforcing the ribs	○
Air Vent	●
Dimmable Led lighting (optional)	○
Heating System (optional)	○
Connect to another umbrella with rain gutters	○
Braces	2 rows of braces ○ 1 row of braces ●
Handling	Rope with pulleys ○ Handle ● Crank Mechanism ○ Motor ○



DIMENSIONS

				
cm	200	220	225	250
200	6R 4S			
220		6R		
225			4S	
250				6R



Size (cm)	H1	H2	H3	H4
 200x200	260	220	195	80
 225x225	260	220	195	70
200	260	220	195	150
220	260	220	195	140
250	260	220	195	125

Dimensions are subject to change without prior notice.

ACCESSORIES



BF50
Metal Base
190x190x400mm



BF50S
Metal Base
190x190x400mm



BC55
Cement Base
with Handles
500x500mm (50Kg)



BC60
Cement Base
with Handles
Ø600mm (50Kg)



CW100
Wheels



Umbrella Cover
with Velcro



FALL OT/CT



SUNBLOCK's FALL OT/CT is a heavy-duty partition system that is ideal for permanent installation in outdoor applications. It can provide complete coverage of any area, regardless of its size, and – when combined with other shading products – it effectively seals the outdoor area, so that it can be used throughout the year.

Its operation is based on a specially designed counter-weight mechanism developed by SUNBLOCK® that enables you to easily open and close the system with minimum force and effort.

This open (OT) and close (CT) type system, is the ultimate choice if you want flexibility in defining the perimeter of your space. The corner joints of FALL systems ensure a perfect fit, with no gaps, to completely seal off the area, when required.

FALL is the ideal solution for patios, yards, pedestrian walkways, etc., where the partitions can be installed either consecutively or in parts around the perimeter.

SUNBLOCK's specialized personnel will assess the space, in order to provide you with a solution that will offer the best possible quality, guaranteed functionality, protection against weather conditions, safety and premium design.

FALL systems are available in customized sizes, while their frame and parts are all coated with electrostatic paint in the color of your choice (RAL), so that the end result will match the design, style and needs of the intended application.

FALL OT TECHNICAL SPECIFICATIONS

Frame: Stunning line of high quality aluminum profiles

Guide profile: 178mm x 55mm


Glass: 6mm tempered

Moving: Balance (easy up and down moving)

Mechanism: Hidden mechanism with delicate finish





Protection from weather conditions.
Custom size and colour. Heavy duty construction.




Tempered or triplex
6mm glass

High quality
aluminum profile




Easy to use,
smooth up and down
movement


Hidden mechanism
with delicate finish



DIMENSIONS




Indicative Width and Height Options

Size (cm)	H1	H2	W
 FALL OT/CT	100	180	50 to 200
	110	200	50 to 200
	120	220	50 to 200

Dimensions are subject to change without prior notice.

ACCESSORIES



BF11
Metal Base
110x178x200mm



PF100
Planter



PERGOLA FALL



SUNBLOCK's PERGOLA FALL is a heavy-duty partition system, that is ideal for permanent installation in pergolas.

Its operation is based on a specially designed counter-weight mechanism developed by SUNBLOCK® that enables you to easily open and close the system with minimum force and effort.

This particular model features left/right posts that fit perfectly with the pergola posts, leaving no gaps and effectively sealing the space.

PERGOLA FALL can be used in all different types of outdoor areas, such as patios, yards, roof gardens, or any other place with a pergola.

SUNBLOCK's specialized personnel will assess the space, in order to provide you with a solution that will offer the best possible quality, guaranteed functionality, protection against weather conditions, safety and premium design.


PERGOLA FALL systems are available in customized sizes, while their frame and parts are all coated with electrostatic paint in the color of your choice (RAL), so that the end result will match the design, style and needs of the intended application.

TECHNICAL SPECIFICATIONS

Frame:	Stunning line of high quality aluminum profiles
Guide profile:	178mm x 55mm
Glass:	6mm tempered
Moving:	Balance (easy up and down moving)
Mechanism:	Hidden mechanism with delicate finish




Protection from weather conditions.
Custom size and colour. Heavy duty construction.




Triplex
6mm glass

Hidden
mechanism with
delicate finish




Easy to use,
smooth up and down
movement


High quality
aluminum profile



DIMENSIONS



Indicative Width and Height Options

Size (cm)		H1	H2	W
	PERGOLA FALL	120	220	50 to 350
		130	240	50 to 350
		150	260	50 to 350

Dimensions are subject to change without prior notice.

ACCESSORIES



BF11
Metal Base
110x178x200mm



PF100
Planter



BISTRO



Fixed aluminum partitions that serve as a wind break, creating the sense of a defined space in outdoor applications. An ideal solution for professional spaces – recommended during winter months, and easily removed and stored in summer.

SUNBLOCK's specialized personnel will assess the particular requirements of your space, since BISTRO systems can be customized to fit a wide range of solutions and designs, for the purpose of delimiting outdoor areas of different use and needs.

The posts of BISTRO systems ensure a perfect fit, with no gaps, to completely seal off the area, when required.

BISTRO partitions are available in custom sizes, designs (oval, classic, minimal, on-off), frame colors (RAL) and coatings, so that they are in perfect tuning with the style and needs of every application. The coating material can be 3+3mm laminated glass, polycarbonate, aluminum, laminate or wood. If desired, they may also be mounted in a metal window box made by SUNBLOCK®.

TECHNICAL SPECIFICATIONS

Frame: Stunning line of high quality aluminum profiles

Post profile: 55 x 55mm

Glass: 3+3 or 6mm tempered

Connection: Special connection aluminum profile





Protection from wind.
Custom size and colour. Heavy duty construction.



BISTRO CLASSIC



BISTRO MINIMAL



BISTRO OVAL



DIMENSIONS



ACCESSORIES




BR60
Bistro Base
Galvanised
600x100x10mm



BR60R
Bistro Base with wheels
Galvanised
600x100x100mm




BR30
Screw down Bistro Base
Galvanised
60x150x15mm



BC61
Aluminum Profile
Post corner connector



BC71
Bistro Connector
Aluminum profile



BC75
Bistro CAP for post



UMBRELLA FABRICS



UMBRELLA FABRICS

SUNBLOCK® works with many different providers, and offers a comprehensive range of umbrella fabrics for all its models, meaning you don't have to worry about wear or discoloration issues; tailoring and application quality is guaranteed. You can choose from a wide range of technical fabrics, and enjoy the shadow of a “regenerated” SUNBLOCK® umbrella.




PROMOTIONAL UMBRELLAS

SUNBLOCK® can print your logo on any model you choose, either on the flaps, part of, or the entire surface of the umbrella.

We use different methods, such as digital printing, silk screen printing, heat transfer, or even painting by hand, depending on the fabric and the logo. The cost is agreed upon with each customer on an individual basis.



NOTES





Θρασυβούλου, Τ.Θ. 50078
Τ.Κ. 19300, Ασπρόπυργος
Τ 210 5577 981
210 4611 362
info@sunblock.gr

Thrasivoulou P.O.Box 50078
19300, Aspropyrgos, Greece
Τ (+30) 210 5577 981
(+30) 210 4611 362
info@sunblock.gr

www.sunblock.gr

