


COSENTINO®

# Silence 1 Basin



**ATTENTION:** model not recommended for public spaces, due to the drainage area is not accessible for cleaning and maintenance.

For orders ≥ 20 UNS it is possible to request price for basins with special sizes.

## Accessories included:

- Drain valve
- Support bars for wall-hung installation (with skirt)

The **reinforcements** are needed at least in an undermount basin and in the mitred front.



silestone®

Cosentino Center

Quantity (units)

Colour and finish (colorlist)



☐ Polish ☐ Suede

Basin/Sink size (L):

☐ S: 490mm (19 2/7") ☐ M: 900mm (35 3/7") ☐ L: 1200mm (47 1/4")

A. Select type of edge or skirt/apron:

☐ 20mm ☐ 125mm (5") ☐ 160mm (6 2/7")



Standard skirt/apron: front side + 2 short sides.  
Cross in the drawing if any side is not desired.

B. min. 590mm (23 2/9")\*, max. 3200mm (126")  
with skirt/apron min. 730mm (28 3/4")

C. min. 400mm (15 3/4")\*\*, max. 600mm (24")  
\*\*with tap hole, min. 460mm (18 1/9")

D. Consider E

E. Straight edge: min. 50mm (2")

Skirt/Apron: min. 120mm (4 5/7")

F. Standard 80mm (3 1/7"), min. 50mm (2")

G. No tap hole: min. 50mm (2")

With tap hole: min. 110mm (4 1/3")

Tap hole Ø35mm (1 3/8")

Yes = Mark the position in the drawing. Standard centered with the basin/sink.

EXTRAS:

• Towel rail h=50mm (2"). Only with skirt. F ≥ 90mm (3 1/2")  
Yes = Mark the size and the position in the drawing. Standard centered with the basin/sink.

☐ S: 400mm (15 3/4") ☐ M: 600mm (23 5/8") ☐ L: 800mm (31 1/2")

• Side waterfall edge. Only with skirt/apron.

Yes = Mark type of joint and side/s desired. Leg width = skirt/apron height (if other, specify).

☐ Butt joint

☐ Mitred joint

☐ Left side

☐ Right side

☐ Both sides (left + right)

Reset

REV.03 - 08/2022