


GET THE MOST OUT OF YOUR ROOF

At Nu-Ray, we look at your purchase as a long-term investment. By taking a systematic approach to quality control, we deliver results that are strong, elegant, and built to last. Whether you're building your dream home or rehabbing a beloved woodshed, our metal roof products make it easy to achieve the exact look you envision.

We also offer a variety of styles and finishes to ensure you are selecting the best metal products for your project. No matter your price point, we don't skimp on quality or detail.







WARRANTY

Nu-Ray offers the best warranties in the market, including our exclusive Ocean Guard and Puget Sound warranties.



EXPECTED LIFE SPAN

Nu-Ray's warranties span up to 50 years, but metal roofs have been proven to last longer.



MAINTENANCE

Our stress-free metal products are easy to maintain, without losing lustre over time.



AESTHETIC

With hundreds of product and finish combinations, Nu-Ray ensures all clients can find the specific design aesthetic they are looking for.



ENVIRONMENTAL

Our products have a positive impact on the enviornment and being 100% recyclable is just the tip of the iceberg.

THE PROOF IS IN THE DESIGN

Choosing the correct finish and warranty for your metal products can make a world of difference. Nu-Ray offers a wide variety of finish options, from our robust D2 Kynar® with Ocean Guard to our more affordable Select Plus. We understand not all finishes are created equal, and each serves a different purpose.



D2 KYNAR® W/ OCEAN GUARD

Exclusive Puget Sound warranty available. Ocean Guard warranty for projects close to salt water. 17 standard and 7 premium colors.











SELECT PLUS

Select Plus color system offers long-term surface protection with an exclusive Puget Sound warranty available. 16 standard colors.













NATURAL MATTE®

Natural Matte® finish colors have the flattest, most natural apperance. 5 colors.













D2KYNAR®


Exclusive Puget Sound warranty available. 5 colors.











COLOR OPTIONS BY FINISH

Nu-Ray Metals offers a variety of exclusive paint systems and panel finishes, ensuring your metal roofing and siding products continue to be worry-free and low maintenance.

D2 KYNAR® WITH OCEAN GUARD 24 GAUGE

D2 Kynar® with Ocean Guard prepainted metal products perform in the harshest environments and incorporate ULTRA-Cool® pigment technology for reflectivity.

*Not Ocean Guard System



SELECT PLUS 26 AND 29 GAUGE

Select Plus color systems offer long-term, scratch-resistant surface protection.



NATURAL MATTE® 24 GAUGE

Natural Matte® paint systems eliminate unwanted shine and glare.



D2 KYNAR® 26 GAUGE

D2 Kynar® incorporates ULTRA-Cool® pigment technology for reflectivity.





AESTHETIC OPTIONS



ACCENT RIBS

Two, three or four raised accent ribs strengthen metal panels to create a bold aesthetically pleasing panel.



STRIATIONS

Striations are a great way to disguise "oil canning," or the unsightly waviness in roof panels that often result from an uneven deck structure underneath.




FLAT PANEL

A smooth, flat surface with no extra stiffening, this classic look is only available in 24 gauge clip system products.

ECO-FRIENDLY

Nu-Ray panels are engineered to comply with ENERGY STAR® solar reflectance limits for steep-slope and low-slope roofing products. The cooling effects of our ULTRA-Cool® coating products also significantly reduce air conditioning costs for residential and commercial buildings, among other benefits.



WHAT IS ULTRA-COOL®?

ULTRA-Cool® refers to the reflective pigments used to formulate the paint colors on our metal panels. The patented ULTRA-Cool® technology deflects sunlight from your roof, preventing it from heating the building.

In addition to featuring ULTRA-Cool® pigments, Nu-Ray strives to make our manufacturing methods as green as possible by using at least 25% recycled steel in all products. We also recycle all factory scrap to avoid adding to landfills.

While the initial cost of a premium metal roof is higher than alternative roofing materials, a metal roof will save money in the long run. In addition to increasing the resale value of your home, a metal roof can lower your homeowners insurance by up to 35% in some states.



STANDING SEAM PANELS



NRM - 1000

THE CLASSIC METAL ROOFING PANEL. NRM-1000 is a low-maintenance roofing panel with many advantages. Incorporating a tall, narrow rib design, multiple widths, and aesthetic options, NRM-1000 may be the perfect fit for your home.



TECHNICAL INFO

- 1.50" tall rib design
- 12.00" & 16.00" widths standard
- Accent options: Flat, Striations, Ribs
- Floating clip spaced 18.00" on center
- Minimum roof pitch 3:12

FEATURES

- Floating clip design
- Optional: Factory notching
- 50 year D2 Kynar® with Ocean Guard
- 25 year Zincalume Plus®
- 40 year Select Plus
- 40 year D2 Kynar®
- 26 & 24 Gauge

NRM - 1750

outperforms all others. Blending the best metal roofing styles, the NRM-1750 utilizes a floating clip to accommodate thermal expansion and contraction. The panel also features a continuous locking connection, making it stronger than any other type of metal roofing.



TECHNICAL INFO

- 1.75" tall rib design
- 14.00" & 18.00" widths standard
- Accent options: Flat, Striations, Ribs, Clip Relief
- Snap-lock plus floating clip design
- Minimum roof pitch 2:12

FEATURES

- Floating clip design
- Snap-lock continuous
- Optional: Seam sealant
- Optional: Factory notching
- 25 year Zincalume Plus®
- 40 year Select Plus
 40 year D2 Kynar[®]
- 50 year D2 Kynar® with Ocean Guard
- Snow retention ready
- 26 & 24 Gauge

NRM - 2000

BEST FOR LOW SLOPES. NRM-2000 panels combine structural panel strength with architectural aesthetics, feature a built-in anti-siphon seam, and are designed for low-pitch roofs. Optional factory-injected sealant and onsite roll forming are available for added weather resistance.



TECHNICAL INFO

- 1.50" tall rib design
- 12.00" & 16.00" widths standard
- Accent options: Flat, Striations, Ribs
- Floating clip spaced 18.00" on center
- Minimum roof pitch 1/2":12
- Factory-injected sealant required on pitches lower than 1:12

FEATURES

- Floating clip design
- Optional: Seam sealant
- Optional: Factory notching
- 25 year Zincalume Plus®
- 40 year Select Plus
- 40 year D2 Kynar®
- 50 year D2 Kynar® with Ocean Guard
- Snow retention ready
- 26 & 24 Gauge

Nu-Ray Metals | Panels

NRM - 5000

QUICK & EASY INSTALLATION. The snap-together design of NRM-5000 panels makes them ideal for roofing, mansard, canopy, and fascia applications. Simple installation and a premium look instantly upgrade any project.



TECHNICAL INFO


- 1.00" tall rib design
- 12.00" width standard
- Accent options: Striations, Ribs
- Snap-lock design
- Minimum roof pitch 3:12

FEATURES

- Snap-lock continuous
- Optional: Factory notching
- 25 year Zincalume Plus®
- 40 year D2 Kynar®
- 50 year D2 Kynar® with Ocean Guard
- Snow retention ready
- 26 & 24 Gauge
- Solar Ready

NRM - 6000

TRADITIONAL ELEGANCE. NRM-6000 is a 16" wide traditional snap-lock panel. Featuring striations, or four ribs, you can upgrade your project with an elegant and visually appealing roofing panel.



TECHNICAL INFO

- 1.00" tall rib design
- 16.00" width standard
- Accent options: Striations, Ribs
- Snap-lock design
- Minimum roof pitch 3:12

FEATURES


- Snap-lock continuous
- Optional: Factory notching
- 25 year Zincalume Plus®
- 40 year Select Plus
- 40 year D2 Kynar®
- 50 year D2 Kynar® with Ocean Guard
- Snow retention ready
- 26 & 24 Gauge
- Solar Ready

ADDITIONAL PANEL OPTIONS



NRM - 4000

ARCHITECTURALLY ATTRACTIVE. The NRM-4000 panel can be specified in various building applications, including roofs, walls, and soffits. The product can be roll-formed in lengths ranging from 4'-0" to 44'-0".



TECHNICAL INFO

- 0.625" tall rib design
- 36.00" width standard
- Anti-siphon groove
- Exposed fastener design
- Minimum roof pitch 3:12

FEATURES

- 25 year Zincalume Plus®
- 40 year Select Plus
- 40 year D2 Kynar®
- 50 year D2 Kynar® with Ocean Guard
- Snow retention ready
- 29, 26 & 24 Gauge
- Solar Ready

Nu-Ray Metals | Panels

NRM - 4500

superior strength. Cost-effective NRM-4500 panels feature a bell-top rib design and can be specified for roof, wall, and soffit applications. Panels can be roll-formed in lengths ranging from 1'-0" up to 44'-0".



TECHNICAL INFO

- 0.75" tall rib design
- 36.00" width standard
- Notched rib design for ease of install
- Exposed fastener design
- Minimum roof pitch 3:12

FEATURES

- 25 year Zincalume Plus®
- 40 year Select Plus
- 40 year D2 Kynar®
- Snow retention ready
- 29 & 26 Gauge
- Solar Ready

NRM - 8000

SMOOTH & VERSATILE. NRM-8000 flush-mount, 12" wide panels are designed for wall, fascia, and soft applications in vertical or horizontal orientations. 2" and 6" reveals and vent strips are also available.



TECHNICAL INFO

- 1.75" tall rib design
- 12.00" width standard
- 14 different profiles available
- Concealed fastener design
- Vertical wall or soft applications

FEATURES

- 25 year Zincalume Plus®
- 50 year D2 Kynar® with Ocean Guard
- 20, 22 & 24 Gauge
- Solar Ready

NRM - 7000

offers exceptional design flexibility and can be specified for applications related to roofs, walls, liner panels, and equipment screens. Perforated NRM-7000 panels also work well for interior acoustic applications.



TECHNICAL INFO

- 1.50" tall rib design
- 36.00" width standard
- Exposed fastener design
- Minimum roof pitch 3:12
- Structural

FEATURES

- 25 year Zincalume Plus®
- 50 year D2 Kynar® with Ocean Guard
- Snow retention ready
- 22 & 24 Gauge
- Solar Ready

NRM - 9000

WALLS, MANSARDS, ROOFS, FENCES & SCREENS.

Contact us for more information about NRM-9000 perforated panels, which are excellent for interior acoustics, among other applications.



TECHNICAL INFO


- 0.875" tall rib design
- 32.00" width standard
- 29.00" on roof
- Exposed fastener design
- Structural

FEATURES


- 25 year Zincalume Plus®
- 40 year Select Plus
- 40 year D2 Kynar®
- 50 year D2 Kynar® with Ocean Guard
- Snow retention ready
- 26 & 24 Gauge
- Solar Ready

Nu-Ray Metals | Panels

AVAILABILITY CHARTS



24 GAUGE D2 KYNAR® WITH OCEAN GUARD



26 GAUGE SELECT PLUS 29 Gauge Select Plus only available in NRM-4000 and NRM-4500



No.	dik sho	805	rite	POR	رم
NRM-1000 12	•	•	•	•	•
NRM-1000 16	•	•	•	•	•
NRM-1750 14		•		•	
NRM-1750 18	•		•	•	
NRM-2000 1		•			
NRM-2000 1	•	•		•	•
NRM-5000 1	•			•	
NRM-6000 1	•			•	
NRM-4000 3	•			•	
NRM-4500 3	0	0	0	0	0
NRM-7000 3	•	•	•	•	•
NRM-8000 1	•			•	
NRM-9000 3			•		

24 GAUGE NATURAL MATTE®

			ونروانا	1.0H	Copper
M _Q	ite Bill	or Or	Tinc	of poly	* House
•		•		•	NRM-1000 12"
•	•	•	•	•	NRM-1000 16"
•	•	•	•	•	NRM-1750 14"
•		•	•	•	NRM-1750 18"
	•	•	•	•	NRM-2000 12"
•	•	•	•	•	NRM-2000 16"
		•		•	NRM-5000 12"
		•		•	NRM-6000 16'
		•		•	NRM-4000 36
					NRM-4500 36
0	0	0	0	0	NRM-7000 36"
0	0	0	0	0	NRM-8000 12"
					NRM-9000 32

26 GAUGE D2 KYNAR®

 NRM-1000 12" NRM-1000 16" NRM-1750 14" NRM-1750 18" NRM-2000 12" NRM-2000 16" NRM-5000 12" NRM-6000 16" NRM-6000 36 		govo	3010g	gorio _s
 NRM-1000 16" NRM-1750 14" NRM-1750 18" NRM-2000 12" NRM-2000 16" NRM-5000 16" NRM-6000 16" NRM-4000 36 NRM-4500 36 	20	ૺૺઌૺ	ું જુ _ં	-
● ○ NRM-1750 14" ● ○ NRM-1750 18" ● ○ NRM-2000 12" ● ○ NRM-2000 16" ● ○ NRM-5000 16" ● ○ NRM-6000 16" ● ○ NRM-4500 36 ○ ● NRM-4500 36			0	NRM-1000 12"
● ● ○ NRM-1750 18" ● ○ ○ NRM-2000 12" ● ○ ○ NRM-2000 16" ● ○ ○ NRM-5000 12" ● ○ ○ NRM-6000 16" ● ○ ○ NRM-4500 36	•	•	0	NRM-1000 16"
 NRM-2000 12" NRM-2000 16" NRM-5000 12" NRM-6000 16" NRM-4000 36 NRM-4500 36 			0	NRM-1750 14"
 NRM-2000 16" NRM-5000 12" NRM-6000 16" NRM-4000 36 NRM-4500 36 			0	NRM-1750 18"
● ○ NRM-5000 12″ ● ○ ○ NRM-6000 16″ ● ○ ○ NRM-4000 36	•	•	0	NRM-2000 12"
● ○ NRM-6000 16" ● ● NRM-4000 36 ○ ● NRM-4500 36	•	•	0	NRM-2000 16"
NRM-4500 36	•	•	0	NRM-5000 12"
O • • NRM-4500 36	•	•	0	NRM-6000 16"
14111 4300 30	•	•	•	NRM-4000 36
● ○ ○ NRM-7000 36"	0	•	•	NRM-4500 36
	•	0	0	NRM-7000 36"
● ○ ○ NRM-8000 12"	•	0	0	NRM-8000 12"
● ○ NRM-9000 32	•	•	0	NRM-9000 32'

ZINCALUME

PLUS®

Nu-Ray Metals | Availability Charts





WASHINGTON

P 800.700.7228 F 253.833.7268

CALIFORNIA

P 800.806.8279 F 909.793.3102