


JF10



14 Tack
(TC11)

JM42



14 Tack
(TC21)

JX80



2 Prong
(TC80)

SNAP FASTENER & BUTTON CATALOGUE

YKK

Little Parts. Big Difference.

ASIA Version

15 Burr E
(RT40)



14 Rivet
(TC40)

15 Burr A
(RT41)



14 Rivet
(TC40)

15 Burr F
(RT42)



14 Rivet
(TC40)

15 Burr G
(RT50)



14 Rivet
(TC40)

YKK manufactures snap fastener & button such as jeans buttons, rivets & burrs, snaps, hook & eye and so on.
 They are attached on wide ranges of apparel products.
 For instance, they are used on jeans, casual wear, baby/kids wear, working wear, sports wear, underwear...etc.
 Furthermore, they are also applied on medical, automotive, marines, government issued products and other products in various industries.
 Our strengths are in our services from product proposals to machine maintenance and after service.
 We have been strengthening after services to gain trust from customers for many years as well as supplying high quality products
 We will keep aiming to serve good products and services to meet our customer's needs, and to contribute to our society.

CONTENTS

INTRODUCTION	1
YKK GLOBAL NETWORK	2
SNAP FASTENER & BUTTON	3
YKK S&B BASIC PRINCIPLES	4
STANDARD PLATED COLOR	5
STANDARD ENAMEL COLOR	6
TACK BUTTON	7, 8
RIVET & BURR	9
SNAP	10
RING SPRING SNAP/WAIST FASTENER	11
S-SPRING SNAP/EJ WASHER	12
SNAPET®	13, 14
EYELET WASHER	15
HOOK & EYE	16
PLANCER®	17
SOFIX®	18
METAL SEW-ON	19
LOOP	20
ATTACHING MACHINE	21
QUALITY	22



“Expanding Business with a Six-Region Global Structure”




The YKK Group currently does business in about 71 countries/regions worldwide. Its geographical management structure is divided into six blocks -

- 1). North and Central America
- 2). South America
- 3). EMEA (Europe, the Middle East, and Africa)
- 4). CHINA
- 5). ASIA
- 6). JAPAN

This regional approach enables us to adapt to the characteristics of each region to further expand our businesses.



SNAP FASTENER & BUTTON



**Having troubles like this
once in a while?**



With YKK's snap fastener, you don't need to worry anymore!

YKK S&B BASIC PRINCIPLES

To provide “Safe & Secure” for all our customers




High Quality Products

YKK products are made of highly qualified selected materials under strict production testing.

High Performance Attaching Machine

YKK has a variety of high performance attaching machines, from manual to programmed types. They all possess a compensator device.



GCR



DS




Training Certificate



Appropriate Technical Advice and Customer Service

With skilled Field Technical Support members, called FTS, appropriate technical advice and follow-up service are available.

STANDARD PLATED COLOR



Did you know that they make the products AND the machines in the same factory?

All snap buttons are basically "self piercing"! Fast and easy, huh?

No worries even if you have nickel allergy.

Wow, almost all products are KENSIN® - proof!

They say they even ensure their traceability!



STANDARD ENAMEL COLOR

SHINY

						
WZ268	WZ347	WZ408	WZ434	WZ595	WZ663	WZ491
						
WZ597	WZ361	WZ365	WZ515	WZ549	WZ023	WZ009
						
WK481	WZ201	WZ212	WZ160	WO534	WK451	WZ062

CHIC

						
WJ149	WJ204	WJ167	WA364	WJ340	WJ062	WJ067
						
WJ093	WJ552	WJ557	WJ024	WJ108	WA371	WJ074
						
WJ236	WA619	WJ434	WJ665	WJ620	WJ464	WJ291


We also have "DTM" colors.





* For the other colors, please contact our local office representative for your color request.


* Actual colors may differ from this catalogue.

TACK BUTTON














CLOSED TOP






OPEN TOP


SWIVEL


TWO PRONG


TOP PARTS

			
JM42	JM82	JF10	JX10
			
JM42-3	JM83	JF82	JX82
			
JP25	JM85	JF83	JX83
			
			JX85



+



+



+



+
























































UNDER PARTS



 TC 21



 TC 40



 TC 11



 TC80

	22	24	27	30	32
JM42					
JM42-003					
JP25					
JF10					
JF82					
JF83					
JM82					
JM83					
JM85					
JX10					
JX82					
JX83					
JX85					



TACK BUTTON




- * Can be applied on a wide range of apparel products .
- * Variety of finishes and designs are available.
- * 2 Prong types are available.

Original designed buttons
can be made
by raised character
or
sunken character.























RIVET & BURR



* Not only does it reinforce the fabric,
but it also can be an accessory for apparel products.




	SIZE 16 LIGNE (10.1mm)	SIZE 18 LIGNE (11.4mm)	SIZE 20 LIGNE (13.0mm)	SIZE 24 LIGNE (15.2mm)	SIZE 27 LIGNE (16.8mm)	SIZE 33 LIGNE (21.0mm)
SB05-W CZ 						
SB05-W 						
SB05-W CY 						
SB05-W OP 						

SB05-W
SIZE 20
(13.0mm)


W.L.S

				
SPC	SPF	BSX	BWK	COX


LAG


BMK


SB05-W
SIZE 24
(15.2mm)


W.L.S

		
SPC	BSX	COX

BIG 8 STARS


SPF

BOUQUET


SPC/ENA WZ268


DOT RIM


BMK

Same top parts can be combined with different types of under parts.

DOTS-1


BWS

HEART


SPF

LATTICE


BMK

STENCIL


SPC/ENA WZ658

ZINNIA


BWK/ENA WJ564


SB05-W
SIZE 27
(16.8mm)


W.L.S

				
SPC	SPF	BSX	BWK	COX



RING SPRING SNAP – SK –



* The ring-spring inside makes the action for opening and closing stronger, so it is especially suitable for heavy-duty garments.




WAIST FASTENER




* 2 types of Waist Fastener, WF & HB10 are available.
* Suitable for children's pants.

S - SPRING SNAP – SW–



















* The S-type spring inside makes the action for opening and closing softer, so it is especially suitable for light duty garments.

EJ WASHER



Snap cap also can be used as a decorative element.

		SIZE 12 LIGNE (7.2mm)	SIZE 14 LIGNE (8.2mm)	SIZE 15 LIGNE (9.5mm)	SIZE 16 LIGNE (10.1mm)	SIZE 17 LIGNE (10.8mm)	SIZE 18 LIGNE (11.4mm)	SIZE 19 LIGNE (11.7mm)
TOP PARTS	PRONG 							
	PEARL 							
	CAP 							

PEARL						
						
PWM06	PWM07	PWM08	PWM09	PWM03	PWM04	PWM05
						
PWS03	PWS05	PWS11	PWS12	PWS18	PWS19	PWS20

CAP				
				
LINE STAR	TOON	NIRVANA	STAR	ANCHOR
				
STENCIL	HORSE SHOE	FLIGHTY	MARGARET	LOTUS

* Capped prong has variety of designs, and original logos can be made too.



TOP PARTS

SNAPET®



PRONG



UNDER PARTS



SOCKET




STUD





PRONG

- * SNAPET® provides a secure attachment, so it is suitable for infant and children's apparel.
- * Can be used for both knit and woven fabric.







EYELET WASHER

EYELET





- * Can be attached on stretch fabrics by YKK's unique technique.
- * Pre-piercing is not required.

#200	#300	#500	#700
			
(7.8×4.0mm)	(9.5×5.5mm)	(11.5×6.0mm)	(14.0×8.0mm)




HOOK & EYE


* HU10 Hook & Eye are suitable for quality slacks, trousers and dress pants.




1. Very thin for a U-shaped Hook.



2. The Eye can be inserted till the end of the Hook, so the attaching position for the Hook and Eye will be exactly above the end of the zipper elements. This makes it very easy to place the attaching position.




3. Offers resistance to steam ironing pressure. YKK made this possible by setting a pillar inside the U-shaped hook which is concealed.



* SPC-VP. Finish is durable against VAPOR-PHASE treatment.

PLASTIC SNAP

PLANCER®



- * PLANCER® is good for sportswear and uniforms.
- * Has the quality to last long although it is light weighted.
- * Dry-cleanable.



- * SZ type is a small size of PLANCER®.
- * Good for babywear and rainwear applications.



- * SOFIX® is a tape snap that can be used as any way you like.
- * No worries for the snaps to come off,
since they are directly mold injected on the tape.
- * You just need to sew the tape on the garment,
so there is no need for an attaching machine.



STANDARD



COMBINATION



FLUORESCENT



METALLIC


SNAP DIAMETER : 8mm
 WIDTH OF TAPE : 20mm
 SNAP INTERVAL : 15mm, 30mm, 45mm, 60mm, 75mm, 90mm,
 SALES UNIT : 50m
 STANDARD COLORS : YKK Asian Group Color Card
 SPECIAL COLORS : We accept orders for DTM Color.

■ NATULON® SOFIX® —Eco-Friendly Products—


YKK always tries to contribute to the environmentally friendly society.
 NATULON® SOFIX® is made from recycled materials
 (such as PET bottles) using materials recycling technologies.

[Usage Examples]

*For Babies
& Children*




*For Sports
Uniforms*




For Linings







Other Garments



For Comforters



METAL SEW ON BUTTON



- * Light weighted button with an outstanding look.
- * Passes AMF standard.
- * KENSIN® - proof.
- * The hole is designed to protect the tread to be cut.
- * An original design can be made just for you.

<p>SINGLE LOOP</p> <p>A 35 KENSIN* 0008 - 2724 (BSS)</p>	<p>SINGLE LOOP</p> <p>B 25 1HON KENSIN 7017 - 2714 (BSX)</p>	<p>SINGLE LOOP</p> <p>B 25 2HON KENSIN 4600 - 2627 (SPF)</p>
<p>SEPARATE LOOP</p> <p>C33 KENSIN 5289 - 2714 (BSX)</p>	<p>SEPARATE LOOP</p> <p>C40 KENSIN 3278 - 2627 (SPF)</p>	<p>SINGLE LOOP</p> <p>EB40 KENSIN 5231 - 2627 (SPF)</p>
<p>SEPARATE LOOP</p> <p>A20 KENSIN 1142 - 2627 (SPF)</p>	<p>SEPARATE LOOP</p> <p>A2.5 x 35mm KENSIN 4880 - 2760 (SSF)</p>	<p>SEPARATE LOOP</p> <p>A36 KENSIN 2187 - 2714 (BSX)</p>
<p>D - Ring</p> <p>3.0 x 35mm 8930 - 2627 (SPF)</p>	<p>D - Ring</p> <p>2.5 x 15mm 8925 - 2627 (SPF)</p>	<p>FLAT D - Ring</p> <p>2.5 x 23mm 0057 - 2610 (BOX)</p>

* "KENSIN" is a registered trademark of YKK CORPORATION in Japan and other countries/regions.

ATTACHING MACHINE

MODEL 131



Parts are fed manually. Attachment can be easily achieved by pressing down the foot treadle to the fixed position.
ALL YKK SNAP BUTTON items can be attached by changing the dies.
The attaching stroke can be automatically adjusted by compensator device.

SPECIFICATIONS

DIMENSIONS : 1,000mmHx460mmWx425mmD
STD. EQUIP. : COMPENSATOR
LOCKING DEVICE
OPTION : GAUGE PLATE

MODEL N-6S



Electric drive. Parts are fed manually. Attachment can be easily achieved by pressing the foot treadle. ALL YKK SNAP BUTTON items can be attached by changing the dies. The attaching stroke can be automatically adjusted by compensator device. Vertical type marking light is equipped for easier positioning of the attaching points.

SPECIFICATIONS

DIMENSIONS : 1,080mmHx340mmWx450mmD
POWER : 200W MOTOR
ELECTRIC SOURCE : 100V OR 220V Single Phase
WEIGHT : 68kg
STD. EQUIP. : COMPENSATOR
SAFETY DEVICE
MARKING LIGHT
OPTION : GAUGE PLATE

MODEL N-7



Electric drive. Parts are fed automatically. Attachment can be easily achieved by pressing the foot treadle. This machine is applicable to the attachment of Rivet/Burr, Tack/Button, and Eyelet Washer. For Buttons with directional designs, the REGISTER TYPE serves the purpose (automatically set the direction). Vertical type marking light is equipped for easier positioning of the attaching points.

SPECIFICATIONS

DIMENSIONS : 1,340mmHx500mmWx560mmD
POWER : 300W MOTOR
ELECTRIC SOURCE : 100V OR 220V Single Phase
WEIGHT : 130kg
STD. EQUIP. : SAFETY DEVICE
AUTOMATIC FEEDER
COMPENSATOR
MARKING LIGHT

MODEL N-8



Electric drive. Parts are fed automatically. Attachment can be easily achieved by pressing the foot treadle. For SNAPET® and Snap, respective types of machine are available for appropriate attachment. Marking light is equipped for easier positioning of the attaching points. 2 units of Model N-8 constitute one set for attachment of prong/socket and stud/post (or duo stud/prong) respectively.

SPECIFICATIONS

DIMENSIONS : 1,340mmHx500mmWx500mmD
POWER : 200W MOTOR
ELECTRIC SOURCE : 100V or 200V Single Phase
WEIGHT : 110kg
STD. EQUIP. : SAFETY DEVICE
COMPENSATOR
MARKING LIGHT
AUTOMATIC FEEDER
GAUGE PLATE

MODEL N-8-3H



In the three-hopper version the machine can attach a complete SNAPET® system, comprising the ring prong with socket and ring prong with stud. An easily used programming unit (Sequencer) is available to specify the particular combination and sequence of items.

SPECIFICATIONS

DIMENSIONS : 1,340mmHx500mmWx500mmD
POWER : 200W Motor
ELECTRIC SOURCE : 100V or 220V Single Phase
WEIGHT : 120kg
STD. EQUIP. : SAFETY DEVICE
COMPENSATOR
MARKING LIGHT
AUTOMATIC FEEDER
EASY-TO-USE PROGRAMMING UNIT
(SEQUENCER)
GAUGE PLATE

MODEL N-8-4H



Attaching a complete SNAPET® system. Different surface finish of ring prong can be attached with four hopper version. An easily used programming unit (Sequencer) is available to specify the particular combination and sequence of items.

SPECIFICATIONS

DIMENSIONS : 1,340mmHx500mmWx500mmD
POWER : 200W Motor
ELECTRIC Source : 100V or 220V Single Phase
WEIGHT : 130kg
STD. EQUIP. : SAFETY DEVICE
COMPENSATOR
MARKING LIGHT
AUTOMATIC FEEDER
EASY-TO-USE PROGRAMMING UNIT
(SEQUENCER)
GAUGE PLATE

Approach towards Chemical Regulations

I. Consumer Products Safety Improvement Act of 2008 (CPSIA)

The CPSIA was signed into law by President Bush in August 2008, amending the provisions of the Consumer Product Safety Act.

The main objectives of the CPSIA were to (a) strengthen consumer product safety standards, (b) increase safety requirements for children's products and (c) revitalize the Consumer Product Safety Commission.

YKK does not make consumer products, however, its components are used in consumer products. Major requirements of the CPSIA impacting our customers' products and YKK's commitments are described below:

1) Lead content in surface coating and substrates

Lead content in snap fastener & button manufactured by YKK does not exceed the lead content requirements of the CPSIA, as confirmed through internal testing.

Ex: Products with lead crystal.

2) Phthalates

Snap fastener & button manufactured by YKK does not exceed CPSIA phthalate limitations, as confirmed through internal testing.

II. Soluble Elements Restriction per the Consumer Safety Specification for Toy Safety (ASTM F963)

The purpose of this specification is to establish safety requirements for toy safety in the US. A key provision of this is the restriction of soluble migrated elements (antimony, arsenic, barium, cadmium, chromium, lead, mercury, selenium) content in paint or paint similar surface coating (ASTM F963-08 4.3.5.2).

As determined through internal testing, YKK's snap fastener & button meets this standard.

III. REACH (Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals)

REACH is the European Community Regulation on Chemicals and their safe use, which deals with registration, evaluation, authorization and restriction of chemical substances. Major requirements of the law that could be related to fastening products are listed below:

1) SVHC (Substances of Very High Concern)

None of the accumulated 151 listed SVHC is contained in YKK's major snap fastener & button products in a concentration of more than 0.1% (w/w).

2) European Nickel Restriction (part of Annex XVII)

YKK's major snap fastener & button meets the above mentioned Nickel restrictions.

3) European Azo colorants and Azo dyes Restriction (part of Annex XVII)

YKK's major snap fastener & button meets the above mentioned Azo colorants and Azo dyes restrictions.

IV. Oeko - Tex®

The Oeko-Tex® Standard 100 is a globally uniform testing and certification system for textile raw materials, intermediate and final products at all stages of production.

YKK's Approach

Expansion of the Oeko-Tex® Standard 100 YKK Fastening Products Group has acquired Oeko-Tex® Standard 100 Product Class I certification in 42 companies / 31 regions as of April 2010.



CONTACT

<http://www.ykkfastening.com>

THAILAND / BANGKOK
YKK THAILAND CO., LTD.
TEL 66-2-718-0590 / FAX 66-2-718-0591

SINGAPORE
YKK MALAYSIA SDN BHD, SINGAPORE BRANCH
TEL 65-6265-1875 / FAX 65-6268-9446

PHILIPPINES / MANILA
YKK PHILIPPINES, INC.
TEL 63-2-807-8875 / FAX 63-2-807-8660

INDONESIA / JAKARTA
PT. YKK ZIPPER INDONESIA
TEL 62-21-3193 1708 / FAX 62-21-310- 6751

BANGLADESH / DHAKA
YKK BANGLADESH PTE. Ltd.
TEL 880-2-882 2227 / FAX 880-2-882-3716

SRI LANKA / COLOMBO
YKK THAILAND CO., LTD. SRI LANKA LIASON OFFICE
TEL 94-11-5579200 / FAX 94-11-2574614

INDIA / HARYANA
YKK INDIA PVT. LTD.
TEL 91-124-3924800 / FAX 91-124-3924898-99

INDIA / BANGALORE
YKK INDIA PVT. LTD.
TEL 91-80-41794500 / FAX 91-80-41123024, 41123025

INDIA / TIRUPUR
YKK INDIA PVT. LTD.
TEL 91-421-2202290 / FAX 91-421-2202292

PAKISTAN / KARACHI
YKK PAKISTAN (PVT) LIMITED
TEL 92-21-3563-1574 / FAX 92-21-3563-1578

JAPAN / TOKYO
YKK SNAP FASTENERS JAPAN. CO., LTD.
TEL 81-3-3265-1621 / FAX 81-3-3262-2512

KOREA / SEOUL
YKK KOREA CO., LTD.
TEL 82-2-3705-7900 / FAX 82-2-3705-7991

CHINA / SHANGHAI
YKK SNAP FASTENERS WUXI CO., LTD.
TEL 86-21-6285-099 / FAX 86-21-6285-9099

CHINA / QINGDAO
YKK SNAP FASTENERS WUXI CO., LTD.
TEL 86-532-6677-5766 / FAX 86-532-6677-5761

CHINA / SHENZHEN
YKK ZIPPER SHENZHEN CO., LTD.
TEL 86-20-3847-7968 / FAX 86-20-3839-9832

HONG KONG
YKK HONG KONG LTD.
TEL 852-2461-0900 / FAX 852-2456-3428

TAIWAN / TAIPEI
YKK TAIWAN CO., LTD.
TEL 886-2-2511-5157 / FAX 886-2-2563-5572

VIET NAM / HO CHI MINH
YKK VIETNAM CO., LTD.
TEL 84-8-38233793 / FAX 84-8-38233795

CAMBODIA / PHNOM PENH
YKK VIETNAM CO., LTD.
TEL 855-23-723637 / FAX 855-23-430685