

The logo consists of the word "DUROVAC" in a bold, dark blue, sans-serif font. The letters are contained within a bright yellow hexagonal shape with slightly rounded corners. The background of the entire page is a dark blue, textured surface that looks like gravel or crushed stone. In the upper and lower portions of the page, there are decorative borders with a repeating white geometric pattern of interlocking shapes.

DUROVAC

Industrial Vacuum Accessories, Tools, Hose and Attachments.

THE DUROVAC DIFFERENCE

DuroVac accessories are selected for industrial applications based on years of experience in the field. Lightweight and ergonomic, these tools are durable enough to hold up on any jobsite – which will make your whole team happy!

SYSTEM ACCESSORIES

Tools and Attachments

For Vacuum Cleaning Systems

1.5" Floor Rod and Tools

	Part Number	Description
	715-1015	54" Aluminum Floor Rod with Swivel End Lightweight handle for use with 1.5" tools.
	715-2070	1.5" x 12" Wide Mouth Gulper Tool For recovery of large objects and bulk material. Gulper has a hard fiber shoe. To be used with 715-1015.
	715-2108	14" Fiber Floor Tool For use on concrete floors with smooth or rough surface. To be used with 715-1015.
	715-2109	14" Squeegee Floor Tool For liquid and slurry pickup. To be used with 715-1015.
	715-2111	14" Brush Floor Tool A versatile tool for cleaning all floor surfaces. To be used with 715-1015.

Have questions?
Get in touch.

905-624-4003 x 220
parts@durovac.com

1.5" Overhead Rod and Tools

	Part Number	Description
	715-1019	60" Aluminum Wall Rod with Swivel End Lightweight handle for use with all 1-1/2" Overhead Cleaning Tools.
	715-1064	Rod Extension 54" Aluminum Straight Extension Rod to be used with 715-1019.
	715-4026O	10" Wall Brush Threaded cast aluminium tool with bristle brush insert to be used with 715-1019.
	715-4030O	4" - 6" Pipe Cleaning Tool Threaded cast aluminium tool with bristle brush insert to be used with 715-1019.
	715-4022O	5" Round Dusting Brush Threaded cast aluminium tool with bristle brush insert to be used with 715-1019.
	715-4032O	6" & Larger Pipe Cleaning Tool Threaded cast aluminium tool with bristle brush insert to be used with 715-1019.

Have questions?
Get in touch.

905-624-4003 x 220
parts@durovac.com


1.5" Hand Tools

	Part Number	Description
	715-3038	6" Wide Hand Tool with Brush Cast aluminum brush with removable bristle insert, slip fit connection.
	715-3024	3" Round Dust Brush Cast aluminum brush with removable bristle insert, slip fit connection.
	715-3022H	4" Round Dust Brush Cast aluminum brush with removable bristle insert, slip fit connection.
	715-31019	17" Machine Cleaning Tool Rubber flexible nozzle tapered to 3/4" for cleaning in tight places. Recommended for electrical equipment, core boxes and places where a rigid tool is not suitable.
	715-31036	10" Blowing Nozzle Provides high velocity air stream for blowing loose debris in tight places. Can also be used with vacuum.
	715-31136	36" Bulk Cleaning Tube For sump cleaning and handling of bulk material.
	715-31035	36" Bulk Cleaning Tube with Breather Designed with an air breather tube to allow tool end to be submerged in bulk dry material or liquid. Painted Steel.
	715-3319	1.5" Duck Foot The perfect tool for vacuuming miscellaneous debris. Has a 4" opening that makes quick work of light collection applications.
	715-3035	12" Plastic Crevice Tool
	715-3628	28" Plastic Crevice Tool
	715-3317	15" Steel Crevice Tool
	715-3727	27" Steel Crevice Tool
	715-3611	11" Aluminum Crevice Tool
	715-3624	24" Aluminum Crevice Tool

1.5" Wheeled Floor Tools

Part Number

Description




A715-26505

Wheeled Floor Tool and Rod Set



715-265BR

Replacement Bristles



715-121A5

Replacement Rod












715-26505

Replacement Tool

Have questions?
Get in touch.

905-624-4003 x 220
parts@durovac.com

2.0" Floor Rod and Tools

	Part Number	Description
	720-1201	Floor Rod 54" double bend floor rod for use with master nozzle 720-2225.
	720-2225	Master Nozzle For use with floor rod 720-1201 and 2" tool adapters.
	720-2228	14" Fiber Floor Adapter For use on concrete floors with smooth or rough surfaces. Must be used with master nozzle 720-2225.
	720-2231	18" Fiber Floor Adapter For use on concrete floors with smooth or rough surfaces. Must be used with master nozzle 720-2225.
	720-2227	14" Squeegee Floor Adapter For liquid and slurry pickup. Must be used with master nozzle 720-2225.
	720-2230	18" Squeegee Floor Adapter For liquid and slurry pickup. Must be used with master nozzle 720-2225.
	720-2226	14" Brush Floor Adapter A versatile tool for cleaning all floor surfaces. Must be used with master nozzle 720-2225.
	720-2229	18" Brush Floor Adapter A versatile tool for cleaning all floor surfaces. Must be used with master nozzle 720-2225.
	720-2212	12" Wide Mouth Gulper Tool For picking up large objects and bulk material. For use with floor rod 720-1201.

Have questions?
Get in touch.

905-624-4003 x 220
parts@durovac.com

2.0" Wall Rod and Tools

	Part Number	Description
	720-1205	Wall Rod 54" wall rod for use with 2" overhead tools.
	720-1203	Rod Extension 54" wall rod extension to be used with 720-1205.
	720-4026O	10" Wall Brush Threaded cast aluminium tool with bristle brush insert to be used with 720-1205.
	720-4022O	5" Round Dusting Brush Threaded cast aluminium tool with bristle brush insert to be used with 720-1205.
	720-4030O	4" - 6" Pipe Cleaning Tool Threaded cast aluminium tool with bristle brush insert to be used with 720-1205.
	720-4032O	6" & Larger Pipe Cleaning Tool Threaded cast aluminium tool with bristle brush insert to be used with 720-1205.





Have questions?
Get in touch.

905-624-4003 x 220
parts@durovac.com

2.0" Hand Tools

	Part Number	Description
	720-3221	6" Wide Hand Tool with Brush Cast aluminum brush with removable bristle insert, slip fit connection.
	720-3211	5" Round Dust Brush Cast aluminum brush with removable bristle insert, slip fit connection.
	720-3224	10" Hand Brush Cast aluminum brush with removable bristle insert, slip fit connection.
	720-3321	Car Wash Type "Duck Foot" The perfect tool for vacuuming miscellaneous debris. Has a 4" opening that makes quick work of light collection applications.
	720-3019-2	Machine Cleaning Tool Rubber flexible nozzle tapered to 3/4" for cleaning in tight places. Recommended for electrical equipment, core boxes and places where a rigid tool is not suitable.
	720-3236	36" Bulk Cleaning Tube For sump cleaning and handling of bulk material.
	720-3035	36" Bulk Cleaning Tube with Breather Designed with an air breather tube to allow tool end to be submerged in bulk dry material or liquid. Painted Steel.
	720-3208	15" Aluminum Crevice Tool
	720-3209	24" Steel Crevice Tool Painted 16 Ga. with square cut end.
	720-3013	40" Steel Crevice Tool Painted 16 Ga. with square cut end.

2.0" Wheeled Floor Tool

	Part Number	Description
	A720-2700	Wheeled Floor Tool and Rod Set 18" wide aluminum cast with adjustable height wheels makes this an excellent choice for general wide area cleaning. Comes with brush and squeegee adapter blades.
	720-27BRPK	Replacement Bristles Bristle replacements for 720-2700 wheeled floor tool.
	720-2700	Replacement Tool Wheeled floor tool replacement unit only.
	720-130	Replacement Rod Wheeled floor tool replacement wand only.

Have questions?
Get in touch.

905-624-4003 x 220
parts@durovac.com

Hose Coupling / Connector



Part Number	Description
690-100	1.5" Hose Coupling / Connector Chrome plated with friction slip fit to connect two hoses.
690-200	2.0" Hose Coupling / Connector Chrome plated with friction slip fit to connect two hoses.

Inlet Valve and Hose Nipple



Part Number	Description
840-115	1.5" Inlet Valve
840-120	2" Inlet Valve



690-2115	1.5" Hose Nipple To be used with 840-150 and/or 1.5" hose.
690-2120	2" Hose Nipple To be used with 840-120 and/or 2" hose.

Have questions?
Get in touch.

905-624-4003 x 220
parts@durovac.com




SYSTEM ACCESSORIES

Tools and Attachments

For Vacuum Cleaning Systems

Vacuum Tools for 2.5" to 5.0" Hose

A selection of vacuum tools and attachments for 2.5" to 5.0" working hose.
Robust construction, yet lightweight and ergonomically balanced for comfortable use all day.

	Utility Tool	Aluminum	Stainless Steel
	2.5"	725-310	725-410
	3.0"	730-310	730-410
	4.0"	740-310	740-410
	5.0"	750-310	750-410
	Fluidizer Tool	Aluminum	Stainless Steel
	2.5"	725-330	725-430
	3.0"	730-330	730-430
	4.0"	740-330	740-430
	Fan Floor Tool	Aluminum	Stainless Steel
	2.5"	A725-320	A725-420
	3.0"	A730-320	A730-420
	4.0"	A740-320	A740-420

Have questions?
Get in touch.

905-624-4003 x 220
parts@durovac.com

SYSTEM ACCESSORIES

Flexible Hose

For Industrial Vacuum Systems



1.5"Ø x 25 Ft with EC cuff & hose nipple.

GENUINE EC350 Wire Conducting

Genuine EC350 is a static conducting hose with a patented grounded cuff. It is the most flexible and lightweight of the static conducting hoses, and it is incredibly durable. Use this hose wherever static control is required.

- Surprisingly inexpensive for its durability
- Operators love its lightweight design
- Flexibility makes it ideal for machine cleaning
- Static conducting with patented tool connector

DIAMETER: 1.5"Ø

LENGTHS: 25 ft, 50 ft; custom sizes available upon request



4.0"Ø x 25 Ft with cams. So easy to coil.

GENUINE EC355 Wire Conducting

Genuine EC355 is an extremely tough and durable polyurethane hose that includes a static conducting wire. This extremely light, flexible hose has quickly become a best seller.

- Lasts longer than other AR hose
- Operators love its lightweight design
- Super-flexible so it's easy to use
- Static conducting with patented tool connector

DIAMETER: 2.0"Ø through 6.0"Ø only

LENGTHS: 25 ft, 50 ft; custom sizes available upon request.
Suitable for full vacuum.

Have questions?
Get in touch.

905-624-4003 x 220
parts@durovac.com

SYSTEM ACCESSORIES

Flexible Hose

For Industrial Vacuum Systems



StatPath Static Dissipating

Lightweight black polyethylene conductive copolymer hose reinforced with an integral polyethylene helix.

- Static dissipating, no wire
- Surface Resistivity Level: 103-105 Ohms/Square
- High flexibility and durability
- Smooth exterior so it pulls easily around equipment

DIAMETER: 1.5"Ø, and 2.0"Ø

LENGTHS: Cut to order. Cuffs extra.



Type 1100 Static Dissipating AR

Type 1100 (static dissipating) is our most popular abrasion-resistant hose.

- Inexpensive
- High flexibility and durability
- Smooth interior
- Static dissipating, no wire

DIAMETER: 1.25"Ø to 8.0"Ø

LENGTHS: Cut to order, 100 ft. maximum Suitable for full vacuum.

Have questions?
Get in touch.

905-624-4003 x 220
parts@durovac.com

SYSTEM ACCESSORIES

Pre-Separators and Vacuum Hoppers

for Industrial Vacuum Systems



1.0 Yrd3 with cam connectors

Bulk Hopper High Vacuum Series

In-line material collection hoppers roll forward and self unload. Fabricated of 1/4" plate steel and designed for severe, industrial use.

Standard features:

- » Stiffened to withstand 20" Hg.
- » Internal baffle plate
- » Roll forward safety chain

Options:

- » Chip screen and drain valve
- » 6" heavy duty casters



Aluminum version with cams.
Rubber gasket creates seal.

Top Hat Wet & Dry Drum Filler

Turn any 55 Gallon drum into a cyclone separator. Capture 85% of fines and 100% aggregate before it gets to your filters.

Fabricated of 12 Ga. painted steel or 11 Ga. aluminum.

Options:

- » Inlet Wearplate
- » Internal Filter
- » Drum Dolly

Please specify inlet and outlet hose connection size and type at time of order.

SYSTEM ACCESSORIES

Pre-Separators and Vacuum Hoppers

for Industrial Vacuum Systems



Wet Separator 15 US Gallons.

Intended for use with liquids only.

Comes complete with float valve shut-off, drain valve, and cart assembly as shown.

Fabricated in painted steel or polished 304 stainless steel.

Use with 1.5" and 2.0" diameter hoses only.

Connection hose extra



Primary Separator

Cyclonic type or Impaction type (as shown)

Intended to separate bulk material in a central vacuum system. Normally used to discharge material in places where a filter receiver can not fit.

Fabricated of painted steel or stainless steel.

Options:

- » Choice of discharge valves
- » Level Switch
- » Sprinkler head

Please specify inlet and outlet connection size and type at time of order.

A number of different discharge valves are available.
Steel structural is extra.

