

Dream™

Seating Capacity.....	6 Adults
Dimensions	83.75" x 83.75" x 36", (213 cm x 213 cm x 91 cm)
Corner Radius.....	9" (23 cm)
Dry Weight.....	590 lbs (268 kg)
Filled Weight (Average Fill).....	3,090 lbs (1,402 kg)
Water Capacity (Average Fill)	300 US gallons (1,136 Liters)
Shipping Weight	590 lbs (268 kg)
Export Shipping Weight:.....	640 lbs (290 kg)
Electronic Controls	Programmable digital panel with LED readout
Pump 1.....	North America (60 Hz): 2-Speed, 3.6 HP break, 2.0 HP continuous, 48 Frame
Export (50 Hz):	2-Speed, 2.0 HP continuous
Pump 2.....	North America (60 Hz): 1-Speed, 3.6 HP break, 2.0 HP continuous, 48 Frame
Export (50 Hz):	1-Speed, 2.0 HP continuous
Circulation Pump.....	Optional with ClearZone® Pro package
Filtration (factory default)	2 Cycles for a total of 2 hours
Heater	4.0 kW
Export (50Hz)	2.0 kW
Total @Home Jets	34
Seat 1 Jets.....	6 Cluster Storm Directional, 2 Power Storm Twister, 2 Cluster Storm Rifled
Seat 2 Jets.....	2 Cluster Storm Rifled
Seat 3 Jets.....	2 Power Storm Massage, 1 Power Storm Twirl, 2 Mini Storm Rotator
Seat 4 Jets.....	1 Cluster Storm Rifled, 2 Mini Storm Directional
Seat 5 Jets.....	7 Cluster Storm Pulsator
Seat 6 Jets.....	4 Cluster Storm Directional
Footwell (7).....	3 Mini Storm Rotator
Massage Selectors	None
Special Features	Tactile Therapy
Water Management System.....	One 75 ft filter cartridge; 8" Weir
Optional	ClearZone® Pro Water Purification System
LED Lighting	One multi Color LED footwell light
Optional	Crystal FX™
Synthetic Cabinet Colors.....	Adobe Tan, Stoneridge Grey
Terracina™ Cabinet (Optional)	Driftwood, Vintage Cedar, Midnight Maple
Acrylic Colors	Moonstone, UltraLife, Sunstone, Smoked Marble, UltraLife Gray, Desert Stone
Headrests	3
Water Feature.....	Water fountain with independent flow rate (on or off) adjustment; powered by pump 1
Electrical Requirements:	North America (60 Hz): 240 VAC@30A or 40A Export (50 Hz): 230 VAC@1x16A, 1x32A, 2x16A, 3x16A or suitably rated circuit breaker to comply with local electrical codes. Certain countries may require dual power inputs
Warranty*.....	North America (60 Hz): Lifetime for UltraLife Shell Surface, 5 Years Acrylic Shell Surface, 3 Years Plumbing, 3 Years Equipment and Controls, 7 Years Cabinet, 1 Year Water Purification System, 2 Years for Jet Insert, 1 Year for Jet Escutcheon, 1 Year Lights; Export (50 Hz): 10 Years for UltraLife Shell Surface, 5 Years Acrylic Shell Surface, 2 Years Plumbing, 2 Years Equipment and Controls, 2 Years Cabinet, 1 Year Water Purification System, 2 Years for Jet Insert, 1 Year for Jet Escutcheon, 1 Year Lights
Audio System (Optional).....	N/A




**Optional
escutcheon jets**

*(See Warranty Document for Specific Details)

Dream

Massage Selector Diagram



Spa Operation Subject to Change without Notice

Seat Depths

- 1 = 24.00" (60.96 cm)
- 2 = 26.00" (66.04 cm)
- 3 = 28.00" (71.12 cm)
- 4 = 26.00" (66.04 cm)
- 5 = 28.00" (71.12 cm)
- 6 = 26.00" (66.04 cm)

- 7 = 30.00" (76.20 cm)


Listed dimensions represent distance from top of acrylic to lowest point in seat. **Tolerance $\pm 0.5"$ (1.27 cm).**



Dimensions/Specifications are Subject to Change Without Notice

Dream

Jet Designation




Dimensions/Operation/Specifications are Subject to Change Without Notice

34 Total Jets (textured)





Total Jets

Dream



Front View of Spa



Notes: Unless otherwise specified:

1. Subject to change without notice.
2. Engineering specs may differ slightly from brochure.
3. For E-Z lifter installation allow 18" (45.7 cm) clearances on the backside of the spa.
4. Alternative cabinets may add significant weight. Ask your dealer for exact details.



*Caution:

Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above. **If site planning is critical to such tolerances, be sure to measure your actual spa.**

Dimensions/Specifications are Subject to Change Without Notice (Tolerance $\pm 0.5"$ [1.27 cm]).