

Email sales@keyindustries.co.nz Web www.keyindustries.co.nz

SAFETY DATA SHEET: Double WhamE

IDENTIFICATION

Product Name: Double WhamE

Other Names: Pyrethroid, Pesticide, Liquid, Toxic (contains beta-cyfluthrin, bifenthrin)

Recommended Use: Insecticide
Distributor: Key Industries Ltd

Address: PO Box 65 070 Mairangi Bay, Auckland 0754

 Telephone:
 09 917 1791

 Emergency Phone:
 027 4941659

 National Poisons Centre:
 0800 764 766

HAZARDS IDENTIFICATION

Hazard Classification: 6.1C, 6.5B, 6.8C, 6.9B, 9.1A, 9.2C, 9.3B, 9.4A

Hazards: Toxic if inhaled.

Harmful if swallowed.

May cause an allergic skin reaction. May cause harm to breast-fed children.

May cause damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects.

Harmful to the soil environment.

Toxic to terrestrial vertebrates.

Very toxic to terrestrial invertebrates.

COMPOSITION: Information on Ingredients

Ingredient	CAS Number	Concentration (%w/w)
beta-Cyfluthrin	68359-37-5	9.5 – 10.5
Bifenthrin	82657-04-3	4.5 – 5.5
Propylene Glycol	57-55-6	<10.0
Balance – Ingredients not contributing to hazards	Proprietary	To 100%

FIRST AID MEASURES

Consult the National Poisons Information Centre 0800 POISON (0800 764 766) or a doctor in every case of suspected chemical poisoning. Never give fluids or induce vomiting if a patient is unconscious or convulsing regardless of cause of injury. If breathing difficulties occur seek medical attention immediately.

Swallowed

If swallowed, do not induce vomiting. If conscious and alert, rinse mouth and drink 1-2 cupfuls of water. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to mouth. Obtain urgent medical attention.

Skin Contact

Immediately wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Destroy contaminated shoes and other contaminated leather articles such as belts and watchbands. Seek medical attention.

Eye Contact

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses if present and easy to do and continue rinsing. Do NOT allow victim to rub eyes or keep eyes closed. Obtain urgent medical attention.

Inhalation

Move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped, taking care to avoid contact with product (eg, use mouth-to-nose rather than mouth-to-mouth). Obtain medical attention immediately.

First Aid facilities

Provide eye baths and safety showers close to areas where exposure may occur.

Medical Attention

Treat symptomatically and supportively, monitoring the development of hypersensitivity reactions with respiratory distress. Gastric lavage may be indicated if ingested. No known antidote. Do not confuse with cholinesterase poisoning. Skin contacted may be carefully cleaned with cleansing milk. Symptoms can be partially alleviated by the application of a vitamin E or moisturising cream or anaesthetic ointment. For eyes, instil local anaesthetic drops e.g. 1% amethocaine hydrochloride eye drops. Give analgesics as necessary. In all cases consult the National Poisons Centre for the most up to date treatment information.

EMERGENCY PHONE: KEY INDUSTRIES LTD (Frank Visser, Managing Director): 0274 941 659
Date of Issue: 14 July 2015

Emergency Number: 027 4941659

Date of Issue: 14 July 2015

Date for Revision: December 2017



PO Box 65 070 Mairangi Bay, Auckland, NZ Tel +64 (9) 917 1791 Fax +64 9 917 1793

Email sales@keyindustries.co.nz Web www.keyindustries.co.nz

SAFETY DATA SHEET: Double WhamE

FIRE FIGHTING MEASURES

Shut off product that may 'fuel' a fire if safe to do so. Allow trained personnel to attend a fire in progress, providing fire fighters with this Safety Data Sheet. Prevent extinguishing media from escaping to drains and waterways.

Suitable extinguishing media

Water fog, fine spray, alcohol resistant foam, dry chemical powder or carbon dioxide. Do not use water stream directly as this may spread fire or give a violent steam eruption. Cool fire exposed container with water spray.

Hazards from combustion products

Decomposition from combustion will emit acrid smoke and toxic fumes containing carbon oxides and hydrogen chloride (Cl).

Precautions for fire fighters and special protective equipment

Full protective clothing with chemical goggles, butyl or neoprene glovaes and self-contained breathing apparatus

Hazchem Code

Flash Point <100°C

ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Prevent product from escaping to drains and waterways. Contain leaking packaging in a containment vessel or bunded area. Prevent any vapours or dust from building up in confined areas. Ensure that drain valves are closed at all times. Clean up minor spills immediately.

Methods and materials for containment for a major spill

Eliminate sources of ignition. Warn occupants of downwind areas of possible hazards. Keep the public away from the area. Prevent product from entering sewers, watercourses, or low-lying areas. Shut off the source of the spill if safe to do so. Advise relevant authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation. Take measures to minimise the effect on the groundwater. If possible recover product using a pump paying attention to flammability hazards or absorbent material. Collect and seal in properly labelled containers for disposal. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. In all instances due consideration must be given for First Aid Measures (Section 4), PPE requirements (Section 8), Stability and Reactivity (Section 10) for this material.

HANDLING AND STORAGE

Precautions for safe handling

Keep out of reach of children. Avoid sources of ignition including smoking. Keep containers closed. Use only in well-ventillated areas. When handling do not eat, drink or smoke. Wash hands thoroughly after handling. Wash clothing separately before reuse.

Conditions for safe storage

Store in a cool, dry place away from direct sunlight. Keep away from heat and ignition sources. Store in original containers. Protect from physical damage to prevent accidental release. Do not store with food, feedstuffs, fertilizers and seeds.

Incompatible materials

None known.

Fire Extinguisher Requirements

Fire extinguishers (2 of) are required for every 500L aggregate quantity of this and any other class 3.1D substance according to the Hazardous Substances (Emergency Management) Regulations 2001.

EXPOSURE CONTROLS: Personal Protection

A WES has been set by EPA NZ for a material in this product, propane-1,2 diol (propylene glycol). The WES for this component is TWA (vapour and particulates) 150ppm or 474 mg/m³. TWA (particulates only) 10 mg/m³.

Engineering Controls:

The use of local exhaust ventilation is recommended to control process emissions near the source. Sufficient ventilation should be provided to keep the solvent in air concentrations below any relevant exposure limit. Provide mechanical ventilation of confined spaces. Explosion proof electrical equipment recommended but not required based on the flashpoint of this material.

Hygiene Controls:

Facilities storing or utilising this material should be equipped with an eyewash facility, safety shower and facility for washing hands/face after work.

Personal Protective Equipment

Respiratory Protection: When handling this material it is recommended to use an approved respirator or half face mask complying with OSH and other relevant standards

Eye protection: Always use safety glasses or a chemical goggles when handling this product. Contact lenses may absorb and concentrate irritants, glasses are recommended.

Skin/ Body Protection: Always wear long sleeves and long trousers or coveralls, and enclosed footwear of safety boots when handling this product. It is recommended that chemical resistant gloves (eg nitrile, neoprene) be worn when handling this product.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White opaque liquid **Boiling Point (°C):** Approximately 100

EMERGENCY PHONE: KEY INDUSTRIES LTD (Frank Visser, Managing Director): 0274 941 659

Date of Issue: 14 July 2015 Emergency Number: 027 4941659

Date for Revision: December 2017



PO Box 65 070 Mairangi Bay, Auckland, NZ Tel +64 (9) 917 1791 Fax +64 9 917 1793

Email sales@keyindustries.co.nz Web www.keyindustries.co.nz

SAFETY DATA SHEET: Double WhamE

Melting Point(°C): NA Flash Point(°C): >100

Lower Explosive Limit, LEL (%): No data available Upper Explosive Limit, UEL (%): No data available SG/ Density, 20°C (g/mL): 1.035 - 1.050Vapour Pressure, 20°C (kPa): No data available Alkalinity/ acidity as pH: 5.0 - 6.0

Solubility in water: Forms a suspension

The values listed are indicative of this product's physical and chemical properties. For a full product specification, please consult Key Industries.

STABILITY AND REACTIVITY

Chemical stability

Stable at room temperature and pressure.

Hazardous decomposition products

Decomposition from combustion will emit acrid smoke and toxic fumes containing carbon oxides and hydrogen chloride.

Specific Materials to Avoid

Strong acids, alkalis, oxidising agents, reducing agents and heat.

Hazardous Polymerisation

Not known to occur.

TOXICOLOGICAL INFORMATION

Acute Effects

Ingestion: Moderate toxicity if swallowed. Symptoms include burning sensations in the mouth, headache, dizziness, drowsiness, diarrhoea, nausea, vomiting, listlessness, stomach pain, muscular twitching or arms or legs.

Swallowing large quantities can result in confusion, convulsions, coma, seizures and death. Aspiration of the lungs can occur during vomiting leading to lung damage or death due to chemical pneumonitis. Contact a doctor immediately

Eye Contact: The liquid is irritating to the eyes. Avoid eye contact.

Skin Contact: Mildly irritating. Contact with the skin, especially the face, may result in initial stinging or burning sensations (parasthesia) followed by numbing which may persist for up to 24 hours in highly susceptible persons. The active ingredient is a contact sensitiser. Avoid skin contact.

Inhalation: The product has a high inhalation toxicity. Inhalation of high doses of spray mix could potentially be fatal. Acute effects from inhalation of high vapour concentrations may cause effects similar to that of ingestion. Following inhalation, a stuffy, runny nose and scratchy throat are common. Hypersensitivity reactions including wheezing, sneezing, shortness of breath and bronchospasm may be noted. Contact a doctor immediately.

Prolonged or repeated exposure may result in central nervous system effects such as tremors, uncoordination and disorientation. Persons with pre-existing conditions are advised to limit or avoid product contact.

Other Health Effects Information

Not Available.

Toxicological Information

Oral LD₅₀: 140 mg/kg (rat), beta-cyfluthrin active ingredient; 43 mg/kg (mouse), bifenthrin active ingredient;537 mg/kg (product, estimated) Inhalation LC₅₀: 0.1 mg/L (4 hr, rat), beta-cyfluthrin active ingredient; 0.15 mg/L (rat), bifenthrin active ingredient; 0.76 mg/L (product, estimated)

ECOLOGICAL INFORMATION

Ecotoxicity

This product is highly toxic to the environment, with the potential to result in irreparable and irreversible effects. See hazard classifications in section 15 of this document. No specific ecological data available on this product.

Persistence/ Biodegradability: log P: 5.9 – 6.0. This substance (beta-cyfluthrin and bifenthrin) is regarded as persistant and bioaccumulative by EPA NZ. Mobility: This product is not readily soluble with water limiting its mobility in the environment. This product is likely to have low mobility in the environment and low leaching potential

Aquatic Toxicity:

Fish toxicity LC50: 0.000028 mg/L; beta-cyfluthrin active ingredient. LC50: 0.00015 mg/L; bifenthrin active ingredient Crustacean EC₅₀: 0.00014 mg/L; beta-cyfluthrin active ingredient. EC₅₀: 0.00007 mg/L; bifenthrin active ingredient Honeybee: 0.0098 µg/organism; beta-cyfluthrin active ingredient. 0.0146 µg/bee; bifenthrin active ingredient

DISPOSAL CONSIDERATIONS

Date for Revision: December 2017

Dispose of product only by using according to label or using an approved waste disposal contractor. If this material as supplied becomes a waste care should be taken to ensure compliance with national and local authorities. It is the responsibility of the waste generator to determine the toxicity and physical properties of the waste generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Do not dispose of via municipal sewers, drains, natural streams or rivers

EMERGENCY PHONE: KEY INDUSTRIES LTD (Frank Visser, Managing Director): 0274 941 659

Date of Issue: 14 July 2015 Emergency Number: 027 4941659



Email sales@keyindustries.co.nz Web www.keyindustries.co.nz

SAFETY DATA SHEET: Double WhamE

Packaging Disposal

Triple rinse container and add rinsate to the spray tank. Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Care should be taken to ensure compliance with national and local authorities. Packaging may still contain product residue that may be harmful. Incinerate via approved incinerators or crush and bury in an approved landfill. Ensure that empty packaging is managed in accordance with Dangerous Goods and HSNO regulations.

TRANSPORT INFORMATION

UN No: UN3352

Proper Shipping Name: PYRETHROID, PESTICIDE, LIQUID, TOXIC (contains beta-cyfluthrin, bifenthrin)

DG Class: 6.1
Subsidiary Risk: 9
Packing Group: III
Hazchem Code: 3Z

Dangerous Goods Segregation

This product is classified as Dangerous Goods by Road and Rail. Please consult the Land Transport Rule: Dangerous Goods 2005, and NZS 5433:1999 Transport of Dangerous Goods on Land for further information.

REGULATORY INFORMATION

Country/ Region: New Zealand ACVM Approval Number: EPA NZ Approval Number: HSNO Classifications:

HSR100728

6.1C Acute Toxicity (Inhalation); 6.1D Acute Toxicity (Oral); 6.5B Sensitiser (Contact); 6.8C Reproductive

 $or\ development al\ toxicant\ ; 6.9B\ Target\ Organ\ Toxicant\ ; 9.1A\ Aquatic\ Ecotoxicant\ ; 9.2C\ Soil\ Toxicant\ ; 9.3B$

Ecotoxicant: Terrestrial Vertebrate; 9.4A Ecotoxicant Terrestrial Invertebrate

HSNO Controls: Trigger Quantities for this Material:

Approved Handler Test Certificate: Required
Location/Transit Depot Certificate: Not required

Hazardous Atmousphere Zone: Not required

Signage: 100 L

Emergency Plan, Secondary Containment: 100L

• Tracking: Required for pack size >1L

The trigger quantities above must take into account any other hazardous substance that is present at that location. This represents a partial list of the controls for this material. Contact Key Industries Ltd a full list of HSNO controls for this material.

OTHER INFORMATION

Reasons for Issue:

Update format and content to comply with legislation

Abbreviations:

TWA - the highest allowable exposure concentration in an eight-hour day for a five-day working week

STEL - maximum allowable exposure concentration at any time

CAS Number: Chemical Abstracts Number EPA NZ: Environmental Protection Agency NZ HSNO: Hazardous Substances and New Organisms

References:

- Supplier Safety Data Sheets
- · Hazardous Substances Databank
- EPA NZ Chemical Classification Information Database
- FOOTPRINT Pesticides Database

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the suppliers knowledge. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses, but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product. For further information, please contact Key Industries Limited.

EMERGENCY PHONE: KEY INDUSTRIES LTD (Frank Visser, Managing Director): 0274 941 659
Date of Issue: 14 July 2015
Date for Revision: December 2017

Emergency Number: 027 4941659