



BRACE TOOL

OILFIELD, WIRELINE & DOWNHOLE TOOLS

PX Equalizing Assembly



Scan for more
information



Purpose

The PX Equalizing Assembly is a key component in oil and gas well operations, specifically designed to enhance well control and zonal isolation.

This assembly serves as a wellbore plug when integrated with X and XN Lock assemblies, strategically positioning itself within the completion tubing.

Its primary purpose is to facilitate pressure equalization within the wellbore, ensuring balanced pressure conditions in different sections of the well.

Application:

- Isolating different zones within the wellbore, preventing unwanted fluid or pressure communication between them.
- Equalization of pressure across various sections of the well, ensuring balanced reservoir management.

Key Features & Benefits:

- Compatible with XXN lock assemblies,
- Prevents unwanted fluid migration and maintaining optimal reservoir conditions.
- Available in multiple sizes.

Technical Data				
Nominal Size	Assembly Number	Upper Thread Connection	Max O.D.	Fishneck Size
1.50"	09-02-PX-150-A0	1.125"-16 UN	1.490"	1.00"
1.625"	09-02-PX-162-A0	1.125"-16 UN	1.615"	1.00"
1.78"(R)	09-02-PR-178-(R)-A0	1.375"-14 UN	1.770"	1.187"
1.87"	09-02-PX-200-A0	1.375"-14 UN	1.865"	1.375"
2.31"	09-02-PX-250-A0	1.75"-12 UN	2.307"	1.375"
2.75"	09-02-PX-275-A0	2.25"-12 SLB	2.745"	1.375"
2.81"	09-02-PX-281-A0	2.25"-12 SLB	2.809"	1.375"

Please specify the type of Vee Packing when ordering. Other sizes available upon request

Speak with a Brace Tool sales representative to explore the different configurations available on this tool and discover how we can match your requirements.



www.bracetool.com || Toll-Free: 1-800-438-0061.