
BUYERS & OPTIONAL EQUIPMENT GUIDE

CYCLONE 1850

2023 BUYERS GUIDE





AIRCRAFT OVERVIEW

Introducing the Bushliner Cyclone 1850: The Next Evolution of Metal Tailwheel Aircraft

Discover the future of aviation with the all-new Bushliner Cyclone 1850, a testament to our commitment to innovation and excellence. Designed for the modern world, this aircraft combines legendary design with cutting-edge features, offering unparalleled safety, performance, and utility.

Key Upgrades and Features

New Aircraft Design; unlike a relic from the past, the Cyclone 1850 is a brand-new aircraft, meticulously crafted using the latest manufacturing methods while drawing inspiration from a legendary predecessor with millions of flight hours.

Spacious Cabin: Experience a new level of comfort with our newly designed cabin, offering more shoulder room and headroom. Your journeys will be a delight in this spacious and inviting environment.





AIRCRAFT OVERVIEW

Enhanced Cargo Doors: Loading and unloading are effortless thanks to our upgraded and upsized cargo doors, providing direct access to the aft cargo bay. This convenience makes the Cyclone 1850 a versatile choice for passengers and cargo transport.

Quality and Safety: Our unwavering commitment to excellence is reflected in the use of the highest quality materials, ensuring that each Bushliner Cyclone 1850 surpasses modern quality standards. Safety is our top priority.


Experienced Team: Our dedicated team is comprised of seasoned pilots, A&P mechanics, IA's, former Boeing employees, and engineers with a wide range of expertise. They're equally comfortable working on projects from piston aircraft to satellites, guaranteeing that the Cyclone 1850 benefits from a wealth of knowledge and experience.

Freedom of Innovation: Unlike aircraft models designed decades ago, the Bushliner Cyclone 1850 enjoys the freedom of the experimental class. This flexibility allows us to deliver a cutting-edge aircraft equipped with modern technology and to continuously refine our manufacturing processes.


Join us on a journey into the future of aviation with the Bushliner Cyclone 1850. We're setting new benchmarks and redefining excellence.

For inquiries and orders, contact:

Bushliner Aircraft Sales 1-855-289-1850 ext.1 sales@Bushliner.com



AIRCRAFT OVERVIEW



AIRCRAFT OVERVIEW

Aircraft Comparison Assumes stock airframe, standard conditions	Bushliner 1850 Cyclone EST.	Cessna A185F Skywagon	Cessna 182T Skylane	Cessna T206H Stationair
DIMENSIONS				
Length	26 ft	25 ft 9 in	29 ft	28 ft 3 in
Height	8 ft	7 ft 9 in	9 ft 4 in	9 ft 4 in
Wingspan	38 ft	36 ft	36 ft	36 ft
Wing Area	186 sq ft	174 sq ft	174 sq ft	174 sq ft
Flap Area	100 34 11	21.5 sq ft	21 sq ft	34 sq ft
Aileron Area	17.05 og ft		•	•
	17.85 sq ft	17.85 sq ft	17.85 sq ft	14.75 sq ft
Horizontal Stabilizer width	13 ft	10 ft 10 in	11 ft 8 in	13 ft
Horizontal Stabilizer SQFT	36 sq ft	30 sq ft	33 sq ft	36 sq ft
Tail area % of wing area	19.35%	17.24%	18.96%	20.70%
CABIN INTERIOR				
Height	50 in	48 in	49 in	50 in
Shoulder Width	45 in	40 in	42 in	44 in
Center seat spread (yoke center)	21 in	18 in	19 in	21 in
Length	11 ft 8 In (flat)	11 ft 8 in (stepped)	11 ft 2 in (stepped)	12 ft 1 in (stepped)
Maximum Passengers	4 Special Light Sport (Pend.) 6 Experimental	6	4	6
BAGGAGE A&B CAPACITY Includes third row seat on 185 and 206				
Weight	200 lb	170 lb	200 lb	180 lb
Volume	34.8 cu ft	24.75 cu ft	32 cu ft	11 cu ft (39 cu ft total)
Cargo Door Dimention W x H	49 in x 36 in (aft 26")	15.25 in X 22 in	15.25 in X 22 in	43 in x 39 in
WEIGHTO				
WEIGHTS				
Maximum Ramp Weight	3,600	3,350 lb	3,110 lb	3,806 lb
Maximum Takeoff Weight (Gross)	3,600	3,350 lb	3,100 lb	3,789 lb
Maximum Landing Weight	3,600	3,350 lb	2,950 lb	3,600 lb
Usable Fuel Weight (100LL)	672 lb	504 lb	522 lb	522 lb
Usable Fuel Volume	112 gal	84 gal	87 gal	87 gal
Basic Empty Weight	1,850 lb	1,850 lb	2,000 lb	2,365 lb
Useful Load	1,750 lb	1,500 lb	1,110 lb	1,441 lb
Full Fuel Payload	1,078 lb	996 lb	588 lb	919 lb
Wing Loading @ Gross Weight	19.35 lb/sqft	19.3 lb/sqft	17.8 lb/sqft	20.7 lb/sqft
PERFORMANCE				
Max Endurance Range	1,042 nm	721 nm	930 nm	660 nm
•	7,042 IIII	576 nm	773 nm	632 nm
Max Speed Range	752 nm 1.200 ft		-	
Takeoff Distance	,	1,365 ft	1,514 ft	1,970 ft
Ground Roll	650 ft	770 ft	795 ft	1,060 ft
Landing Distance	1,200 ft	1,400 ft	1,350 ft	1,395 ft
Ground Roll	480 ft	480 ft	590 ft	735 ft
Service Ceiling	19,000 ft	17,150 ft	18,100 ft	26,000 ft
Maximum Climb Rate	1,500 fpm	1,010 fpm	924 fpm	960 fpm
Maximum Limit Speed	175 kias (201 mph)	155 kias (178 mph)	175 kias (201 mph)	182 kias (209 mph)
Stall Speed	40 kcas (46 mph)	49 kcas (56 mph)	49 kcas (56 mph)	57 kcas (66 mph)
Maximum Cruise Speed	165 ktas (190 mph)	145 ktas (167 mph)	165 ktas (190 mph)	161 ktas (185 mph)
Power to Weight/ Power Loading at Gross	11.42 lb/hp	11.17 lb/hp	13.5 lb/hp	11.6 lb/hp
Cruise Speed @ 75% 10,000 ft	150 kt (172 mph)	130 kt (150 mph)	145 kt (166 mph)	150 kt (172 mph)
Fuel Burn @ 75% Power	18 gph 100LL	15.6 gph 100LL	17.8 gph 100LL	19 gph 100LL
POWERPLANT				
Manufacturer	Lycoming	Continental	Lycoming	Lycoming
Model	IO-580	IO-520D	IO-540-AB1A5	TIO-540-AJ1A
Power Output	315 hp	300 hp	230 hp (235 hp)	310 hp (310 hp)
Propeller Manufacturer	MT Propeller	McCauley	McCauley	McCauley
i ropolici ivianulaciuldi	INIT I TOPELIEI	ivicoauley	WicCauley	ivicCauley



AIRCRAFT OVERVIEW

Maintenance

- Inspection requirements are a condition inspection performed annually by an A&P.
- Services can be performed by the owner.
- Replacement parts are readily available from Bushliner Aircraft and suppliers.
- Brand new airframe will not corrode or quickly fatigue under normal use.

Longevity

- Mission ready for decades of use on floats, wheels or skis.
- Upgradeable with yet-to-market modifications.
- Familiar airframe with a global service network already in place.

Documentation

- ✓ Material traceability.
- √ New logbooks and C of C's
- ✓ Up-to-date illustrated parts catalogs and service manuals.

Insurance

• Insurance requirements are similar to those of a legacy 185. Please contact us for details.

Financing

• Financing is available for factory built aircraft. Please contact us for details.

October 2023

Page 6

AIRCRAFT COST COMPARISON

Aircraft	Legacy 180/185	Bushliner 1850EX	Notes
Acquisition cost	\$200,000	\$300,000	
Repairs	\$175,000	\$0.00	
New cables, pulleys, install.	\$10,000	\$0.00	
Other Upgrades, replacement	\$150,000	\$100,000	Assumes same or similar products
Engine Upgrade (new)	\$125,000	\$99,000	Experimental price reduction
Propeller Upgrade	\$20,000	\$20,000	Assumes same or similar propeller
Avionics	\$120,000	\$89,000	Experimental price reduction
Strip, Prime, Paint	\$32,000	\$15,000	1850 is paint only
Certification work	\$75,000	\$0.00	DER's, STC's, IA's
AD Compliance	\$25,000	\$0.00	All AD's complied with or eliminated
TOTALS	\$932,000	\$623,000	
Summary:			
AGE	50 YEARS	NEW	
TTAF	6,000 HOURS	0	
ENGINE TSNW	0	0	
Timeline from today	4 Years	2-4 Years	



SPECIFICATIONS

The Bushliner Cyclone 1850 is a replica of the Cessna A185F offering the same advantages with improved performance. The performance increase comes primarily from a longer wing, an extra foot per side at the root of the wing, not at the wing tip, thus a longer flap, better STOL, cruise, payload and fuel capacity, without reducing aileron control. Figures vary depending on engine, and other equipment.





SPECIFICATIONS- RANGE MAP



Interactive range map available Click Here

Inner Circle

750 NM OF ESTIMATED RANGE SHOWN BASED ON 5 HOURS OF FLIGHT AT 160 KIAS, 20 GPH.

Outer Circle

1,000 NM OF ESTIMATED RANGE SHOWN BASED ON 7 HOURS OF FLIGHT AT 144 KIAS, 16 GPH.


*Range may be affected by equipment and operation



STANDARD EQUIPMENT

Cyclone 1850 Fuselage

- √ Fabricated from 2024T3 aluminum, primed prior to assembly.
- ✓ Seaplane kit standard.
- ✓ Large 48" cargo doors for easy cargo loading.
- ✓ High-strength mil-spec fasteners for durability.
- ✓ Machined NextGen Instrument Panel for a modern and sleek appearance.
- ✓ Fueling steps for convenient access.
- ✓ Constructed in professional precision jigs.
- √ Completely new components.






STANDARD EQUIPMENT

Wings

- ✓ Sportsman STOL airfoil for improved performance.
- ✓ Bushliner flaps- 1 foot longer than those on a legacy aircraft.
- ✓ Ailerons with anchor retention hinge pins for secure operation.
- ✓ Aileron gaps sealed for improved aerodynamics.



Tail

- ✓ Extended dorsal fin for improved yaw control, without impacting crosswind component.
- ✓ Laminar flow rudder for increased authority at slow speeds and high AOA.
- √ Horizontal stabilizer trim (no trim tab).

Flight Controls

- ✓ Dual yoke flight controls.
- ✓ Dual toe brakes for efficient braking.
- ✓ McFarlane cables, pulleys, and mil-spec hardware.



STANDARD EQUIPMENT

Undercarriage

- ✓ Upgraded landing gear boxes for additional strength.
- ✓ Locking tailwheel provision.
- ✓ Choice of gear, wheels, and tires to suit terrain.*
- ✓ Compatible with floats and ski's certified for the Cessna 185.*





Fuel System

- ✓ Two 56-gallon integral wing tanks with a total capacity of 112 gallons.
- ✓ Fuel selector valve with options for Left, Right, Off, and Both positions.
- ✓ Gravity feed fuel system.
- ✓ Upgraded fuel lines, filters and fittings.
- ✓ CIES fuel senders compatible with selected avionics.*

STANDARD EQUIPMENT

Composites

- ✓ Cabin and cargo doors.
- √ Cowling on Lycoming models for weight reduction and improved aerodynamics*
- ✓ Exterior fairings for improved aesthetics and aerodynamics.
- ✓ Flight controls and tail surfaces.

Cabin

- ✓ Dual swing-up cabin doors for easy access. Configureable as standard doors if preferred.
- ✓ Massive 48" wide cargo doors for easy and direct cargo loading.
- ✓ Ten feet of flat floor space including extended baggage area.
- ✓ Articulating pilot seats.
- ✓ Pilot push-to-talk button and AP disconnect provisions in the control yoke.
- ✓ Tinted windows for UV protection.
- ✓ Hard points for cargo tie-down or cargo nets.

- Bushliner
ARREAFT COMPANY


^{*}Provisions supplied, may require package selection IE type, style, color or equipment defined by client and are additional to the base price.

STANDARD EQUIPMENT

The JAARS S-Frame Seats are FAA certified seats designed to protect the occupant in the event of a crash.

Bushliner Aircraft is the only company worldwide to have a license to install the JAARS seats in production aircraft.

- **Crashworthiness**: The S-Frame Seats are designed to be more crashworthy and have been tested to withstand forces of up to 30 Gs. This means they provide improved safety and protection for occupants in case of an accident.
- Modular Design: These seats are easily removable and can be reinstalled in various cabin configurations. Unused passenger seats can be folded and stored in the aircraft's cargo compartments. This modularity allows for flexibility in configuring the cabin for different purposes.
- **Weight Savings**: The S-Frame Seats are lighter than other seats. This reduction in weight can have benefits for the aircraft's performance and fuel efficiency.
- **Seat Design**: The S-Frame design of these seats allows them to absorb impact forces in an accident gradually, reducing the risk of serious injury to the occupant. This is in contrast to the original seats, which lack crush zones and can shear suddenly under extreme loading conditions.
- Seat Track Compatibility: These seats are designed to fit into a medium-strength Brownline-style cargo and seat track, which is stronger than the original Cessna Trails. The seat track has a load capacity rating of 4,500 lbs and provides additional cargo tie-down points. An STC (Supplemental Type Certificate) for the seat track installation (JAARS STC SA1335SO) is required before installing these seats.



STANDARD EQUIPMENT

- Crew Seat Adjustability: The crew seats are adjustable in terms of height, back angle, and fore & aft positioning. This adjustability allows for a more comfortable and customizable seating experience for the crew.
- Safety Belts: All seats come equipped with an AmSafe 4-point shoulder harness/belt assembly. The lap-belt portion attaches to the seat frame, while the shoulder harness attaches to an installed hard point in the cabin ceiling. This enhances passenger safety during flight.
- **Cargo Anchoring**: Additional cargo anchor plates are installed on the cabin walls and ceiling, facilitating the secure transport of various cargo loads. This enhances the aircraft's versatility for both passenger and cargo operations.
- **Usability**: These modifications enhance the usability of the aircraft. It can be configured in an all-cargo layout, an all-passenger layout, or a combination of both. The foldable design of the passenger seats allows for convenient storage when not in use.
- **Seat Weights** (fully upholstered with shoulder harness assemblies):
- Crew Seats: 20.7 lbs (9.4 kgs) each, which is 5.5 lbs lighter than articulating Cessna crew seats with seat belts.
- Middle Passenger Seats: 13.5 lbs (6.1 kgs) each, which is 3 lbs lighter than Cessna 2nd row seats with seat belts.
- Aft Passenger Seats: 12.0 lbs (5.5 kgs) each, which is the same weight as the Cessna 3rd row seats with seat belts.



1850EX Overview

October 2023

1850EX

\$300,000 Cyclone 1850EX Kit only (Plus options)

Experimental Homebuilt Amateur Built Aircraft

The aircraft is delivered as a kit to you, additional equipment may be purchased from the Bushliner 1850 Equipment Selection Guide, or you may source your own. Any non-bushliner packages are the customers responsibility to determine applicability.

The 1850EX is perfect for the experienced builder or mechanic with similar experience and has an estimated completion time of 1,000 hours plus or minus depending on skill and approach.

All orders for additional equipment are due 12 months prior to your delivery window.



Aircraft will arrive in green primer with standard equipment

1850FX Overview

1850FX

\$512,000 Cyclone 1850FX including FAB program

Experimental Factory Amateur Built Aircraft

The aircraft is completed at a Bushliner facility with limited owner participation as required by the FAA. The owner will not be required to perform complex or high risk tasks that can affect the quality of the end product.

This requires selections of equipment from the 1850FX Equipment Selection Guide. If a selection is not made, the default option is shown in **green**.

All selections are due 12 months prior to your delivery window.

FAB Program

With the Bushliner FAB program the owner will learn not only how to complete the remaining 51% of tasks required, but gain additional experience that makes them a more knowledgeable and safer aircraft owner and pilot.

Owner's will be required to attend two five day visits to complete their aircraft. One visit will be pre-paint and will focus on fabrication and structural assembly.

The second visit will focus on finishing the aircraft, installing the engine, doors, wings.

EQUIPMENT SELECTION GUIDE

Firewall Forward Options

- □ \$132,332 Lycoming IO-580 Engine Package
- ✓ 315+ Horsepower normally aspirated.
- ✓ Dual Exhaust.
- ✓ Lycoming Electronic Ignition
- ✓ Sky-Tec Starter
- √ 14V EarthX Battery



EQUIPMENT SELECTION GUIDE

Engine Add-Ons

\$1,618.00 Engine & Cabin Pre-Heater for Lycoming Engines
\$25,560 Supercharger- Normalizes to 8,000'- Four Blade Propeller Recommended

- □ Thunderbolt Engine Upgrade
- □ LY-CON Performance Tune

THUNDERBOLT- Lead times expected to exceed 36 months. We recommend taking delivery and upgrading to a thunderbolt at the time of overhaul.

PROPELLERS

□ \$26,678 MT 3 Blade Expension	edition
---------------------------------	---------

- □ \$35,084 MT 3 Blade Expedition + Reverse
- □ \$39,106 MT 4 Blade Expedition
- □ \$48,750 MT 4 Blade Expedition + Reverse

October 2023

Page 19

EQUIPMENT SELECTION GUIDE

Landing Gear Note: Gearbox beef-up pre installed. Includes tail spring.

- □ \$32,868 7" Extended Titanium landing gear (Includes titanium tail spring)
- □ \$22,368 Shock Monster All-Terrain Suspension (Includes titanium tail spring)

Tailwheel

- □ \$2,009 10" Tailwheel by Airframes Alaska
- □ \$3,109 Baby Bushwheel by Airframes Alaska
- □ \$5,408 10" Tailwheel by TLGW
- ☐ \$6,074 14" Tailwheel by TLGW



Tires Note: Gross weight of 26" and 29" tires is 3,600LBS, other sizes may limit aircraft gross weight.

- ☐ 8.50 X 6 Goodyear
- □ \$3,850 26" Alaskan Bushwheels (HT)
- ☐ \$4,320 29" Alaskan Bushwheels (HT)
- □ \$4,600 31" Alaskan Bushwheels (HT) (Caution, gross weight limited to 3,000 LBS)

Rushliner October 2023 Page 20



EQUIPMENT SELECTION GUIDE

Wheels & Brakes (Required for 1850FX)

□ \$5,823 Beringer Wheels and Brakes (Includes axels, parking brake and master cylinders)

Select Color

Navy Blue

- ☐ \$0 Black (Secondary Default)
- ☐ \$0 Red (Primary Default)
- □ \$550 Orange
- ☐ \$550 Electric Blue
- ☐ \$550 Yellow
- □ \$550 Forest Green
- □ \$550 Purple





EQUIPMENT SELECTION GUIDE

Shipping and installation is not included in the purchase of skis & floats.

Floats

- □ \$125,000 Aerocet amphibious 3400 floats.
- □ \$60,000 Aerocet straight3500L floats.



Skis

- □ \$6,750 L3000 Airglass straight ski.
- ☐ \$22,125 LH4000 Airglass hydraulic ski
- □ \$2,700 Hydraulic Pump for LH4000



EQUIPMENT SELECTION GUIDE

Wings (Includes Vortex Generators)

- ☐ \$600 Standard Sportsman wingtips
- ☐ \$2,700 Quasar LED wingtips
- ☐ \$5,775 Slats
- ☐ (Pending) Extended Wing Tips
- □ \$12,563 Speedbrakes

Lighting

- □ \$5,572 AeroLED's Nav, Strobe, Beacon, Landing and Taxi lights in each wing.
- □ Quasar LED wingtips (see wing section to select if desired)

Cabin & Airframe

- ☐ \$7,000 Rear Skylight
- ☐ \$650 Rosen sun visors with third axis
- ☐ \$1,995 Seaplane brace wires



FINISH & TRIM

Exterior Paint Scheme (Pattern of paint lines)

Note: N Number will replace scheme name on fuselage.

Pricing is based on colors and complexity. Grays/ Whites are the least expensive, while metallics and reds cost significantly more. Additionally deeper colors weigh more than yellow and white shades.

- ☐ \$15,000 Glacier
- ☐ \$15,000 Denali
- □ \$17,000 Yellowstone
- ☐ \$19,000 Mojave
- □ \$22,000 MOAB (Mother of all Bushliner's) (Special edition, requires Supercharger engine package, speedbrakes, and reversing propeller.)
- ☐ Existing scheme with custom colors (Material costs may vary)
- □ \$1,000 Custom scheme design; see following pages, (material and additional customizations may vary final price, scheme design due separate to other payments, revisions included, price per scheme)







GLACIER
Gamma Gray P1234
Crevasse Teal CAS419BL




DENALIFighter Blue P6155
Flag Blue P6203



YELLOWSTONE
Tuscany Yellow CAS1012BL
Satin Black CAS1001BL



MOJAVE
Prominent Orange 751494
Phantom Gray Pearl 816046




CUSTOM SCHEME & COLORS

Please draw your design and we will have one of our specialists intemperate the intent and design your scheme. Additional fees may apply.

Col	or	1	code	







Seat Color

Seat frames are black and non-changeable. Standard upholstery shown is included in the FAB cost.

- ☐ Charcoal/Black (not shown)
- □ Blue/Charcoal/Gray
- □ Charcoal/ Red
- □ Orange/Charcoal/Gray
- □ Charcoal/ Gray
- □ Custom colors (Options presented by upholstery shop) (Cost may vary)

Seat Options

- □ \$14,500 Add rear folding seats- upholstered (1850FX)
- □ \$8,000 Add rear folding seats not upholstered (1850EX)
- □ (Pending) Third row seating
- □ (Pending) Add heated seats to pilot seats



FINISH & TRIM

Seatbelt Color

Seatbelts are four-point shoulder harnesses.

- □ \$0 Standard Black
- □ \$300 Custom Color (per seat)

Example colors shown below.

Additional colors are found here: https://basinc-aeromod.com/color_swatches.php

Please write in color code: _____ Apply to ____ Seats Total \$_____










ZOLAT®NE®


20 Series Multicolor



Recommended Base Color for each 20 Series follows the Product Name and number; i.e. White/White #20-11 - Gray

Also available as custom orders with a minimum batch of 25 gallons.

Note: Available in gallons or quarts with minimum batch order.



FINISH & TRIM

Interior Paint (Zolatone)

Elevate Your Aircraft Interior.

Zolatone is not just any paint; it's a masterpiece in itself. Crafted from 100% acrylic, this innovative paint is a textured blend of captivating shades and layers of colored particles. It's more than just paint; it's a transformation for your interior spaces.

As experts in aircraft interiors, we understand the importance of quality and aesthetics. That's why we choose Zolatone. For aircraft, the #1 choice and highly praised color is "Lilth Charcoal." This elegant hue appears as a deep black or dark gray, but it has lighter flakes that work their magic, reflecting enough light to keep your cabin bright and inviting.

Easy Maintenance and Touch-Up

Life happens, and sometimes your walls bear the brunt of it. No need to worry. Zolatone is not just a pretty face; it's practical too. When the inevitable scratch or blemish appears, Zolatone makes touch-up a breeze. Your interior will stay as stunning as the day it was painted.

	Lilth Charcoal #20-59 (Recommended)
П	Custom Color please write in color code:

FINISH & TRIM

Flooring type and Color

- □ BALTIMORE OPUS- AVM 282 G (Vinyl)
- □ Iron Mountain AV163-998 (Carpet)





□ Custom material please write in code: _____ (cost may vary)

A full list of available materials is available here:

Vinyl: https://douglassinteriorproducts.com/product-category/aviation/aviation-batiflex-flooring-by-gerflor/

Carpet: https://douglassinteriorproducts.com/product-line/color-study-30/

Other: https://douglassinteriorproducts.com/product-line/av155/



FINISH & TRIM

Instrument Panel Color

- □ Forged Charcoal (Recommended)
- □ Black Jack
- □ Sandbox
- □ Custom Color please write in color code: _____



Additional colors are found here: https://superioraircraftcomponents.com/superior-premium/

Custom luxury panels available on request for more intricate designs.

Please write in color code: _____

Note: Glareshield will match seat upholstery.





Avionics

If avionics are updated we will automatically upgrade you to the latest edition if possible. Additional costs may occur.

Standard Equipment- All Nav Packages

- ✓ PFD Garmin G3X GDU 460
- ✓ Audio Panel GMA245R
- ✓ NAV/COM/GPS/WAAS #1 GTN750XI
- √ Transponder GTX 45R
- ✓ EFIS GARMIN G5
- ✓ Autopilot GFC500 with Pitch, Roll, and Yaw
- ✓ Garmin Engine Monitoring
- ✓ GSB 15 DUAL A & C
- ✓ Heated GAP-26 Pitot Tube
- ✓ SMART GLIDE AND TO/GA BUTTON



GARMIN NAV III WITH MFD \$99,000



Antennas

- ✓ DUAL GPS/ VHF ANTENNA
- ✓ COMANT VOR/LOC/GS ANTENNA
- ✓ COMANT DME / TRANSPONDER ANTENNA
- ✓ GA 57X (GDU 455/465 Only)

Equipment Selection:

- ☐ \$79,000 Garmin Nav I
- □ \$94,000 Garmin Nav II NAV/COM/GPS/WAAS #2 GTN650XI
- □ \$99,000 Garmin Nav III NAV/COM/GPS/WAAS #2 GTN750XI
- □ \$-4,820 REMOVE MFD G3X GDU 460 (Included in pricing shown)
- ☐ \$2,255 Artex ELT 1000 with antenna USA
- □ \$2,553 Artex ELT 1000 with antenna International
- □ \$779 Sirius XM/ Weather
- ☐ \$335 AOA indicator





GARMIN NAV II WITH MFD \$94,000

GARMIN NAV I WITH MFD \$79,000



REGISTRATION

Registration (1850FX Only)

United States N Registrati	ion
Canada	
Other	_ (Additional fees may apply)

Custom N Number

If a custom N Number is desired you may request up to three numbers for consideration at the FAA website. The acquisition and renewal of a custom N Number is your responsibility.

No custom N number
I own a custom N number and it is

FAA Statement:

A special registration number is an N-Number that you select from the <u>List of Available N-Numbers</u> for immediate use on a specific aircraft or to reserve in your name for future use. The fee for reservation or assignment of a Special Registration Number is \$10.00. Special registration numbers may be:

- used to change the N-Number currently on your aircraft.
- assigned to a new home-built, import, or newly manufactured aircraft in preparation for registering that aircraft.
- reserved for one year. Upon reservation, we will mail a confirmation notice to the
 requester. A renewal notice will also be sent prior to the expiration date. An <u>on-line</u>
 <u>reservation request program</u> is available. Reservations may be renewed for additional
 periods of one year. The renewal fee is \$10 each year. An <u>on-line renewal program</u> is
 available.

PURCHASING

PAYMENT STRUCTURE

CASH OPTION

\$300,000 BASE + OPTIONS.

START DEPOSIT \$30,000

FABRICATION
12 MONTHS PRIOR
\$135,000+ OPTIONS

ON DELIVERY 1850 EX OR FX \$135,000

FINANCING OPTION

FINANCING EXAMPLE BASED ON \$800,000 TOTAL PRICE- 1850FX ONLY.

START DEPOSIT \$30,000

FABRICATION
12 MONTHS PRIOR
130k DOWN (20%)
\$3,960/ MONTH.

ON DELIVERY 60 PAYMENTS \$7,150/ MONTH PAYOFF OR REFINANCE





REGISTRATION



Bushliner Aircraft LLC. reserves the right to change suppliers or add, modify or discontinue options without prior notice. Optional equipment must be selected 12 months prior to scheduled delivery date if shipment with the kit or installation during FAB desired. Selection of options may affect the weight and balance of the aircraft. Installation of equipment not offered for purchase in this document will not be performed by Bushliner Aircraft. Sales are subject to the Bushliner Aircraft Terms and Conditions.

Should more detailed information be required, it can be obtained by contacting:

Bushliner Aircraft Company E-Mail: sales@bushliner.com

