



TECHNICAL INFO

	3' X 6' PORTABLE	4' X 6' PORTABLE	3' X 6' HANGING	4' X 6' HANGING	
APPLICATION	Residential & Commercial				
FUNCTION	An aid to encourage physical/social distancing				
MOUNTING	Anchor to floor or anchor to floor and wall		Hang from overhead surface		
WEIGHT PANEL FRAME ¹	13 lbs.	15 lbs.	10.6 lbs.	11.8 lbs.	
WEIGHT VINYL PANEL	2.9 lbs.	3.6 lbs.	2.9 lbs.	3.6 lbs.	
WEIGHT SINGLE POST	4.7 lbs.		N/A		
WEIGHT QUAD POST	8.3 lbs.		N/A		
WEIGHT WALL BRACKET	3.3 lbs.		N/A		
MATERIAL (VINYL)	Clear UnsupportedFire Resistance: B1,	 SUPERCLEAR™ – 2000 20 Gauge Clear Vinyl Clear Unsupported Polyvinyl Chloride. (20mil Spec. ASTM D 751) (.50mm Spec. DIN53352) Fire Resistance: B1, B2, NFPA-701 Temp. Resistance -5ºF ~ 122ºF (Test Spec. FS5874) 			
MATERIAL (ALUMINUM)	6000-series aluminum				
FINISH (ALUMINUM)	Mill finish or black powder coat				
WARRANTY	30-day Limited (please visit www.ezaccess.com for complete warranty details)				

¹ Panel frame includes vinyl panel, panel tubes, and angle tube supports for portable partion or tube support flat bars for hanging partition.





IMPORTANT: The weights and dimensions shown throughout this document are intended for reference only; they are approximate and subject to change. Please consult EZ-ACCESS for certified drawings. Refer to instruction manual for complete information on rated load and proper usage.



