



The Luxury Vinyl.

LVT, the world's fastest growing flooring, offers great value, is quick to install and even easier to maintain.



Belgotex™



B

Contents.

What is LVT	10 - 11
LVT Benefits	12 - 13
Why Belgotex LVT	14 - 15
LVT Growth and Trends	16 - 17
LVT Types	18 - 19
Residential vs Commercial	20 - 21
LVT Collections	22 - 49
LVT Care	50 - 51
FAQ	52 - 53

B





**The
Luxury
Vinyl.**

**Considering the past, we imagine a bolder
future, visiting places of wonder in order to
create a range that broadens perspectives
and challenges worldviews.**

**Luxury
Vinyl
Statement.**



Luxury Vinyl Tiles: Morphic



01 What is LVT?

Part of Belgotex’s Specialised Products Division, luxury vinyl tiles (also known as luxury vinyl planks or LVP) is the fastest growing flooring category in the world.

Boasting the natural good looks of wood, marble, concrete, terrazzo and ceramics with the technical superiority of vinyl, this enhanced floorscape is unrivalled in its durability, value and performance.

Mimicking traditional floors at a fraction of the cost and with less maintenance required, LVT is available in a range of shapes, sizes and effects, allowing homeowners the freedom to create their own authentic looking décor schemes.

02
LVT
Benefits.

Cheaper, softer, quieter and more resilient than traditional flooring.

- **Cost Effective:** LVT is a cheaper option than traditional wood or engineered floors.
- **Long Lasting:** If properly maintained, your floors will last you a lifetime.
- **Endless Options:** With so many sizes and designs to choose from, LVT offers something for everyone.
- **Natural Good Looks:** Innovation in the category through advanced technology makes realistic finishes possible.
- **Simple to Install:** Fast and simple, and can be used immediately after installation. Trust our certified installers to lay your floor the way you want it. Easy application makes popular chevron and herringbone parquet styles possible.
- **Waterproof:** LVT overcomes the handicap of parquet and laminates, and is the ideal flooring option for areas exposed to water like bathrooms and kitchens.
- **Soft and Silent:** LVT emits little to no noise compared to ceramics and other hard floors and is softer, too.
- **Easy to Clean:** As simple as ceramics – just sweep or vacuum. See our care section for more details.
- **Hard Wearing:** A protective wear layer stands up to dents, scratches and stains, while a fibreglass scrim and thicker wear layer provides added durability. This serves to protect the integrity of the product in heavy traffic environments.





03 Why Belgotex LVT?



Belgotex LVT is engineered for stability, durability, resilience and comfort.

Because our high-quality, trend-led flooring is manufactured from virgin PVC, it eliminates any impurities and improves the structural integrity of the product. Belgotex's virgin PVC is rigorously tested with safety, superior density and heat resistance guaranteed.

Although recycled materials are cheaper, they contain hazardous by-products and heavy metals that are harmful to our health. They also fail in climates like ours where the product quickly loses its integrity, with a reduced mass density, dimensional stability and joint strength.

Luxury Vinyl Tiles: Terrazzi



04 LVT Growth and Trends.

Traditional flooring is bulky, costly and difficult to maintain. Laminates mimic these materials in looks, but can't meet their performance. LVT offers the realistic looks of wood, stone, terrazzo or marble, at a fraction of the cost, and with practical benefits that include superior wear, especially in wet areas, along with endless design possibilities.

The product's ease of maintenance makes it especially resilient in commercial areas and homes with children and pets. It's also warmer underfoot and softer than traditional materials. These factors have made LVT the go-to option and the fastest growing choice in flooring today.

The success of vinyl has come from the expense of natural/exotic engineered wood options, which are bulky and extremely costly. From there the market moved onto laminates, which allowed for a wood-look at a fraction of the cost, however, these didn't perform well in wet areas due to not being waterproof and made an unnatural sound when walked on.

Manufacturers have mastered the art of imitation. With stunning graphics and detailed embossing there are now LVT products nearly identical to the premium materials they mimic. Belgotex LVT looks the same as wood, parquet, marble, stone and terrazzo, each of which is available in numerous designs and colour variations, so that no matter your style, there's an LVT for you.

Numerous lay options allow users to create unique looks, while the oversized product shows fewer join lines. The versatility of the product means that it's not limited to floors and can even be used to clad walls. With traditional neutrals and so many colours to choose from, as well as how LVT works seamlessly with our commercial carpet tiles, designers can create fun patterns or colourful paths to aid in wayfinding. Mix natural with modern, subtle with bold, or any other out-of-the-box design to create a look that's truly yours.

Manufacturers have mastered the art of imitation. With stunning graphics and detailed embossing there are now LVT products nearly identical to the premium materials they mimic.




Luxury Vinyl Tiles: Sylvan



05 Types of LVT.


01. Stick Down

The stick down range is our most popular. Easy to install and maintain and available in a wide variety of colours and sizes, it can be further personalised using different laying styles and colour combinations.



02. Rigid Board

Our rigid board is a glue-less option that allows for installation over ceramic tiles. It's also a good option for those who may want something a little less permanent.






06
Residential vs
Commercial LVT.



Luxury Vinyl Tiles: Sylvan

Both our residential and commercial products are made from high-quality materials and are guaranteed to meet your needs.

The difference is in the wear layer, where a commercial product is thicker in order to offer more protection for large amounts of continuous traffic. While you could install commercial flooring in your home, you would be paying a premium for a product designed for a mall, which far exceeds the requirements for home use.



07
LVT
Collections.

Luxury vinyl tiles offer the natural good looks of traditional flooring, but with more practical benefits and available in a range of shapes, sizes and effects. The fastest-growing category in flooring internationally, our LVT is now available for you to create an authentic-looking floor in your home.




Luxury Vinyl Tiles: Hardwood


Bayport.

This luxury vinyl plank collection draws its inspiration from the refined elegance of natural wood and is designed for heavy residential use. Mimicking the tranquility of nature, these vinyl planks create an ambient environment and guarantee ease of maintenance for modern living.

Product Colourways



Burnished




Debark




Decking




Hornbeam




Lattice



Louvre




Sanded



Veneer

Plank Size



Extended Specifications

Type of Installation	Dry Back (Stick Down)
Application	Heavy Residential
Wear Layer Thickness	0.3mm
Overall Thickness	2mm
Plank Size	1219.2mm x 177.8mm (l x w)
Quantity Per Box	4.34m ²
Number of Planks	20 planks per box
Fire Resistance	Bfl-s1 (EN 13501-1)
Stain & Chemical Resistance	Excellent (EN 423)
Abrasion Resistance	Group T (EN 660)
Slip Resistance	> 0.3 (EN 13893)
VOC Tested	Floorscore SCS-FS-03336
Castor Chair	Pass (EN 425)

NOTE: Use soft, non-staining wheels






Luxury Vinyl Tiles: Charleston

Charleston.

The beauty of the forest is intrinsically captured in the Charleston luxury vinyl plank tile range from Belgotex. Charleston creates a beautiful wood-look floor setting, without the noise, cost or cleaning concerns of real wood.

Plank Size



Product Colourways




Boxwood

Canarywood

Kingwood

Extended Specifications

Type of Installation	Dry Back (Stick Down)
Application	Heavy Residential
Wear Layer Thickness	0.3mm
Overall Thickness	2mm
Plank Size	1219.2mm x 182.88mm (l x w)
Quantity Per Box	3.34m ²
Number of Planks	15 planks per box
Fire Resistance	B(f)-s1 (EN 13501-1)
Stain & Chemical Resistance	Excellent (EN 423)
Abrasion Resistance	Group T (EN 660)
Slip Resistance	> 0.3 (EN 13893)
VOC Tested	Floorscore SCS-FS-03336
Castor Chair	Pass (EN 425)



Leadwood

Partridgewood

Tulipwood




Verawood

NOTE: Use soft, non-staining wheels

Davenport.

Davenport is a combination of rustic tones and textures, which makes it the perfect product for any commercial installation that requires performance as well as aesthetic appeal. These latest colour and texture trends are not just for show, and are backed by a 0.55mm wear layer which means it will perform in heavy commercial areas as well as look great in any home.

Plank Size




Extended Specifications

Type of Installation	Dry Back (Stick-Down)
Application	Heavy Commercial
Wear Layer Thickness	0.55mm
Overall Thickness	3mm
Plank Size	1219.2mm x 184.15mm (l x w)
Quantity Per Box	3.37m ²
Number of Planks	15 Planks Per Box
Abrasion Resistance	Group T (EN 660)
Fire Resistance	Bfl-s1 (EN 13501-1)
Stain & Chemical Resistance	Excellent (EN 423)
Slip Resistance	> 0.3 (EN 13893)
VOC Tested	Floorscore SCS-FS-03336
Castor Chair	Pass (EN 425)

NOTE: Use soft, non-staining wheels



Product Colourways





Fortitude.

For customers who demand more than the typical wood designs, Fortitude offers an elegant old-world eloquence with depth, strength and resilience. Fit for finer living, these floors are now ready to rule your great rooms.


Luxury Vinyl Tiles: Fortitude



Product Colourways




Amina



Asantewa




Makeda



Nefertiti

Plank Size



Extended Specifications


Type of Installation	Dry Back (Stick Down)
Application	Heavy Commercial
Wear Layer Thickness	0.55mm
Overall Thickness	2.5mm
Plank Size	1516.9mm x 228.6mm (l x w)
Quantity Per Box	3.47m ²
Number of Planks	10 planks per box
Chemical Resistance	YES (EN 26987)
Fire Classification	Bfl-s1 (EN 13501)
Slip Resistance	DS-R10 (DIN 51130)
Residual Indentation	< 0.1mm (EN 24343)
Thermal Conductivity	0.091 W/m*K (EN 12664:2001)
Electrostatic Behaviour	0.1 kV (EN 1815)
Dimensional Stability	≤ 0.25% (EN 23999)
Colour Fastness	m > 6 Grade (ISO 105-B02)
Sound Absorption	Approx. 3dB (EN 10140)
Castor Chair	Yes, Type W (EN 4918)

NOTE: Use soft, non-staining wheels


Hampton.

Situated in the heart of the Mid-Atlantic, Hampton is a unique city with an old soul and a youthful spirit. It is surrounded by breathtaking rivers, tidal wetlands and expansive state forests. People love Hampton for its innate beauty and textural vibrancy, for the quality of its produce, the depth and diversity of its history, and the heart of its people.


Product Colourways




Buck Eye




Claro Walnut




Lebbeck



Longleaf Pine




Norway Maple



Rock Elm




Santos Rosewood



Zircote


Plank Size




Extended Specifications

Type of Installation	Dry Back (Stick Down)
Application	Heavy Residential
Wear Layer Thickness	0.3mm
Overall Thickness	2mm
Plank Size	1219.2mm x 182.88mm (l x w)
Quantity Per Box	3.34m ²
Number of Planks	15 planks per box
Fire Resistance	B(f1)-s1 (EN 13501-1)
Stain & Chemical Resistance	Excellent (EN 423)
Abrasion Resistance	Group T (EN 660)
Slip Resistance	> 0.3 (EN 13893)
VOC Tested	Floorscore SCS-FS-03336
Castor Chair	Pass (EN 425)

NOTE: Use soft, non-staining wheels






Luxury Vinyl Tiles: Hardwood



Hardwood.

The depth of choice offered by one of the most commonly used materials in the world, has seen different varieties of hardwood trees used for everything from the ark to modern architecture.

Plank Size



Product Colourways



Alder

Ash

Beech

Extended Specifications

Type of Installation	Rigid Board Click
Application	Heavy Commercial
Wear Layer Thickness	0.55m
Overall Thickness	6mm
Plank Size	1517.6mm x 234.9mm (lxw)
Quantity Per Box	2.14m ²
Number of Planks	6 planks per box
Micro Scratch Resistance	Passed (EN 16094)
Effect of Furniture Leg	Passed (EN 424)
Fire Classification	Bfl-s1 (EN 13501)
Slip Resistance	Passed (EN 13893)
Residual Indentation	Passed (EN 24343)
Electrostatic Behaviour	Antistatic (EN 1815)
Dimensional Stability	Passed (EN 23999)
Sound Insulation	Passed (ASTM 492-09)
Castor Chair	Passed (EN 425)



Jarrah

Maple

Oak



Poplar

Walnut

NOTE: Use soft, non-staining wheels

Hilton.

Paying tribute to the raw beauty of nature, this wood-look luxury vinyl plank collection is designed for medium-traffic areas in the residential space. The soft acoustic benefits of these vinyl planks create an ambient environment and guarantee ease of maintenance for modern living.


Luxury Vinyl Tiles: Hilton




Product Colourways




Argan



Cassia




Nutmeg



Wattle

Plank Size



Extended Specifications

Type of Installation	Dry Back (Stick Down)
Application	Medium Residential
Wear Layer Thickness	0.15mm
Overall Thickness	2mm
Plank Size	1219.2mm x 177.8mm (lxw)
Quantity Per Box	4.34m ²
Number of Planks	20 planks per box
Fire Resistance	Bfl-s1 (EN 13501-1)
Stain & Chemical Resistance	Excellent (EN 423)
Abrasion Resistance	Group T (EN 660)
Slip Resistance	> 0.3 (EN 13893)
VOC Tested	Floorscore SCS-FS-03336
Castor Chair	Pass (EN 425)

NOTE: Use soft, non-staining wheels



Morphic.

Marble is rock that has undergone transformation by heat or pressure. Taking inspiration from this, we created a luxury vinyl tile that's able to elevate any room. Transform your space into a testament to good taste using these four stunning colours, each of which bear the unique and rich diversity of marble.


Product Colourways



Makrana



Markina




Nehodiv



Wunsiedel


Tile Size



Extended Specifications

Type of Installation	Dry Back (Stick Down)
Application	Heavy Commercial
Wear Layer Thickness	0.55mm
Overall Thickness	2.5mm
Tile Size	1000mm x 500mm (l x w)
Quantity Per Box	4.0m ²
Number of Tiles	8 tiles per box
Chemical Resistance	YES (EN 26987)
Fire Classification	Bfl-s1 (EN 13501)
Slip Resistance	DS-R10 (DIN 51130)
Residual Indentation	< 0.1mm (EN 24343)
Thermal Conductivity	0.091 W/m*K (EN 12664)
Electrostatic Behaviour	0.1 kV (EN 1815)
Dimensional Stability	≤ 0.25% (EN 23999)
Colour Fastness	m > 6 Grade (ISO 105-B02)
Sound Absorption	Approx. 3dB (EN 10140)
Castor Chair	Yes, Type W (EN 4918)

NOTE: Use soft, non-staining wheels






Luxury Vinyl Tiles: Penninsula




Penninsula.

As leaders of change in the flooring industry, Belgotex knows how important it is to create new products inspired by nature, that help you improve your life. That's why we've introduced Penninsula, an innovative vinyl product that is perfect for any contemporary setting.

Plank Size



Product Colourways




Bolivian Rosewood

Brazilian Cherry

Caribbean Pine

Extended Specifications


Type of Installation	Dry Back (Stick-Down)
Application	Heavy Commercial
Wear Layer Thickness	0.55mm
Overall Thickness	3mm
Plank Size	1500mm x 230mm (l x w)
Quantity Per Box	4.14m ²
Number of Planks	12 Planks Per Box
Abrasion Resistance	Group T (EN 660)
Fire Resistance	Bfl-s1 (EN 13501-1)
Stain & Chemical Resistance	Excellent (EN 423)
Slip Resistance	> 0.3 (EN 13893)
VOC Tested	Floorscore SCS-FS-03336
Castor Chair	Pass (EN 425)



Cherrybark Oak

Gray Birch

Mulberry



Oriental Wood


Yellow Meranti

NOTE: Use soft, non-staining wheels


Portland.

Because we believe in the beauty of wood without the cost to nature or your pocket, Belgotex has launched a highly durable vinyl flooring plank range with an ultra-realistic wood look. Portland features a natural wood grain texture in straight, curly or wavy grain patterns, and even the occasional band-sawn effect, which adds warmth, depth and authenticity.


Product Colourways



Basswood




Brownheart




Holm Oak




Lancewood




Marblewood



Pacific Yew




Queensland Maple



Tamo Ash


Plank Size



Extended Specifications

Type of Installation	Dry Back (Stick Down)
Application	Heavy Residential
Wear Layer Thickness	0.3mm
Overall Thickness	2mm
Plank Size	1500mm x 230mm (lxw)
Quantity Per Box	4.14m ²
Number of Planks	12 Planks Per Box
Abrasion Resistance	Group T (EN 660)
Fire Resistance	Bfl-s1 (EN 13501-1)
Stain & Chemical Resistance	Excellent (EN 423)
Slip Resistance	> 0.3 (EN 13893)
VOC Tested	Floorscore SCS-FS-03336
Castor Chair	Pass (EN 425)

NOTE: Use soft, non-staining wheels



Sylvan.

There's a strong relationship between the properties of wood and the tree that yielded it. These eight colours all bear the mythical beauty of the forest – minus the cost to nature and your pocket. Delivering comfort and elegance to every room in your home needn't be a fairy tale, because you deserve to live happily ever after.

Luxury Vinyl Tiles: Sylvan



Product Colourways




Extended Specifications

Type of Installation	Dry Back (Stick Down)
Application	Heavy Commercial
Wear Layer Thickness	0.55mm
Overall Thickness	2.5mm
Plank Size	1219.2mm x 177.8mm (l x w)
Quantity Per Box	3.25m ²
Number of Planks	15 planks per box
Chemical Resistance	YES (EN 26987)
Fire Classification	Bfl-s1 (EN 13501)
Slip Resistance	DS-R10 (DIN 51130)
Residual Indentation	< 0.1mm (EN 24343)
Thermal Conductivity	0.091 W/m*K (EN 12664)
Electrostatic Behaviour	0.1 kV (EN 1815)
Dimensional Stability	≤ 0.25% (EN 23999)
Colour Fastness	m > 6 Grade (ISO 105-B02)
Sound Absorption	Approx. 3dB (EN 10140)
Castor Chair	Yes, Type W (EN 4918)

NOTE: Use soft, non-staining wheels

Plank Size





Luxury Vinyl Tiles: Slab




Slab.

Unapologetic in its authenticity, this modern and formidable collection comprising three colours has been created for creators to build their dream décor schemes on, from the ground up. Like concrete, the most commonly used construction material due to its reliability, this range speaks to strength, permanence and hard-wearing reliability.

Product Colourways



Cement




Sand



Stone

Tile Size



Extended Specifications

Type of Installation	Dry Back (Stick Down)
Application	Heavy Commercial
Wear Layer Thickness	0.55m
Overall Thickness	2.5mm
Tile Size	500mm x 500mm
Quantity Per Box	4.0m ²
Number of Tiles	16 tiles per box
Chemical Resistance	YES (EN 26987)
Fire Classification	Bfl-s1 (EN 13501)
Slip Resistance	DS-R10 (DIN 51130)
Residual Indentation	< 0.1mm (EN 24343)
Thermal Conductivity	0.091 W/m*K (EN 12664)
Electrostatic Behaviour	0.1 kV (EN 1815)
Dimensional Stability	≤ 0.25% (EN 23999)
Colour Fastness	m > 6 Grade (ISO 105-B02)
Sound Absorption	Approx. 3dB (EN 10140)
Castor Chair	Yes, Type W (EN 4918)

NOTE: Use soft, non-staining wheels


Terrazzi.

Traditional Terrazzo derives from the 18th century Venetian pavements where marble, quartz, granite or glass chips were mixed into the cement, ground and polished smooth for a uniformly textured surface.

Luxury Vinyl Tiles: Terrazzi




Product Colourways




Milano



Sardegna



Sicilia




Vaticano

Extended Specifications

Type of Installation	Dry Back (Stick Down)
Application	Heavy Commercial
Wear Layer Thickness	0.55mm
Overall Thickness	2.5mm
Tile Size	500mm x 500mm
Quantity Per Box	4.0m ²
Number of Tiles	16 tiles per box
Chemical Resistance	YES (EN 26987)
Fire Classification	Bfl-s1 (EN 13501)
Slip Resistance	DS-R10 (DIN 51130)
Residual Indentation	< 0.1mm (EN 24343)
Thermal Conductivity	0.091 W/m*K (EN 12664)
Electrostatic Behaviour	0.1 kV (EN 1815)
Dimensional Stability	≤ 0.25% (EN 23999)
Colour Fastness	m > 6 Grade (ISO 105-B02)
Sound Absorption	Approx. 3dB (EN 10140)
Castor Chair	Yes, Type W (EN 4918)

NOTE: Use soft, non-staining wheels

Tile Size





08 Caring For Your LVT.

Cleaning Recommendations

- When cleaning your LVT use a soft bristle broom or vacuum cleaner to remove any loose dirt.
- Damp-mop as needed with clean water and a non-abrasive floor cleaner (harsh cleaning chemicals should not be used on LVT).
- Treat spills, spots or stains immediately with a non-abrasive floor cleaner. Remove any residue or moisture after cleaning.
- No wax or polish required.
- Please refer to our full maintenance document for further information on preventative maintenance and further precautions.*

*This information can be found on our website under 'Caring for Your Vinyl'.

By following the correct cleaning recommendations, preventative maintenance advice and further cautions, you can help your LVT floors last a lifetime.



10 Frequently Asked Questions.

How long does LVT flooring last?

LVT is extremely durable, carrying a residential warranty of 15 to 20 years, while the commercial product can last at least 10 years in a heavy commercial setting.

Does thickness matter?


The wear layer matters when considering where the product needs to be installed. Commercial applications require a thicker wear layer, while a thinner wear layer does not result in an inferior product, it simply means that the product has been designed for low traffic residential areas.

Is LVT better than laminate?

Laminates aren't 100% waterproof, and so even spills can result in the chipboard under the product swelling and popping up. Because it's waterproof, LVT is the perfect option for your bathroom, kitchen and the rest of your home.

How well does it wear?

Provided the correct product has been properly installed and regular maintenance is adhered to, you can expect your LVT floors to last you a lifetime.



Luxury Vinyl Tiles: Fortitude

Belgotex South Africa
T: +27 (33) 897 7500
E: info@belgotex.co.za

—
belgotex.co.za

