B_



The Luxury Vinyl.

Vinyl, the world's fastest growing flooring, offers great value, is quick to install and even easier to maintain.

Belgotex[™]

 $\mathsf{B}_{ t t}$

Contents.


What is Vinyl?	08 - 09
Benefits of Vinyl.	10 - 11
Vinyl Growth & Trends.	12 - 13
Why Choose Belgotex Vinyl?	14 - 15
Types of Vinyl.	16 - 17
Residential vs Commercial.	18 - 19
Product Portfolio: LVT.	20 - 47
Product Portfolio: Vinyl Sheeting.	48 - 53
Product Portfolio: Specialist Vinyl	54 - 55
Caring For Your Vinyl.	56 - 57
FAQ	58 - 59



The Luxury Vinyl.

Luxury Vinyl Statement. Considering the past, we imagine a bolder future, visiting places of wonder in order to create a range that broadens perspectives and challenges world views.

09



01.

What is Vinyl?

As a product type, vinyl is the fastest growing flooring category in the world.

Boasting the natural good looks of wood, marble, concrete, terrazzo and ceramics with the technical superiority of vinyl, this enhanced floorscape is unrivalled in its durability, value and performance.

Mimicking traditional floors at a fraction of the cost and with less maintenance required, vinyl is available in a range of options, allowing homeowners the freedom to create their own authentic looking décor schemes.

Benefits of Vinyl

Less expensive, softer, quieter, and more resilient than traditional hard flooring.

Cost Effective: Vinyl is the more economical option than traditional wood or engineered floors.

Long Lasting: While properly maintained, your floors will last you a lifetime.

Endless Options: With so many options to choose from, vinyl offers something for everyone.

Natural Good Looks: Innovation in the category through advanced technology makes realistic finishes possible.


Simple to Install: Fast and simple and can be used immediately after installation. Trust our certified installers to lay your floor the way you want it. Easy application makes popular chevron and herringbone parquet styles possible.

Waterproof: Exposed to splashes and spills, vinyl overcomes the handicap of parquet and laminates, and is the ideal flooring option for areas exposed to water like bathrooms and kitchens.

Soft and Silent: Vinyl emits little to no noise compared to ceramics and other hard floors and is softer, too.

Easy to Clean: As simple as ceramics – just sweep or vacuum. See our care section for more details.

Hard Wearing: A protective wear layer stands up to dents, scratches and stains, while a fibreglass provides added stability. This serves to protect the integrity of the product in heavy traffic environments.



Manufacturers have mastered the art of imitation. With stunning graphics and detailed embossing there are now vinyl products nearly identical to the

premium materials they mimic.

Vinyl Growth

& Trends

03.

Traditional hard flooring is bulky, costly, and difficult to maintain. Laminates mimic these materials in looks, but can't meet their performance. Vinyl offers the realistic looks of wood, stone, terrazzo or marble, at a fraction of the cost, and with practical benefits that include superior wear, especially in wet areas, along with endless design possibilities.

The product's ease of maintenance makes it especially resilient in commercial areas and homes with children and pets. It's also warmer underfoot and softer than traditional materials. These factors have made vinyl the go-to option and the fastest growing choice in flooring today.

The success of vinyl has come from the expense of natural/exotic engineered wood options, which are bulky and extremely costly. From there the market

moved onto laminates, which allowed for a woodlook at a fraction of the cost, however, these didn't perform well in wet areas due to not being waterproof and made an unnatural sound when walked on.

Manufacturers have mastered the art of imitation. With stunning graphics and detailed embossing there are now vinyl products nearly identical to the premium materials they mimic. Belgotex vinyl, available in numerous designs and colour variations, ensure that no matter your style, there's a vinyl option for you.

With traditional neutrals and so many colours to choose from, as well as how our vinyl and carpet ranges work beautifully to compliment each other, which gives you the ability to mix-and-match hard and soft flooring to cater for all your needs.

15




04.

Why Choose Belgotex Vinyl?

Belgotex vinyl is sustainably sourced – we make sure our suppliers share our values.

- We offer a local guarantee on all our products.
- The Belgotex vinyl offering is the widest range available and is stocked locally.
- We offer a broad selection of colour and design options.
- The ranges we source are of high-quality and cater for both the residential and commercial markets.
- We also ensure that our ranges can withstand our harsh climate.
- Belgotex offer clear installation guidelines for optimal installation, and product guarantee.

and product guarantee.



Vinyl Sheeting/ LVT on a Roll. Although commonly known as "lino" or "linoleum" out of habit, this floor covering has grown in leaps and bounds, and the construction is now referred to as "vinyl sheeting" or "LVT on a roll".

Vinyl is a synthetic man-made type of plastic. It is made from ethylene (found in crude oil) and chlorine (found in regular salt). When processed, these substances are combined to form Polyvinyl Chloride (PVC) resin, commonly referred to as vinyl. This product is widely used throughout the construction, medial and vehicle industries.

It also now comes in Compact and Blacktex backings.

Stick-Down LVT

Luxury Vinyl Tiles (LVT)'s are made up of multiple layers starting with a base of PVC topped with a fill layer for thickness and dimensional stability.

The stick down ranges are our most popular. Easy to install and maintain, and available in a wide variety of colours and sizes. It can be further personalised using different laying styles and colour combinations.

Rigid Board LVT


Rigid board vinyl flooring is a vinyl tile that has an enhanced rigid core construction for dimensional stability. A rigid board vinyl is a solid plank that has less pliability, giving it a sturdy feel underfoot.

Our rigid board is a glue-less option that allows for installation over ceramic tiles. It is also a good option for those who many want something a little less permanent.



Vinyl Composite Tile

A Vinyl composite tile is a homogeneous, semi-flexible tile. It is a hard-wearing and stable vinyl tile, ideal for institutions, and is easy to install.



Residential vs Commercial Vinyl

Both our residential and commercial products are made from high-quality materials and are guaranteed to meet your needs.

The difference is in the wear layer, where a commercial product is thicker in order to offer more protection for large amounts of continuous traffic. While you could install commercial flooring in your home, you would be paying a premium for a product designed for a mall, which far exceeds the requirements for home use.

Product Portfolio: LVT

Bayport.

This luxury vinyl plank range draws its inspiration from the refined elegance of natural wood and is designed for heavy residential use. Mimicking the tranquility of nature, these vinyl planks create an ambient environment and guarantee ease of maintenance for modern living.

Specifications

Use Classification: Heavy Residential Dry Back (Stick Down) Type of Installation:

Overall Thickness: 2mm Wear Layer Thickness: 0.3mm

1219.2mm x 177.8mm (l x w) Plank Size:

SQM Per Box: 4.34sqm Quantity of Planks Per Box: 20 VOC Tested: Passed


Certification: Global GreenTag













Heating

20







150 9001

Product Colourways.







Debark Decking

Hornbeam









Lattice Louvre Sanded



Product Colourways.



Boxwood



Canarywood



Kingwood









07.

Product Portfolio: LVT

Charleston.

The beauty of the forest is intrinsically captured in the Charleston luxury vinyl plank range from Belgotex. Charleston creates a beautiful wood-look floor setting, without the noise, durability cost or cleaning concerns of real wood.

Specifications

Use Classification: Heavy Residential Dry Back (Stick Down) Type of Installation:

Overall Thickness: 2mm Wear Layer Thickness: 0.3mm

Plank Size: 1219.2mm x 182.88mm (I x w)

SQM Per Box: 3.34sqm Quantity of Planks Per Box: 15 VOC Tested: Passed









Staircases













Leadwood

Partridgewood

Tulipwood Verawood

Product Portfolio: LVT

Davenport.

Davenport is a combination of rustic tones and textures, which makes it the perfect product for any commercial installation that requires performance as well as aesthetic appeal. These latest colour and texture trends are not just for "show", they are backed up by a 0,55mm wear layer which means it will perform in heavy commercial areas as well as look great in any trendy home.

Specifications

Use Classification: Heavy Commercial

Type of Installation: Dry Back (Stick Down)

Overall Thickness: 3mm

Wear Layer Thickness: 0.55mm

Plank Size: 1219.2mm x 184.15mm (I x w)

SQM Per Box: 3.37sqm
Quantity of Planks Per Box: 15
VOC Tested: Passed



erfloor Heavy







Staircases



Underfloor Heavy Heating Residential

CIAL WAY BANK



Commercial



1 S O 9 0 0 1 1 S O 1 4 0 0 1 1 S O 4 5 0 0 1

Product Colourways.







Luxury Vinyl: Davenport

Breadnut

Chilean Hazel

Gabon Nut





Mockernut



Peanut



Pekea Nut

Soybean



Product Colourways.



Amina

Asantewa





Makeda

Nefertiti

07.

Product Portfolio: LVT

Fortitude.

Inspired by great African Queens, these four powerful designs share an old-world eloquence boasting timeless appeal. The parquet look has been trending internationally for centuries, and the myriad rich patterns will always be the stylish choice. Fit for loyalty, they're now ready to rule your great rooms.

Specifications

Use Classification: Heavy Commercial

Type of Installation: Dry Back (Stick Down)

Overall Thickness: 2.5mm

Wear Layer Thickness: 0.55mm

Plank Size: 1516.9mm x 228.6mm (l x w)

SQM Per Box: 3.47sqm

Quantity of Planks Per Box: 10

VOC Tested: Passed

Certification: Global GreenTag

Note: The herringbone pattern in Nefertiti does not line up. This is part of the product design, and is not a flaw in the product.



Heating



















ISO 900 ISO 1400 ISO 4500

Product

07.

Portfolio: LVT

Hampton.

Situated in the heart of the mid-Atlantic, Hampton is a unique city with an old soul and a youthful spirit. It is surrounded by breath-taking rivers, tidal wetlands, and expansive state forests. People love Hampton for its innate beauty and textural vibrancy, for the quality of its produce, the depth and diversity of its history, and the heart of its people.

Specifications

Use Classification: Heavy Residential Type of Installation: Dry Back (Stick Down)

Overall Thickness: 2mm Wear Layer Thickness: 0.3mm

Plank Size: 1219.2mm x 182.88mm (l x w)

SQM Per Box: 3.34sqm Quantity of Planks Per Box: 15 **VOC Tested:** Passed



Underfloor











Heating







150 9001











Buckeye

Claro Walnut

Lebbeck

Longleaf Pine

Norway Maple

Product Colourways.







Santos Rosewood

Zircote



29



Ash





Alder

Jarrah

Product Colourways.






Beech



Maple Oak

Walnut



07.

Product Portfolio: LVT

Hardwood.

The depth of choice offered by one of the most used materials in the world, has seen different varieties of hardwood trees used for everything from the Ark to modern architecture. Now there's a better way, and for naturally good-looking floors without the noise, cost or maintenance of real wood, each of these designs will add different degrees of warmth and texture to your home.

Specifications

Heavy Commercial Use Classification: Rigid Board Click Type of Installation:

Overall Thickness: 6mm Wear Layer Thickness: 0.55mm

Plank Size: 1517.6mm x 234.9mm (l x w)

2.14sqm SQM Per Box: Quantity of Planks Per Box: VOC Tested: Passed

Certification: Global GreenTag























Product Portfolio: LVT

Hilton.

Paying tribute to the raw beauty of nature, this wood-look luxury vinyl plank range is designed for medium-traffic areas in the residential space. The soft acoustic benefits of these vinyl planks create an ambient environment and guarantee ease of maintenance for modern living.

Specifications

Use Classification: Medium Residential Type of Installation: Dry Back (Stick Down)

Overall Thickness: 2mm Wear Layer Thickness: 0.15mm

Plank Size: 1219.2mm x 177.8mm (l x w)

SQM Per Box: 4.34sqm Quantity of Planks Per Box: 20 VOC Tested: Passed

Certification: Global GreenTag



Underfloor Medium/General









150 9001

Product Colourways.





Argan





Nutmeg

Wattle



33



Product Colourways.



Makrana







Markina

07.

Product Portfolio: LVT

Morphic.

Marble is rock that has undergone transformation by heat or pressure and taking inspiration from this metamorphosis we bring you a luxury vinyl tile that is able to elevate any room. Transform your space into a testament to good taste using these four stunning colours, each of which bear the unique and rich diversity of marble.

Specifications

Use Classification: **Heavy Commercial** Dry Back (Stick Down) Type of Installation:

Overall Thickness: 2.5mm Wear Layer Thickness: 0.55mm

1000mm x 500mm (l x w) Plank Size:

SQM Per Box: 4sqm Quantity of Planks Per Box: VOC Tested: Passed

Certification: Global GreenTag



Underfloor Heating



Heavy Commercial



Suitable for Staircases





150 9001 14001

Wunsiedel

Product Portfolio: LVT

Penninsula.

As leaders of change in the flooring industry, Belgotex knows how important it is to create new products inspired by nature, that help you improve your life. That's why we've introduced Penninsula, an innovative vinyl product that is perfect for any contemporary setting.

Specifications

Use Classification: **Heavy Commercial** Type of Installation: Dry Back (Stick Down)

Overall Thickness: 2.5mm Wear Layer Thickness: 0.55mm

Plank Size: 1516.9mm x 228.6mm (l x w)

3.47sqm SQM Per Box: Quantity of Planks Per Box: VOC Tested: Passed

Certification: Global GreenTag













Staircases





150 9001



Product Colourways.



Arbor





Broadleaf

Cinder



Conifer



Foliage







Sprout



Product Colourways.

Fell





Bole



Bough

Bark

Gnarl



Knot





07.

Product Portfolio: LVT

Portland.

Because we believe in the beauty of wood without the cost to nature or your pocket, Belgotex has launched a highly durable vinyl plank with an ultra-realistic wood-look. Portland features a natural wood grain texture in straight, curly, or wavy grain patterns, and even the occasional banksawn effect, which adds warmth, depth, and authenticity.

Specifications

Use Classification: Heavy Residential

Type of Installation: Dry Back (Stick Down)

Overall Thickness: 2mm
Wear Layer Thickness: 0.3mm

Plank Size: 1516.9mm x 228.6mm (I x w)

SQM Per Box: 4.16sqm

Quantity of Planks Per Box: 12

VOC Tested: Passed

Certification: Global GreenTag





















1 S O 9 0 0 1 1 S O 1 4 0 0 1 1 S O 4 5 0 0 1

Product Portfolio: LVT

Retreat.

We all seek that third place away from the monotony of everyday life, a space to unwind, and feel free. As we look to our homes again as a reclaimed sanctuary, our safe place, we invite the raw tactility and healing energy of nature into our floorscapes. Each step is a step forward, it's time to release and restore.

Specifications

Type of Installation Rigid Board Click Application Heavy Residential Overall Thickness 8160 g/m² Total Mass

Wear Layer 0.3mm

Plank Size 1212.85mm x 177.8mm (l x w) Solid Bac + 1mm IXPE Backing Type

Quantity per Box 2.156m²

Number of Planks 10 Planks Per Box Fire Resistance Bfl-s1 (EN 13501-1)

Group 1 + 2: Grade 5 / Group 3: Grade 4 Resistance To Staining

(EN 438-2)

≤ MSR-A2 / ≤ MSR-B2 (EN 16094) Micro Scratch Resistance

Slip Resistance DS (EN 13893)

VOC Emissions Pass - IAC Gold Certified

Pass (EN 425) (Use soft non-staining wheels) Castor Chair

Effect Of Furniture Leg No Visible Damage (EN 424) 0,056 (m2*K)/W (EN 12664) Thermal Resistance Thermal Conductivity 0,090 (W/m*K) (EN 12664) 0,2 kV Method A (EN 1815) **Electrostatic Propensity**

(Body Voltage Test) ≤ 0,25 % (EN ISO 23999) **Dimensional Stability** 17 dB (EN ISO 10140) Sound Insulation

Short Side: ≥ 3,5 kN/m / Long Side: ≥ 2,0 Locking Strength

kN/m (ISO 24334)

Underfloor Heating Yes, max. 27°C 15 Year Residential Warranty Warranty

Sustainability



Heavy Residential



Staircases



Underfloor Heating



Natural









Product Colourways.



Beach Shack



Bush Bungalow



Charred Larch Cabin



Forest Camp



Hygge Hideaway



Rustic Retreat



Scandi Sanctuary



Product Colourways.



Cement





Stone

Sand

07.

Product Portfolio: LVT

Slab.

Unapologetic in its authenticity, this modern and formidable range comprising three colours has been created for creators to build their dream décor schemes on, from the ground up. Like concrete, the most used construction material due to its reliability, this range speaks to strength, permanence, and trust.

Specifications

Use Classification: Heavy Commercial

Type of Installation: Dry Back (Stick Down)

Overall Thickness: 2.5mm

Wear Layer Thickness: 0.55mm

Plank Size: 500mm x 500mm (l x w)

SQM Per Box: 4sqm
Quantity of Planks Per Box: 16
VOC Tested: Passed

Certification: Global GreenTag











Staircases



Heating







ISO 9001 ISO 14001 ISO 45001

Product Portfolio: LVT

Sylvan.

There is a strong relationship between the properties of wood and the tree that yielded it. These 8 colours all bear the mythical beauty of the forest - minus the cost to nature and your pocket. Delivering comfort and elegance to every room in your home need not be a fairy tale, because you deserve to live happily ever after.

Specifications

Use Classification: **Heavy Commercial** Type of Installation: Dry Back (Stick Down)

Overall Thickness: 2.5mm Wear Layer Thickness: 0.55mm

Plank Size: 1219.2mm x 177.8mm (l x w)

SQM Per Box: 3.25sqm Quantity of Planks Per Box: 15 VOC Tested: Passed

Global GreenTag Certification:











Staircases



Underfloor







150 9001 150 14001

Product Colourways.







Fir



Pine










Whitewood Yew



Product Colourways.



Milano

Sardegna





Sicilia

Vaticano

07.

Product Portfolio: LVT

Terrazzi.

Derived from 18th century Venetian pavements where marble, quartz, granite, or glass bonded in cement and then polished, technological advances in vinyl flooring has made it possible for this range of four colours to exploit the depth, nuance and unique beauty of traditional Terrazzo.

Specifications

Use Classification: **Heavy Commercial** Dry Back (Stick Down) Type of Installation:

Overall Thickness: 2.5mm Wear Layer Thickness: 0.55mm

Plank Size: 500mm x 500mm (I x w)

SQM Per Box: 4sqm Quantity of Planks Per Box: VOC Tested: Passed

Certification: Global GreenTag











Staircases









150 9001 150 14001

Product Portfolio: Vinyl Sheeting / LVT on a Roll

Amble.

A cushion vinyl made for residential applications that boasts up to date designs. The homely and humble range knows exactly how people want to spend time with the floorcovering - at ease - and is an innovative vinyl product that is the perfect choice for the modern home. Offering a smooth, fashionable surface Amble is durable, water resistant and convenient, which makes it a practical flooring solution for kitchens, bathrooms and living rooms. And because cushion vinyl is scratch-resistant and slip proof, it's perfect for families with young children or grandparents.

Specifications

Use Classification: Heavy Residential **Cushion Vinyl Sheeting** Type of Installation:

Overall Thickness: 2.7mm Wear Layer Thickness: 0.25mm **Product Width:** 3m Backing: PowerBac




Underfloor Heating























Suitable for

Staircases



Product Colourways.







Algarve

Chapman Havanna









Laurel

Oakland

776M

Tasmanian -169M

Tasmanian -790M



Product Colourways.





Arbo - 189L

Arbo - 614D

Chalet Oak









994



Natural Oak -226M

08.

Product Portfolio: Vinyl Sheeting / LVT on a Roll

Hartford.

The love and appreciation for the natural beauty of wood is why Belgotex has extended the colour palette of our successful Hartford range of cushion vinyl flooring. Hardwearing, easy to maintain and with excellent warranties, Hartford is the perfect vinyl floorcovering choice for a range of busy modern commercial environments.

Specifications

Heavy Commercial Use Classification: **Cushion Vinyl Sheeting** Type of Installation:

Overall Thickness: 2.25mm Wear Layer Thickness: 0.6mm Product Width: 4m Backing: PowerBac





Heavy

Commercial











Underfloor Heating



Heavy Residential



Staircases





51

Bacterial

Natural Oak -160S

Natural Oak -639M

Natural Oak -936L



947D





Product Portfolio: Vinyl Sheeting / LVT on a Roll

Strut.

Strut is a cushion vinyl made for heavy residential applications and boasting realistic designs. This uncompromising product speaks to confidence in materials and in how it deals with traffic, wear and scuffing. Part of a new generation of ready-to-install flooring, Strut is the perfect choice for the modern home as well as retail and hospitality spaces. Offering realistic reproductions of wood and tile designs available in a sheet, this durable, water-resistant and convenient floor is easy to maintain, comfortable underfoot and soundproof. The cushion vinyl is scratch-resistant and slip proof - perfect for families with young children or grandparents - while the hardy and hygienic PU layer is anti-allergenic, which makes it suitable for people living with allergies or pets.

Specifications

Use Classification: Heavy Residential / Medium

Commercial

Type of Installation: **Cushion Vinyl Sheeting**

Overall Thickness: 2.8mm Wear Layer Thickness: 0.4mm **Product Width:**

Backing: BlackTex Bac



52

Underfloor Heating











Heavy

Residential



Natural

Look



Suitable for



Comfort Bac



Anti-


Bacterial

Product Colourways.

Laurel Oak -

116L







Columbian Oak -649M





Laurel Oak -

669D

Nottingham -



119M



Rockingham -790M



Tasmanian Oak -096L



Texas Oak -136L



Texas Oak -162L




Zinc - 096L



Zinc - 996D







Product Colourways.





Cast Iron

Brute Force

Burly Blue





Endure Green

09.

Product Portfolio: Specialised Vinyl

Gambit.

Gambit is a collection of vinyl floor tiles offering both strength and value to high-traffic commercial spaces. Gambit speaks to the use of the floor in that it delivers a great advantage of resilience and longevity to any establishment. Then, while the applications of the floorcovering may change, as well as the chosen colours and lay patterns, despite its fluid nature, The Robust Vinyl, can always be relied on to offer a sense of security wherever it is used.

Specifications

Heavy Commercial Use Classification: Type of Installation: Vinyl Composite Tile Overall Thickness: 2mm and 2.5mm option

Standard Size: 30cm x 30cm SQM Per Box: 4.5sqm Quantity of Tiles Per Box:

Note: Gambit is also available in 2.5mm total thickness for the following colours: Brute Force, Hard Lead, Ox Brawn, Solid Steel.















Underfloor

Commercial

Medium/General Commercial

Staircases

Hospitality

Hard Lead Ox Brawn Sand Storm Solid Steel



Heavy



Caring for Your Vinyl

- When cleaning your vinyl use a soft bristle broom or vacuum cleaner to remove any loose dirt.
- Damp-mop as needed with clean water and a nonabrasive floor cleaner (harsh cleaning chemicals should not be used on vinyl).
- Treat spills, spots, or stains immediately with a nonabrasive floor cleaner. Remove any residue or moisture after cleaning.
- No wax or polish required.
- Please refer to our full maintenance document for further information on preventative maintenance and further precautions*.

*This information can be found on our website under 'Caring for Your Vinyl'.

By following the correct cleaning recommendations, preventative maintenance advice and further cautions, you can help your vinyl floors last a lifetime.

59



11.

FAQ's

How long does vinyl flooring last?

Vinyl flooring is extremely durable, carrying a residential warranty of 10 to 20 years, while the commercial product can last between 7 and 15 years in a heavy commercial setting.

Does thickness matter?

The wear layer matters when considering where the product needs to be installed. Commercial applications require a thicker wear layer, while a thinner wear layer does not result in an inferior product, it simply means that the product has been designed for low traffic residential areas.

Is LVT and vinyl sheeting better than laminate?

Laminates aren't 100% waterproof, and so even spills can result in the chipboard under the product swelling and popping up. Because it's waterproof, LVT and vinyl sheeting offer the perfect option for your bathroom, kitchen and the rest of your home.

How well does it wear?

Provided the correct product has been properly installed and regular maintenance is adhered to, you can expect your vinyl floors to last you a lifetime.



Belgotex South Africa T: +27 (33) 897 7500

belgotex.co.za