

B.

Hard Graft

A commercial collection of two designs built for endurance in general/medium commercial traffic areas. Hard Graft™ by Belgotex offers a tile and plank in both designs to infuse resilient texture into the modern work environment. The four colourways cover a variety of moody hues that deliver an organic canvas to all things “Cubicool” – what’s that you ask? It’s today’s culture of creating inspiring workspaces that echo the attitude of the business.

Extended Specifications

Use Classification:	General/Medium Commercial (EN1307)
Construction:	Tufted Multi Scroll Loop Pile
Recycled Content:	Backing (NexBac Eco/EcoBac (EOS) on request only)
Yarn Type:	Stainproof Miracle Fibre (Polypropylene)
Yarn Mass:	560g/m² (ISO 8543)
Pile Height:	± 7mm (ISO 8543)
Stitch Rate:	39 (per 10cm)
Total Thickness (NexBac):	2.5mm to 5.5mm (± 0.5mm) (ISO 8543)
Total Mass (NexBac):	± 4100g/m² (ISO 8543)
Standard Size (tile):	50cm x 50cm and 30cm x 120cm
Standard Backing:	NexBac (Bitumen)
Machine Gauge:	1/10”



B.

Hard Graft

Extended Specifications

Fire Classification:	2 (SANS 10177-4) (EN 13501) (ISO 9239) (ASTM E 648-08)	
Colour Fastness to:	Light	7 (NF EN ISO 105-B02)
	Water	4 – 5 (ISO 105-E01)
	Dry Rubbing	4 – 5 (ISO 105-X12)
	Wet Rubbing	4 – 5 (ISO 105-X12)
Electrostatic Propensity:	(EN 14041) / (ISO 6356)	
Sound Absorption (NexBac):	(EN ISO 354)	
Sound Insulation (NexBac):	(EN ISO 10140)	
Thermal Resistance (NexBac):	(ISO 8302)	
Dimensional Stability:	Pass (NF EN 986)	
VOC Tested:	(ASTM D5116)	
Castor Chair Suitability:	(NF EN 985)	
Staircase Suitability:	(EN 1963) / (NF EN ISO 12951)	
Warranty:	15 year	
Guarantee:	5 year	

** Weighted Average

*** Also available in 60cm x 60cm, 1m x 50cm, 1m x 1m NexBac tiles and 25cm x 100cm NexBac plank tiles. EcoBac is available on request for 50cm x 50cm and 1m x 1m tiles. As these sizes and backings are not standard, minimum production quantities apply.




B.

This commercial collection is available in two design – Graded is more structured and linear in appearance and Shaded is a dappled distressed pattern. The palette is mostly tonal across all 4 colourways giving way to standout décor & furniture pieces.

Graded



Chill



Deep




Edge




Hype

Hard Graft


Shaded



Chill



Deep




Edge




Hype

B.


Hard Graft




Heavy Commercial




Hospitality




Institution




Commercial




Suitable for Staircases




Underfloor Heating




Office Chair Castor Wheels




5 YEAR




15 YEAR




From Local & Imported Goods




Eco-Friendly




REUSE
REDUCE
RECYCLE




ANTI ALLERGENIC




Modular




Planks




ECO
BAC




NEX
BAC




M
MIRACLE
BAC




COLOURFAST
MF
ECO
BLEACH RESISTANT




STAINPROOF
SDN
SOLUTION DYED NYLON




COLOURFAST
SDX
BLEACH RESISTANT




COLOURFAST
SDX
ECO
BLEACH RESISTANT




COLOURFAST
MF
BLEACH RESISTANT




GREEN TAG
CERTIFIED
"trust brands"




bsi
ISO 9001
Quality
Management
Systems
CERTIFIED



bsi
ISO 14001
Environmental
Management
CERTIFIED



bsi
ISO 45001
Occupational
Health and Safety
Management
CERTIFIED



GREEN BUILDING COUNCIL SA
MEMBER ORGANISATION

Bill of Quantities

- Belgotex HARD GRAFT 50cm x 50cm & 30cm x 120cm NexBac tiles are manufactured from Stainproof Miracle Fibre (Polypropylene).
- This product is to be laid in accordance with the SANS 10186 fitting code of practice.
- Belgotex HARD GRAFT can be installed in the following directions: 50cm x 50cm can be Tessellated, Ashlar, Brick & Random and 25cm x 100cm can be Ashlar or Herringbone.
- Belgotex recommends the use of Carpet protector mats where castor wheels are used.
- 15 year warranty and 5 year guarantee.

**All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.