

# B.

## Archetypes

This range offers the essential building blocks of classic patterned floors, but with the phenomenal appeal and performance benefits of contemporary materials. With a selection of five wood looks, these mid-sized rectangular LVT planks can be mixed and matched to create a retro parquet inspired look or timeless herringbone design, fit for the 21<sup>st</sup> century.

### Extended Specifications

Type of Installation:	Dry Back (Stick Down)
Use Classification:	Heavy Residential/Light Commercial
Total Mass:	3550 g/m <sup>2</sup> (Nom)   104.7 oz/yd <sup>2</sup> (Nom)
Wear Layer Thickness:	0.3 (mm)   0.012 (in)
Total Thickness:	2 mm (±0.5)   0.08 in (±0.02 in)
Tile/Plank Size (l x w):	609.6 × 152.4 (mm)   24 × 6 (in)
Quantity Per Box:	2.97 m <sup>2</sup> /3.55 yd <sup>2</sup>





# B.

## Archetypes


### Extended Specifications

Number of Planks Per Box:	32
Fire Classification:	Bfl-s1 (EN 13501-1)
Slip Resistance:	> 0.3 (EN 13893)
Stain & Chemical Resistance:	Excellent (EN 423)
Castor Chair Suitability:	Pass (EN 425) (Use soft non-staining wheels)
Underfloor Heating:	Yes, max. 27°C
VOC Emissions:	Floorscore SCS-FS-03336
Warranty:	15 Year Residential & 7 Year Light Commercial
Sustainability:	Floorscore/Declare/Health Product Declaration/ Environmental Product Declaration





# B.



Aremberg




Bordeaux



Chantilly




Monticello




Versailles


## Archetypes




Heavy Residential




Light Commercial




Underfloor Heating



Suitable for Staircases



Natural Look



Office Chair Castor Wheels



Solid Bac



COMMERCIAL WARRANTY  
7  
YEAR



RESIDENTIAL WARRANTY  
15  
YEAR



REUSE  
REDUCE  
RECYCLE



100% WATERPROOF



POLYURETHANE  
TREATED SURFACE  
PU



floor score  
CERTIFIED BY  
SCS Global Services



CE

ISO 9001  
ISO 14001  
ISO 45001

### Bill of Quantities

- Belgotex ARCHETYPES at  $\pm 2$ mm Heavy Residential/ Light Commercial Dry Back LVT.
- 609.6 x 152.4 (mm) with 0.3 mm wear layer.
- 15 year residential warranty and 7 year light commercial warranty.
- This product is to be laid in accordance with the SANS 10070 fitting code of practice.

\*All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.