B<sub>\_</sub>

## Fringe

We're all so thoughtful at the start of a new relationship and we've made no exception when it comes to blending our carpet ranges. Fringe is a commercial range for those seeking organic texture and subtle colour. A choice between planks or tiles delivers pattern versatility through tessellation.

#### **Extended Specifications**

Use Classification: General/Medium Commercial (EN1307)

Construction: Tufted Multi Scroll Loop Pile

Recycled Content: Backing (NexBac Eco/ EcoBac (EOS) on request only)

Yarn Type: Stainproof Miracle Fibre (Polypropylene) 16% Stainproof

SDX and 84% Stainproof Miracle Fibre (on certain colours)

Yarn Mass: (ISO 8543)

Pile Height: 2.5mm to 5mm (± 0.5mm) (ISO 8543)

Stitch Rate: 36 (per 10cm)

Total Thickness (NexBac): 7 (mm) (± 0.5mm) (ISO 8543)

Total Mass (NexBac): ± 4223g/m<sup>2\*\*</sup> (ISO 8543)

Standard Size (tile):  $50 \times 50$  (cm) and  $25 \times 100$  (cm)\*\*\*

Standard Backing: NexBac (Bitumen)

Machine Gauge: 1/10"



B\_

## Fringe

### **Extended Specifications**

Fire Classification: 2 (SANS 10177-4) (EN 13501) (ISO 9239)

(ASTM E 648-08)

Colour Fastness to: Light 7 (NF EN ISO 105-B02)

Water 4 – 5 (ISO 105-E01)
Dry Rubbing 4 – 5 (ISO 105-X12)
Wet Rubbing 4 – 5 (ISO 105-X12)

Electrostatic Propensity: ≤ 2 kV (EN 14041) / (ISO 6356)

Sound Absorption (NexBac): (EN ISO 354)
Sound Insulation (NexBac): (EN ISO 10140)

Thermal Resistance (NexBac): (ISO 8302)

Dimensional Stability: Pass (NF EN 986)

VOC Tested: (ASTM D5116)


Castor Chair Suitability: (NF EN 985)

Staircase Suitability: (EN 1963) / (NF EN ISO 12951)

Warranty: 15 year
Guarantee: 5 year

\*\* Weighted Average

\*\*\* Also available in 60cm x 60cm, 1m x 50cm, 1m x 1m NexBac tiles and 25cm x 100cm NexBac plank tiles. EcoBac is available on request for 50cm x 50cm and 1m x 1m tiles. As these sizes and backings are not standard, minimum production quantities apply.



# B\_



## Fringe












Staircases



Heating



**Castor Wheels** 










































#### **Bill of Quantities**

- · Belgotex's FRINGE 50×50cm & 25cm x 100cm NexBac tiles are manufactured from Stainproof Miracle Fibre (Polypropylene) and in certain colours a blend of Stainproof SDX (Solution Dyed Nylon).
- · This product is to be laid in accordance with the SANS 10186 fitting code of practice.
- Belgotex FRINGE can be installed in the following directions: 50cm x 50cm can be Tessellated, Ashlar, Brick & Random and 30cm x 120cm can be Ashlar or Herringbone.
- · Belgotex recommends the use of Carpet protector mats where castor wheels are used.
- · 15 year warranty and 5 year guarantee.

\*All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.